

## DAFTAR PUSTAKA

1. Hart LB, Walker J, Beckingham B, Shelley A, Alten Flagg M, Wischusen K, et al. A characterization of personal care product use among undergraduate female college students in South Carolina, USA. *J Expo Sci Environ Epidemiol*. 2020;30(1):97–106.
2. Cosmetics Overview [Internet]. US Food and Drug Administration. 2021 [cited 2022 May 19]. Available from: <https://www.fda.gov/industry/regulated-products/cosmetics-overview#cosmetic>
3. Dodson RE, Cardona B, Zota AR, Robinson Flint J, Navarro S, Shamasunder B. Personal care product use among diverse women in California: Taking Stock Study. *J Expo Sci Environ Epidemiol*. 2021;31(3):487–502.
4. Chan LM, Chalupka SM, Barrett R. Female college student awareness of exposures to environmental toxins in personal care products and their effect on preconception health. *Work Heal Saf*. 2015;63(2):64–70.
5. Rahayu M, Solihat MF. Toksikologi Klinik [Internet]. Kementerian Kesehatan Republik Indonesia; 2018 [cited 2022 Mar 25]. p. 3–5. Available from: [http://bppsdmk.kemkes.go.id/pusdiksdmk/wp-content/uploads/2018/09/Toksikologi-Klinik\\_SC.pdf](http://bppsdmk.kemkes.go.id/pusdiksdmk/wp-content/uploads/2018/09/Toksikologi-Klinik_SC.pdf)
6. Kurniawidjaja LM, Lestari F, Tejamaya M, Ramdhan DH. Konsep Dasar Toksikologi Industri. Jakarta: Fakultas Kesehatan Masyarakat Universitas Indonesia; 2021. 54–118 p.
7. Lara-Torres S, Figueiredo D, Paz S, Gutiérrez AJ, Rubio C, González-Weller D, et al. Determination and risk assessment of toxic metals in lipsticks from Europe and China. *J Trace Elem Med Biol*. 2021;67:126792.
8. Katzung BG, Masters SB, Trevor AJ. *Farmakologi Dasar & Klinik* Vol.2. 12th ed. Jakarta: EGC; 2013. 1214 p.
9. DiNardo JC, Downs CA. Dermatological and environmental toxicological impact of the sunscreen ingredient oxybenzone/benzophenone-3. *J Cosmet Dermatol*. 2017;17(1):15–9.
10. Sanajou S, Şahin G, Baydar T. Aluminium in cosmetics and personal care products. *J Appl Toxicol*. 2021;41(11):1704–18.
11. Yulianto, Amaloyah N. Toksikologi Lingkungan [Internet]. [cited 2022 May 26]. Available from: [http://bppsdmk.kemkes.go.id/pusdiksdmk/wp-content/uploads/2017/11/Daftar-isi-ToksiologiLingkungan\\_k1\\_restu.pdf](http://bppsdmk.kemkes.go.id/pusdiksdmk/wp-content/uploads/2017/11/Daftar-isi-ToksiologiLingkungan_k1_restu.pdf)
12. Farkhondeh T, Afshari R, Mehrpour O, Samarghandian S. Mercury and Atherosclerosis: Cell Biology, Pathophysiology, and Epidemiological Studies. *Biol Trace Elem Res*. 2020;196(1):27–36.
13. Chan TYK, Chan APL, Tang HL. Nephrotic syndrome caused by exposures to skin-lightening cosmetic products containing inorganic mercury. *Clin Toxicol*. 2020;58(1):9–15.

14. Aghashahi M, Reza H. Impact of aluminium toxicity on vital human sperm parameters - Protective effects of silymarin. *Andrologia*. 2020;1–10.
15. Dewi CH. Perbedaan kadar kadmium (Cd) dalam darah dan tekanan darah pada pengelas dan non pengelas di PT. X Surabaya. *J Wiyata*. 2020;110–23.
16. Ayenimo JG, Yusuf AM, Adekunle AS, Makinde OW. Heavy metal exposure from personal care products. *Bull Environ Contam Toxicol*. 2010;84(1):8–14.
17. Santa Maria MP, Hill BD, Kline J. Lead (Pb) neurotoxicology and cognition. *Appl Neuropsychol Child*. 2019;8(3):272–93.
18. Maharaj D, Mohammed T, Mohammed A, Addison L. Enhanced digestion of complex cosmetic matrices for analysis of As, Hg, Cd, Cr, Ni, and Pb using triton X-100. *MethodsX*. 2021;8.
19. Ahmed AY, Asada A, I.A.A.Hamza. Cobalt and lead concentrations in cosmetic products sold at local markets in Saudi Arabia. *Toxicol Rep*. 2021;8:1693–8.
20. Panatas Wahyu W, Satrio Abi L, Suryo Abi P, Very Febrianto WAK. *Ilmu Logam Pengenalan Titanium*. 2017;66.
21. Dréno B, Alexis A, Chuberre B, Marinovich M. Safety of titanium dioxide nanoparticles in cosmetics. *J Eur Acad Dermatology Venereol*. 2019;33(7):34–46.
22. Schneider SL, Lim HW. A review of inorganic UV filters zinc oxide and titanium dioxide. *Photodermatol Photoimmunol Photomed*. 2019;35(6):442–6.
23. Singh S. Zinc oxide nanoparticles impacts: cytotoxicity, genotoxicity, developmental toxicity, and neurotoxicity. *Toxicol Mech Methods*. 2019;29(4):300–11.
24. Kilic S, Kilic M, Soylak M. The Determination of Toxic Metals in some Traditional Cosmetic Products and Health Risk Assessment. *Biol Trace Elem Res*. 2021;199(6):2272–7.
25. Anant JK, Inchulkar SR, Bhagat S. An Overview of Copper Toxicity Relevance to Public Health. *Eur J Pharm Med Res*. 2018;5(11):232–7.
26. Pavesi T, Moreira JC. Mechanisms and individuality in chromium toxicity in humans. *J Appl Toxicol*. 2020;40(9):1183–97.
27. Schwartz C, Jan A, Zito P. Hydroquinone. [Internet]. StatPearls Publishing. Treasure Island (FL); 2021. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK539693/>
28. Jurewicz J, Wielgomas B, Radwan M, Karwacka A, Klimowska A, Dziejirska E, et al. Triclosan exposure and ovarian reserve. *Reprod Toxicol*. 2019;89:168–72.
29. Marhamah M, Ujjani S, Tuntun M. Kemampuan sabun antiseptik cair yang mengandung triclosan yang terdaftar di bpom dalam menghambat pertumbuhan bakteri escherichia coli. *J Kesehat*. 2019;10(1):17.

30. Ruszkiewicz JA, Li S, Rodriguez MB, Aschner M. Is Triclosan a neurotoxic agent? *J Toxicol Environ Heal - Part B*. 2017;20(2):104–17.
31. Weatherly LM, Gosse JA. Triclosan exposure, transformation, and human health effects. *J Toxicol Environ Heal - Part B*. 2017;20(8):447–69.
32. Talcum Powder and Cancer [Internet]. American Cancer Society. 2017 [cited 2022 Apr 22]. Available from: <https://www.cancer.org/content/dam/CRC/PDF/Public/664.00.pdf>
33. Fletcher NM, Harper AK, Memaj I, Fan R, Morris RT, Saed GM. Molecular basis supporting the association of talcum powder use with increased risk of ovarian cancer. *Reprod Sci*. 2019;26(12):1603–12.
34. Omoyajowo KO, Ogunyebi AL, Adenekan OA, Bakare TI, Omoyajowo BO, Odipe OE, et al. Awareness of toxicological impact and risk of using talcum powder as a factor for ovarian cancer among women in three metropolitan cities of Southwestern States, Nigeria. *J Appl Sci Environ Manag*. 2021;25(7):1191–9.
35. Athar M. Detrimental effects of perfumes, aroma & cosmetics. *J Dermatology Cosmetol*. 2020;4(2):42–4.
36. Fransway AF, Fransway PJ, Belsito D v., Warshaw EM, Sasseville D, Fowler JF, et al. Parabens. *Dermatitis*. 2019;30(1):3–31.
37. Mehdi Amin M, Tabatabaeian M, Chavoshani A, Amjadi E, Hashemi M, Ebrahimipour K, et al. Paraben Content in Adjacent Normal-malignant Breast Tissues from Women with Breast Cancer. *Biomed Environ Sci*. 2019;32(12):893–904.
38. Wan MLY, Co VA, El-Nezami H. Endocrine disrupting chemicals and breast cancer: a systematic review of epidemiological studies. *Crit Rev Food Sci Nutr*. 2021;0(0):1–27.
39. Wang YW, Li YN, Lin QB, Wang X, Li ZH, Wu KX. Functional and antioxidant properties of plastic bottle caps incorporated with BHA or BHT. *Materials*. 2021;14(16):1–15.
40. Panico A, Serio F, Bagordo F, Grassi T, Idolo A, de Giorgi M, et al. Skin safety and health prevention: An overview of chemicals in cosmetic products. *J Prev Med Hyg*. 2019;60(1):E50–7.
41. Delanghe T, Huyghe J, Lee S, Priem D, van Coillie S, Gilbert B, et al. Antioxidant and food additive BHA prevents TNF cytotoxicity by acting as a direct RIPK1 inhibitor. *Cell Death Dis*. 2021;12(7).
42. Simanjuntak LB. Pembuatan Cocamide Dietanolamina dari Minyak Kelapa (*Cocos nucifera* L.) Dengan Katalis CaO: Pengaruh Waktu Reaksi, Mol Substrat dan Rasio Pelarut. 2018;13.
43. Haney JT, McCant D, Honeycutt ME, Lange S. Development of an inhalation reference concentration for diethanolamine. *Regul Toxicol Pharmacol*. 2018;92:55–66.

44. Fiume MM, Heldreth B, Bergfeld WF, Belsito D v., Hill RA, Klaassen CD, et al. Safety Assessment of Diethanolamine and Its Salts as Used in Cosmetics. *Int J Toxicol*. 2017;36:89–110.
45. Sardar SW, Choi Y, Park N, Jeon J. Occurrence and concentration of chemical additives in consumer products in Korea. *Int J Environ Res Public Health*. 2019;16(24):1–15.
46. Nuzully S, Kato T, Suharyadi E. Pengaruh Konsentrasi Polyethylene glycol (PEG) pada Sifat Kemagnetan Nanopartikel Magnetik PEG-Coated Fe<sub>3</sub>O<sub>4</sub>. *J Fis Indones*. 2014;17(51):35–40.
47. Johnson W, Bergfeld WF, Belsito D v., Hill RA, Klaassen CD, Liebler DC, et al. Safety Assessment of PEG-150 Pentaerythrityl Tetrastearate as Used in Cosmetics. *Int J Toxicol*. 2018;37(2):5S-9S.
48. Webster R, Elliott V, Park BK, Walker D, Hankin M, Taupin P. PEG and PEG conjugates toxicity: towards an understanding of the toxicity of PEG and its relevance to PEGylated biologicals. *PEGylated Protein Drugs: Basic Science and Clinical Applications*. 2009;127–46.
49. Jacob SE, Scheman A, McGowan MA. Propylene Glycol. *Dermatitis*. 2018;29(1):3–5.
50. Blomberg M, Johansen JD. Allergic contact dermatitis due to butylene glycol in cosmetics. *Contact Dermatitis*. 2020;83(3):242–3.
51. Harley KG, Berger KP, Kogut K, Parra K, Lustig RH, Greenspan LC, et al. Association of phthalates, parabens and phenols found in personal care products with pubertal timing in girls and boys. *Hum Reprod*. 2019;34(1):109–17.
52. Radke EG, Braun JM, Nachman RM, Cooper GS. Phthalate exposure and neurodevelopment: A systematic review and meta-analysis of human epidemiological evidence. *Environ Int*. 2020;137:1–20.
53. Ghazipura M, McGowan R, Arslan A, Hossain T. Exposure to benzophenone-3 and reproductive toxicity: A systematic review of human and animal studies. *Reprod Toxicol*. 2017;73:175–83.
54. Mancuso JB, Maruthi R, Wang SQ, Lim HW. Sunscreens: An Update. *Am J Clin Dermatol*. 2017;18(5):643–50.
55. Thépaut E, Dirven HAAM, Haug LS, Lindeman B, Poothong S, Andreassen M, et al. Per- and polyfluoroalkyl substances in serum and associations with food consumption and use of personal care products in the Norwegian biomonitoring study from the EU project EuroMix. *Environ Res*. 2021;195.
56. Cao Y, Ng C. Absorption, distribution, and toxicity of per- and polyfluoroalkyl substances (PFAS) in the brain: a review. *Environ Sci Process Impacts*. 2021;23(11):1623–40.
57. Szilagyi JT, Avula V, Fry RC. Perfluoroalkyl Substances (PFAS) and Their Effects on the Placenta, Pregnancy, and Child Development: a Potential Mechanistic Role for Placental Peroxisome Proliferator-Activated Receptors (PPARs). *Curr Environ Health Rep*. 2020;7(3):222–30.

58. Umeh C, Gupta R, Gupta R. Acetone Ingestion Resulting in Cardiac Arrest and Death. *Cureus*. 2021;13(10).
59. Johnston NR, Strobel SA. Principles of fluoride toxicity and the cellular response: a review. *Arch Toxicol* [Internet]. 2020;94(4):1051–69. Available from: <https://doi.org/10.1007/s00204-020-02687-5>
60. Chirani MR, Kowsari E, Teymourian T, Ramakrishna S. Environmental impact of increased soap consumption during COVID-19 pandemic: Biodegradable soap production and sustainable packaging. *Sci Total Environ*. 2021;796.
61. Astria C, Windarto AP, Musiafa Z. Pemilihan produk sampo sesuai jenis kulit kepala dengan metode promethee ii. *J Comput Eng Syst Sci*. 2019;4(2):178–85.
62. Minerva P. Penggunaan Tabir Surya Bagi Kesehatan Kulit. *Jurnal Pendidikan Dan Keluarga*. 2019;11(1):95–101.
63. Puspitasari A, Balbeid M, Adirhesa A. Perbedaan Pasta Gigi Herbal dan Non-Herbal Terhadap Penurunan Plaque Index Score Pada Anak. *E-Prodenta J Dent*. 2018;2(1):116–23.
64. Ulfah Syurgana M, Febrina L, Ramadhan Laboratorium Penelitian dan Pengembangan Kefarmasian AM, Tropis F. Formulasi Pasta Gigi Dari Limbah Cangkang Telur Bebek. *Proceeding of the 6 th Mulawarman Pharmaceuticals Conferences*. 2017;127–40.
65. Oktaviana MI, Pahalawati IN, Kurniasih NF, Genatrika E. Formulasi Deodoran Spray dari Minyak Atsiri Daun Kemangi (*Ocimum basilicum* L.) sebagai Antibakteri Penyebab Bau Badan (*Staphylococcus epidermidis*). *Pharm J Indones*. 2019;16(2):396–405.
66. Zahara I. Formulation of Roll On Deodorant Preparations with Betle Oils (*Piper betle* Linn.) as Antiseptic. *Farmagazine*. 2018;5(1):31–9.
67. Rahayu S, Sherley, Indrawati S. *Deodorant-antiperspirant*. Jakarta: Naturakos IV BPOM RI; 2009.
68. Isfianti DE. Pemanfaatan Limbah Kulit Buah Jeruk Nipis (*Citrus aurantifolia*) Dan Daun Kelor (*Moringa oleifera* Lamk) Untuk Pembuatan Lulur Tradisional Sebagai Alternatif “Green Cosmetics.” *Jurnal Tata Rias*. 2018;07(2):74–86.
69. RI PMK. Peraturan Menteri Kesehatan Republik Indonesia Nomor 1175/MENKES/PER/VIII/2010 Tentang Izin Produksi Kosmetik. 2010.
70. Fernández-Peña L, Guzmán E. Physicochemical aspects of the performance of hair-conditioning formulations. *Cosmetics*. 2020;7(2):1–21.
71. Estikomah SA, Suciati A, Kaunia V. Evaluasi Fisik Sediaan Kondisioner dengan Varian Ekstrak Rimpang Lengkuas Merah (*Alpinia purpurata* K. Schum.). 2021;5(2):41–9.

72. Barus BR, Meliala L. Formulasi Dan Evaluasi Sediaan Hair Tonic Ekstraketanol Daun Nilam (*Pogostemoncablin Benth.*) Untuk Mengatasi Rambut Rontok. 2022;4(2):45–51.
73. Pramono S, Titin. Model Rambut dan Tato. Jakarta: In Azna Book; 2012.
74. Thaib CM, Fitri R, Nurbaya S, Simatupang AY. Penggunaan Ekstrak Kelopak Jantung Pisang Kepok (*Musa acuminata L.*) Dalam Formulasi Pewarna Rambut. *Farmanesia*. 2021;8(2):74–6.
75. Damayanti S, Ridwan M, Sari R. Formulasi Dan Evaluasi Sediaan Krim Pewarna Rambut Dari Ekstrak Etanol Umbi Bit (*Beta vulgaris L.*). *Jurnal Farmasi dan Herbal*. 2022;4.
76. Zaky M, Balqis RA, Pratiwi D. Formulasi dan Uji Evaluasi Fisik Sediaan Gel Ekstrak Etanol 96% Bunga Rosela (*Hibiscus sabdariffa L.*) Sebagai Pewarna Rambut Alami. *Jurnal Medika Utama*. 2020;1(3):129–38.
77. Noval N, Melviani M, Novia N, Syahrina D. Formulasi Dan Evaluasi Sediaan Obat Kumur (Mouthwash) Dari Ekstrak Etanol Tanaman Bundung (*Actinoscirpus Grossus*) Sebagai Antiseptik Mulut. *Jurnal Surya Medika*. 2020;6(1):112–20.
78. Megantara INAP, Megayanti, K, Wirayanti R, Esa IBD, Wijayanti NPAD, Yustiantara PS. Formulasi Lotion Ekstrak Buah Raspberry (*Rubus Rosifolius*) Dengan Variasi Konsentrasi Trietanolamin Sebagai Emulgator Serta Uji Hedonik Terhadap Lotion. *Jurnal Farmasi Udayana*. 2017;1.
79. Dominica D, Handayani D. Formulasi dan Evaluasi Sediaan Lotion dari Ekstrak Daun Lengkek (*Dimocarpus Longan*) sebagai Antioksidan. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*. 2019;6(1):1.
80. Baskara IBB, Suhendra L, Wrasiasi LP. Pengaruh Suhu Pencampuran dan Lama Pengadukan terhadap Karakteristik Sediaan Krim. *Jurnal Rekayasa Dan Manajemen Agroindustri*. 2020;8(2):200.
81. Khristian E, Purnama J. Penggunaan Kuteks Sebagai Alternatif Mounting Media Pada Pembuatan Preparat Jaringan. *Jurnal Kesehatan Kartika*. 2020;15(2):53–62.
82. Chandra S, Das A. The science of nail polish, nail polish remover, and nail moisturizers. In: Sigla A, Neema S, Kumar P, editors. *Nail Disorders, a Comprehensive Approach*. 2019. p. 497–501.
83. The Sister Study [Internet]. [cited 2022 Apr 25]. Available from: <https://sisterstudy.niehs.nih.gov/English/about.htm>
84. Retnawati H. Analisis Kuantitatif Instrumen Penelitian. Yogyakarta: parama publishing; 2016.
85. Wu F, Seib M, Mauel S, Klinzing S, Hicks AL. A citizen science approach estimating titanium dioxide released from personal care products. *PLoS One* [Internet]. 2020;15(7 July):1–14. Available from: <http://dx.doi.org/10.1371/journal.pone.0235988>

86. Abendrot M, Kalinowska-Lis U. Zinc-containing compounds for personal care applications. *Int J Cosmet Sci.* 2018;40(4):319–27.
87. Khan NH, Ullah F, Khan TA, Zafar U, Khan MFA, Mustaqeem M, et al. Personal-care cosmetic practices in pakistan: Current perspectives and management. *Clin Cosmet Investig Dermatol.* 2021;14:9–21.
88. Campbell L, Zirwas MJ. Triclosan. *Dermatitis.* 2006;17(4):204–7.
89. Shrestha P, Zhang Y, Chen WJ, Wong TY. Triclosan: antimicrobial mechanisms, antibiotics interactions, clinical applications, and human health. *J Environ Sci Health C Toxicol Carcinog.* 2020;38(3):245–68.
90. Peraturan badan pengawas obat dan makanan nomor 23 tahun 2019 tentang persyaratan teknis bahan kosmetika. 2019.
91. Fiume MM, Boyer I, Bergfeld WF, Belsito D v, Hill RA, Klaassen CD, et al. Safety Assessment of Talc as Used in Cosmetics. 2015;34(Supplement 1):66–129.
92. Patel S. Fragrance compounds: The wolves in sheep's clothings. *Med Hypotheses.* 2017;102:106–11.
93. Guo Y, Wang L, Kannan K. Phthalates and parabens in personal care products from China: Concentrations and human exposure. *Arch Environ Contam Toxicol.* 2014;66(1):113–9.
94. Darbre PD, Harvey PW. Paraben esters: review of recent studies of endocrine toxicity, absorption, esterase and human exposure, and discussion of potential human health risks. *J Appl Toxicol.* 2007;27(July):511–8.
95. Pop A, Kiss B, Loghin F. Endocrine disrupting effects of butylated hydroxyanisole (BHA - E320). *Clujul Med.* 2013;86(1):16–20.
96. Mizobuchi M, Ishidoh K, Kamemura N. A comparison of cell death mechanisms of antioxidants, butylated hydroxyanisole and butylated hydroxytoluene. *Drug Chem Toxicol.* 2022;45(4):1899–906.
97. Muhartono M, Subeki S. Ekspresi Caspase-3 pada Kanker Payudara Tikus Setelah Pemberian Antikanker Brusein-A. *Glob Med Heal Commun.* 2017;5(3):189.
98. Liu R, Mabury SA. Synthetic Phenolic Antioxidants in Personal Care Products in Toronto, Canada: Occurrence, Human Exposure, and Discharge via Greywater. *Environ Sci Technol.* 2019;53(22):13440–8.
99. Doctor HI, Samova SK, Verma RJ. Cite this article: Diethanolamine-Induced Hepatic Injury and Its Amelioration by Curcumin. *Am J Toxi and Res.* 2018;1(1):11–3.
100. Fiume MM, Heldreth B, Bergfeld WF, Belsito D v., Hill RA, Klaassen CD, et al. Safety Assessment of Triethanolamine and Triethanolamine-Containing Ingredients as Used in Cosmetics. *Int J Toxicol.* 2013;32(Supplement 1):59S-83S.
101. Jang HJ, Shin CY, Kim KB. Safety evaluation of polyethylene glycol (PEG) compounds for cosmetic use. *Toxicol Res.* 2015;31(2):105–36.

102. Park J, Lee H, Park K. Mixture toxicity of methylisothiazolinone and propylene glycol at a maximum concentration for personal care products. *Toxicol Res.* 2018;34(4):355–61.
103. Peterson J, Stadlen R, Radke J. Propylene glycol toxicity from compulsive corn starch ingestion. *Am J Emerg Med.* 2022 Mar 1;53:286.e1-286.e3.
104. Zhou Y, Zhao X, Hu W, Ruan F, He C, Huang J, et al. Acute and subacute oral toxicity of propylene glycol enantiomers in mice and the underlying nephrotoxic mechanism. *Environ Pollut.* 2021;290(May):118050.
105. Aizawa A, Ito A, Masui Y, Ito M. Case of allergic contact dermatitis due to 1,3-butylene glycol. *J Dermatol.* 2014;41(9):815–6.
106. Zhang YJ, Guo JL, Xue J chuan, Bai CL, Guo Y. Phthalate metabolites: Characterization, toxicities, global distribution, and exposure assessment. *Environ Pollut.* 2021;291:1–15.
107. Krause M, Klit A, Blomberg Jensen M, Søbørg T, Frederiksen H, Schlumpf M, et al. Sunscreens: Are they beneficial for health? An overview of endocrine disrupting properties of UV-filters. *Int J Androl.* 2012;35(3):424–36.
108. Jung W, Seok SH, Shin S, Ryu SH, Kim KB, Shin BS, et al. Toxicokinetics, Percutaneous Absorption and Tissue Distribution of Benzophenone-3, an UV Filtering Agent, in Rats. *Toxics.* 2022;10(11):672.
109. Santamaria CG, Meyer N, Schumacher A, Zenclussen ML, Teglia CM, Culzoni MJ, et al. Dermal exposure to the UV filter benzophenone-3 during early pregnancy affects fetal growth and sex ratio of the progeny in mice. *Arch Toxicol.* 2020;94(8):2847–59.
110. Toxicological Profile for Acetone [Internet]. ATSDR's Toxicological Profiles. New York; 2022. Available from: <https://www.atsdr.cdc.gov/toxprofiles/tp21.pdf>
111. O'Mullane DM, Baez RJ, Jones S, Lennon MA, Petersen PE, Rugg-Gunn AJ, et al. Fluoride and oral health. *Community Dent Health.* 2016;33(2):69–99.
112. Guth S, Hüser S, Roth A, Degen G, Diel P, Edlund K, et al. Toxicity of fluoride: critical evaluation of evidence for human developmental neurotoxicity in epidemiological studies, animal experiments and in vitro analyses. Vol. 94, *Arch Toxicol.* Springer Berlin Heidelberg; 2020. 1375–1415 p.
113. Cheng L, Li J, He L, Zhou X. Natural products and caries prevention. *Caries Res.* 2015;49(suppl 1):38–45.