

DAFTAR PUSTAKA

1. Profil kesehatan indonesia tahun 2020. Kementerian Kesehatan Republik Indonesia. Jakarta; 2021.
2. World Health Organization. Maternal mortality [Internet]. 2019. Available from: <https://www.who.int/news-room/fact-sheets/detail/maternal-mortality>
3. United Nations Children's Fund. Maternal mortality [Internet]. 2021. Available from: <https://data.unicef.org/topic/maternal-health/maternal-mortality/>
4. Suhardjono. Hipertensi pada kehamilan. In: Buku ajar ilmu penyakit dalam jilid III. 6th ed. Jakarta: InternaPublishing; 2017. p. 4007–8.
5. Brown MA, Magee LA, Kenny LC, Karumanchi SA, McCarthy FP, Saito S, et al. Hypertensive disorders of pregnancy: ISSHP classification, diagnosis, and management recommendations for international practice. *Hypertension*. 2018;72(1):24–5.
6. Cunningham FG, Leveno KJ, Bloom SL, Hauth JC, Rouse DJ, Spong CY. Pregnancy hypertension. In: *Williams Obstetrics*. 23rd ed. McGraw-Hill Companies; 2017. p. 708, 709, 720.
7. Maria Burhanuddin S, Rifayani Krisnadi S, Pusianawati D. Gambaran Karakteristik dan Luaran pada Preeklamsi Awitan Dini dan Awitan Lanjut Di RSUP Dr. Hasan Sadikin Bandung. *Indones J Obstet Gynecol Sci*. 2018;1(2):117–24.
8. Angsar MD. Hipertensi dalam kehamilan. In: Saifuddin AB, Rachimhadhi T, Wiknjosastro GH, editors. *Ilmu kebidanan sarwono prawirohardjo*. 4th ed. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo; 2016. p. 530–61.
9. Mose JC, Setyorini Irianti. Hipertensi dalam kehamilan. In: *Obstetri patologi ilmu kesehatan reproduksi*. 3rd ed. Jakarta: EGC; 2013. p. 97, 105.
10. Osmalina. Faktor-faktor yang berhubungan dengan kejadian preeklampsia berat pada ibu Hamil di rsup dr.m.djamil padang tahun 2018. Politeknik Kesehatan Kemenkes Padang; 2019.
11. Reubinoff BE, Schenker JG. HELLP syndrome - a syndrome of hemolysis, elevated liver enzymes and low platelet count - complicating preeclampsia-eclampsia. *Int J Gynecol Obstet*. 1991;36(2):95–102.
12. Sibai BM. Diagnosis, controversies, and management of the syndrome of hemolysis, elevated liver enzymes, and low platelet count. *Obstet Gynecol*. 2004;103(5 Pt 1):981–91.
13. Sofian A. Rustam mochtar sinopsis obstetri. 3rd ed. Jakarta: EGC; 2011.

14. Sucita RA. Faktor yang berhubungan dengan preeklampsia pada kehamilan di RSUD Muhammadiyah Sumatera Utara tahun 2011-2012. Universitas Sumatera Utara; 2013.
15. Muliani S. Faktor risiko kejadian preeklampsia dan pengaruhnya terhadap berat lahir bayi di RSUD dr. R. Soedjono Selong Kabupaten Lombok Timur tahun 2016. Universitas Hasanuddin Makassar; 2017.
16. Ganot S, Iswari WA, Pardede TU, Darus F, Puspitasari B, Santana S, et al. Diagnosis dan Tatalaksana Preeklampsia Berat Tidak Tergantung Proteinuria. *Cdk-255* [Internet]. 2017;44(8):576–9. Available from: [http://www.kalbemed.com/Portals/6/23_255Praktis-Diagnosis dan Tatalaksana Preeklampsia Berat Tidak Tergantung Proteinuria.pdf](http://www.kalbemed.com/Portals/6/23_255Praktis-Diagnosis%20dan%20Tatalaksana%20Preeklampsia%20Berat%20Tidak%20Tergantung%20Proteinuria.pdf)
17. Mutter WP, Karumanchi SA. Molecular mechanisms of preeclampsia. *Microvasc Res.* 2008;75(1):1–8.
18. Ramie A, Fahreza, Mahdalena. Riwayat Keluarga Preeklampsia Meningkatkan Kejadian Preeklampsia. *J Citra Keperawatan Poltekkes Kemenkes Banjarmasin.* 2018;6(2):36–51.
19. Tangren JS, Wan Md Adnan WAH, Powe CE, Ecker J, Bramham K, Hladunewich MA, et al. Risk of preeclampsia and pregnancy complications in women with a history of acute kidney injury. *Hypertension.* 2018;72(2):451–9.
20. Kartika AR, Aldika Akbar MI, Umiastuti P. Risk factor of severe preeclampsia in Dr. Soetomo Hospital Surabaya in 2015. *Maj Obstet Ginekol.* 2018;25(1):6.
21. Sugondo S. *Obesitas.* In: *Buku ajar ilmu penyakit dalam jilid II.* 6th ed. Jakarta: InternaPublishing; 2017. p. 2561.
22. Durst JK, Tuuli MG, Stout MJ, Macones GA, Cahill AG. Degree of obesity at delivery and risk of preeclampsia with severe features. *Am J Obstet Gynecol* [Internet]. 2016;214(5):651.e1-651.e5. Available from: <http://dx.doi.org/10.1016/j.ajog.2015.11.024>
23. Espinoza J, Vidaeff A, Pettker Christian M, Simhan H. Gestational hypertension and preeclampsia - clinical management guidelines for obstetrician – gynecologists. *Obstet Gynecol.* 2019;133(76):168–86.
24. Cerdeira AS, Karumanchi SA. Angiogenic factors in preeclampsia and related disorders. *Cold Spring Harb Perspect Med.* 2012;2(11).
25. Roberts JM, August PA, Bakris G, Barton JR, Bernstein IM, Druzin M. Hypertension in pregnancy. 2013;122(5):1122–31.
26. Gasem T, Al Jama FE, Burshaid S, Rahman J, Al Suleiman SA, Rahman MS. Maternal and fetal outcome of pregnancy complicated by HELLP

syndrome. *J Matern Neonatal Med.* 2009;22(12):1140–3.

27. Lockwood C, Paidas M. Preeclampsia and hypertensive disorders. In: Cohen WR complication in pregnancy. 5th ed. Philadelphia: Lippicott Williams Wilkins; 2000. p. 207–26.
28. Roeshadi RH. Sindroma HELLP. In: Ilmu Kedokteran Fetomaternal. 1st ed. Surabaya: Himpunan Kedokteran Fetomaternal; 2004. p. 502–3.
29. Hartawan i gusti agung gede utara. Eklamsia, hellp syndrome, acute respiratory distress syndrome and pneumonia. Vol. 1, Universitas Udayana. 2018.
30. Ghulmiyyah L, Sibai B. Maternal mortality from preeclampsia/eclampsia. *Semin Perinatol* [Internet]. 2012;36(1):56–9. Available from: <http://dx.doi.org/10.1053/j.semperi.2011.09.011>
31. Saifuddin AB. Kematian ibu dan perinatal. In: Ilmu kebidanan sarwono prawirohardjo. 4th ed. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo; 2016. p. 53, 54,61.
32. Tsabitah K, Wicaksono B, Handayani S. Severe preeclampsia leads to higher prevalence of mortality and morbidity affecting maternal outcomes in single tertiary hospital. *Majalah Obstetri & Ginekologi.* 2020;28(3):99.
33. Amorim MMR, Santos LC, Porto AMF, Martins LKD. Risk factors for maternal death in patients with severe preeclampsia and eclampsia. *Inst Matern Infant Pernambuco.* 2001;1(3):237–47.
34. Chalik TMA. Perdarahan pada kehamilan lanjut dan persalinan. In: Ilmu kebidanan sarwono prawirohardjo. 4th ed. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo; 2016. p. 503–9.
35. Surachno RG, Bandiara R. Gangguan ginjal akut. In: Buku ajar ilmu penyakit dalam jilid II. 6th ed. Jakarta: InternaPublishing; 2017. p. 2149–54.
36. Djojodibroto D. *Respirologi (respiratory medicine).* 2nd ed. Jakarta: EGC; 2019. 204–205 p.
37. Ilyas EII, Widjajakusumah MD, Tanzil A. Sirkulasi paru, edema paru, cairan pleura. In: Guyton dan Hall buku ajar fisiologi kedokteran. 13th ed. Singapore: Elsevier Ltd; 2019. p. 514–6.
38. Setiawan AH, Airlangga PS, Rahardjo E. Komplikasi Edema Paru pada Kasus Preeklampsia Berat dan Eklampsia. *JAI (Jurnal Anestesiologi Indones.* 2019;11(3):136–44.
39. Chaudhary K, Tyagi M, Gupta S, Gupta M, Verma Y, Yadav K. Presentation of acute pulmonary edema in severe pre-eclamptic pregnant women: a case report. *Int J Reprod Contraception, Obstet Gynecol.* 2021;10(9):3620.

40. Bakta IM. Hematologi klinik ringkas. Jakarta: EGC; 2018. 251–254 p.
41. Suharti C. Koagulasi intravaskular diseminata. In: Buku ajar ilmu penyakit dalam jilid II. 6th ed. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo; 2017. p. 2794–6.
42. Arwan B, Sriyanti R. Relationship between Gravida Status, Age, BMI (Body Mass Index) and Preeclampsia. *Andalas Obstet Gynecol J* [Internet]. 2020;4(1):25127. Available from: <http://jurnalobgin.fk.unand.ac.id/index.php/JOE>
43. Dahlan MS. Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran. 3rd ed. Jakarta: Salemba Medika; 2010. 46 p.
44. Sastroasmoro S. Pemilihan subjek penelitian. In: Dasar-dasar metodologi penelitian klinis. 5th ed. Jakarta: Sagung Seto; 2014. p. 95.
45. Dahlan SM. Statistik untuk kedokteran dan kesehatan [Internet]. 3rd ed. Jakarta: Salemba Medika; 2011. 19 p. Available from: <https://doku.pub/download/statistik-untuk-kedokteran-dan-kesehatan-msopiyudin-dahlan-30j8pxk4p5lw>
46. Sumampouw. Gambaran Preeklampsia Berat Dan Eklampsia Ditinjau Dari Faktor Risiko di RSUP Prof. DR. R. D. Kandou Manado. *J Med dan Rehabil*. 2019;1(3):1–5.
47. Vincent NTF, Darmayasa IM, Suardika A. Risk factors of preeclampsia and eclampsia in Sanglah General Hospital from March 2016 to March 2017. *Intisari Sains Medis*. 2018;9(2):131–6.
48. Defrin D, Yusrawati Y. Perbedaan rata-rata pulsatility index dan resistance index arteri uterina antara preeklampsia berat dan kehamilan aterm normotensi. *Majalah Kedokteran Andalas*. 2017;40(1):11.
49. Yusrawati Y, Machmud R. Faktor resiko individual pada preeklampsia pada RSUP Dr. M. Djamil Padang. *J obgin emas*. 2019;1:55–61.
50. Annafi MI, Jumsa MR, Budyono C. Gambaran Preeklampsia Berat dengan Komplikasi di Rumah Sakit Umum Daerah Provinsi Nusa Tenggara Barat Periode Januari 2018 sampai Desember 2019. *Lomb Med J*. 2022;1 no 1(1):17–22.
51. Fadli KH. Karakteristik penderita preeklampsia berdasarkan faktor resikonya di Rumah Sakit Umum Pusat Haji Adam Malik tahun 2015. Universitas Sumatera Utara; 2017.
52. Çelik Ç, Gezginç K, Altintepe L, Tonbul HZ, Yaman ST, Akyürek C, et al. Results of the pregnancies with HELLP syndrome. *Ren Fail*. 2003;25(4):613–8.

53. Setyawan JFD, Wiryanthini IAD, Tianing NW. Gambaran kadar protein urine pada ibu hamil preeklampsia dan eklampsia di rsup sanglah denpasar tahun 2017. *J Med Udayana*. 2019;8(12):1–5.
54. Turgut A, Demirci O, Demirci E, Uludoğan M. Comparison of maternal and neonatal outcomes in women with HELLP syndrome and women with severe preeclampsia without HELLP syndrome. *J Prenat Med* [Internet]. 2010;4(3):51–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/22439062> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC3279181>
55. Fishel Bartal M, Lindheimer MD, Sibai BM. Proteinuria during pregnancy: definition, pathophysiology, methodology, and clinical significance. *Am J Obstet Gynecol* [Internet]. 2022;226(2):S819–34. Available from: <https://doi.org/10.1016/j.ajog.2020.08.108>
56. Nasution RS. Gambaran hasil laboratorium pasien sindrom hemolysis, elevated liver enzyme, low platelet pada kasus preeklampsia dan tingkat morbiditas ibu di RSUP Dr. M. Djamil padang. Universitas Andalas; 2018.
57. Henry Jose Nava D, Francis Daniela Garcia B, Dora Z. M. Relationship between Lactate Dehydrogenase and Schistocytes in Patients with HELLP Syndrome. *Int J Women’s Heal Wellness*. 2022;8(1):1–7.
58. Leonie L, Riu DS. Comparison of maternal and perinatal complications at < 34 and ≥ 34 weeks gestation in severe preeclampsia and hellp syndrome in Wahidin Sudirohusodo Hospital Makassar. Makassar; 2020.
59. Tamsir CW, Julian DN. Perbedaan Luaran Maternal dan Perinatal Preeklampsia Berat Dengan dan Tanpa Hellp Syndrome. *J Kedokt Diponegoro*. 2016;5(4):1855–63.
60. Muhani N, Besral B. Pre-eklampsia Berat dan Kematian Ibu. *Kesmas Natl Public Heal J*. 2015;10(2):80.
61. Kınay T, Küçük C, Kayıkçıoğlu F, Karakaya J. Severe preeclampsia versus HELLP syndrome: Maternal and perinatal outcomes at <34 and ≥34 weeks’ gestation. *Balkan Med J*. 2015;32(4):359–63.
62. Haddad B, Barton JR, Livingston JC, Chahine R, Sibai BM. HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome versus severe preeclampsia: Onset at ≤28.0 weeks’ gestation. *Am J Obstet Gynecol*. 2000;183(6):1475–9.
63. Schmidt P, Skelly CL, Raines DA. Placental Abruption [Internet]. *StatPearls*. 2022. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK482335/>
64. Prakash J, Ganiger VC. Acute kidney injury in pregnancy-specific disorders. *Indian J Nephrol*. 2017;27(4):258–70.

65. Haram K, Mortensen JH, Mastrolia SA, Erez O. Disseminated intravascular coagulation in the HELLP syndrome: how much do we really know? *J Matern Neonatal Med.* 2017;30(7):779–88.
66. Erez O, Novack L, Beer-Weisel R, Dukler D, Press F, Zlotnik A, et al. DIC score in pregnant women - A population based modification of the international society on thrombosis and hemostasis score. *PLoS One.* 2014;9(4):1–10.
67. Audibert F, Friedman SA, Frangieh AY, Sibai BM. Clinical utility of strict diagnostic criteria for the HELLP (hemolysis, elevated liver enzymes, and low platelets) syndrome. *Am J Obstet Gynecol.* 1996;175(2):460–4.
68. Strand S, Strand D, Seufert R, Mann A, Lotz J, Blessing M, et al. Placenta-Derived CD95 Ligand Causes Liver Damage in Hemolysis, Elevated Liver Enzymes, and Low Platelet Count Syndrome. *Gastroenterology.* 2004;126(3):849–58.
69. Umar I, Sujud RW. Hemostasis dan Disseminated Intravascular Coagulation (DIC). *J Anaesth Pain.* 2020;1(2):53–66.
70. Martin J, Rinehart BK, May WL, Magann EF, Terrone DA, Blake PG, et al. The spectrum of severe preeclampsia: Comparative analysis by HELLP (hemolysis, elevated liver enzyme levels, and low platelet count) syndrome classification. *Am J Obstet Gynecol.* 1999;180(6 I):1373–84.
71. Suryaatmadja M. Sindrom HELLP pada preeklampsia & eklampsia. In: *Pendidikan Berkesinambungan Patologi Klinik. Departemen Patologi Klinik Fakultas Kedokteran Indonesia; 2008. p. 81–96.*
72. Wasseff S. Mechanisms of convulsions in eclampsia. *Med Hypotheses* [Internet]. 2009;72(1):49–51. Available from: <http://dx.doi.org/10.1016/j.mehy.2008.08.017>
73. Cipolla MJ. Cerebrovascular function in pregnancy and eclampsia. *Hypertension.* 2007;50(1):14–24.
74. Schwartz RB, Feske SK, Polak JF, DeGirolami U, Iaia A, Beckner KM, et al. Preeclampsia-eclampsia: Clinical and neuroradiographic correlates and insights into the pathogenesis of hypertensive encephalopathy. *Radiology.* 2000;217(2):371–6.