

DAFTAR PUSTAKA

- Abdel-Khalek, M. A., Abdel Rahman, M. K., & Francis, A. A. (2017). Exploring the adsorption behavior of cationic and anionic dyes on industrial waste shells of egg. *Journal of Environmental Chemical Engineering*, 5(1), 319–327. <https://doi.org/10.1016/j.jece.2016.11.043>
- Afroze, S., & Sen, T. K. (2018). A Review on Heavy Metal Ions and Dye Adsorption from Water by Agricultural Solid Waste Adsorbents. *Water, Air, and Soil Pollution*, 229(7). <https://doi.org/10.1007/s11270-018-3869-z>
- Agarwal, A., Upadhyay, U., Sreedhar, I., Singh, S. A., & Patel, C. M. (2020). A review on valorization of biomass in heavy metal removal from wastewater. *Journal of Water Process Engineering*, 38(August), 101602. <https://doi.org/10.1016/j.jwpe.2020.101602>
- Al-Ghouti, M. A., & Da'ana, D. A. (2020). Guidelines for the use and interpretation of adsorption isotherm models: A review. *Journal of Hazardous Materials*, 393(February), 122383. <https://doi.org/10.1016/j.jhazmat.2020.122383>
- Anastopoulos, I., & Kyzas, G. Z. (2016). Are the thermodynamic parameters correctly estimated in liquid-phase adsorption phenomena? *Journal of Molecular Liquids*, 218, 174–185. <https://doi.org/10.1016/j.molliq.2016.02.059>
- Areibat, L. E. M., & Kamari, A. (2017). Razor clam (*Ensis directus*) shell as a low-cost adsorbent for the removal of Congo red and Rhodamine B dyes from aqueous solution. *AIP Conference Proceedings*, 1847. <https://doi.org/10.1063/1.4983900>
- Batool, F., Akbar, J., Iqbal, S., Noreen, S., Nasir, S., & Bukhari, A. (2018). *Study of Isothermal, Kinetic, and Thermodynamic Parameters for Adsorption of Cadmium: An Overview of Linear and Nonlinear Approach and Error Analysis*. 2018.
- Belisti Lelisa, M. M. (2014). Removal of Methylene Blue (Mb) Dye from Aqueous Solution by Bioadsorption onto Untreated Parthenium hysterophorus Weed. *Modern Chemistry & Applications*, 02(04). <https://doi.org/10.4172/2329-6798.1000146>
- Chang, J., Shen, Z., Hu, X., Schulman, E., Cui, C., Guo, Q., & Tian, H. (2020). *Adsorption of Tetracycline by Shrimp Shell Waste from Aqueous Solutions: Adsorption Isotherm, Kinetics Modeling, and Mechanism*. <https://doi.org/10.1021/acsomega.9b03781>
- Chen, J., Wang, X., Huang, Y., Lv, S., Cao, X., Yun, J., & Cao, D. (2019). Adsorption removal of pollutant dyes in wastewater by nitrogen-doped porous carbons derived from natural leaves. *Engineered Science*, 5, 30–38. <https://doi.org/10.30919/es8d666>

- Dai, L., Zhu, W., He, L., Tan, F., Zhu, N., Zhou, Q., He, M., & Hu, G. (2018). Calcium-rich biochar from crab shell: An unexpected super adsorbent for dye removal. *Bioresource Technology*, 267(June), 510–516. <https://doi.org/10.1016/j.biortech.2018.07.090>
- de Rezende, M. L. R., Coesta, P. T. G., de Oliveira, R. C., Salmeron, S., Sant'Ana, A. C. P., Damante, C. A., Gregghi, S. L. A., & Consolaro, A. (2015). Bone Demineralization With Citric Acid Enhances Adhesion and Spreading of Preosteoblasts. *Journal of Periodontology*, 86(1), 146–154. <https://doi.org/10.1902/jop.2014.130657>
- Derakhshan, Z., Baghapour, M. A., Ranjbar, M., & Faramarzian, M. (2013). Adsorption of Methylene Blue Dye from Aqueous Solutions by Modified Pumice Stone: Kinetics and Equilibrium Studies. *Health Scope*, 2(3), 136–144. <https://doi.org/10.17795/jhealthscope-12492>
- Djelloul, C., & Hamdaoui, O. (2014). Removal of cationic dye from aqueous solution using melon peel as nonconventional low-cost sorbent. *Desalination and Water Treatment*, 52(40–42), 7701–7710. <https://doi.org/10.1080/19443994.2013.833555>
- Eletta, O. A. A., Adeniyi, A. G., Ighalo, J. O., Onifade, D. V., & Ayandele, F. O. (2020). Valorisation of Cocoa (*Theobroma cacao*) pod husk as precursors for the production of adsorbents for water treatment. *Environmental Technology Reviews*, 9(1), 20–36. <https://doi.org/10.1080/21622515.2020.1730983>
- Eljiedi, A. A. A., & Kamari, A. (2017). Removal of methyl orange and methylene blue dyes from aqueous solution using lala clam (*Orbicularia orbiculata*) shell. *AIP Conference Proceedings*, 1847. <https://doi.org/10.1063/1.4983899>
- Elwakeel, K. Z., Elgarahy, A. M., & Mohammad, S. H. (2017). Use of beach bivalve shells located at Port Said coast (Egypt) as a green approach for methylene blue removal. *Journal of Environmental Chemical Engineering*, 5(1), 578–587. <https://doi.org/10.1016/j.jece.2016.12.032>
- Faisal, A. A. H., Khalid, Z., Al-ansari, N., & Sharma, G. (2021). Chemosphere Precipitation of (Mg / Fe-CTAB) - Layered double hydroxide nanoparticles onto sewage sludge for producing novel sorbent to remove Congo red and methylene blue dyes from aqueous environment. *Chemosphere*, September, 132693. <https://doi.org/10.1016/j.chemosphere.2021.132693>
- Fajarwati, F. I., Ika Yandini, N., Anugrahwati, M., & Setyawati, A. (2020). Adsorption Study of Methylene Blue and Methyl Orange Using Green Shell (*Perna Viridis*). *EKSAKTA: Journal of Sciences and Data Analysis*, 1(1), 92–97. <https://doi.org/10.20885/eksakta.vol1.iss1.art14>
- Fosso-Kankeu, E., Webster, A., Ntwampe, I. O., & Waanders, F. B. (2017). Coagulation/Flocculation Potential of Polyaluminium Chloride and Bentonite Clay Tested in the Removal of Methyl Red and Crystal Violet. *Arabian Journal for Science and Engineering*, 42(4), 1389–1397. <https://doi.org/10.1007/s13369-016-2244-x>

- Ghaedi, M., Hajjati, S., Mahmudi, Z., Tyagi, I., Agarwal, S., Maity, A., & Gupta, V. K. (2015). Modeling of competitive ultrasonic assisted removal of the dyes - Methylene blue and Safranin-O using Fe₃O₄ nanoparticles. *Chemical Engineering Journal*, 268, 28–37. <https://doi.org/10.1016/j.cej.2014.12.090>
- Hevira, L., Rahmi, A., Zein, R., Zilfa, Z., & Rahmayeni, R. (2020). The fast and of low-cost-adsorbent to the removal of cationic and anionic dye using chicken eggshell with its membrane. *Mediterranean Journal of Chemistry*, 10(3), 294–301. <https://doi.org/10.13171/mjc020032612711h>
- Hevira, L., Zilfa, Rahmayeni, Ighalo, J. O., Aziz, H., & Zein, R. (2021). Terminalia catappa shell as low-cost biosorbent for the removal of methylene blue from aqueous solutions. *Journal of Industrial and Engineering Chemistry*, 97, 188–199. <https://doi.org/10.1016/j.jiec.2021.01.028>
- Hevira, L., Zilfa, Rahmayeni, Ighalo, J. O., & Zein, R. (2020). Biosorption of indigo carmine from aqueous solution by Terminalia Catappa shell. *Journal of Environmental Chemical Engineering*, 8(5), 104290. <https://doi.org/10.1016/j.jece.2020.104290>
- Hubbe, M. A., Azizian, S., & Douven, S. (2019). Implications of apparent pseudo-second-order adsorption kinetics onto cellulosic materials: A review. *BioResources*, 14(3), 7582–7626. <https://doi.org/10.15376/biores.14.3.7582-7626>
- Ighalo, J. O., & Adeniyi, A. G. (2020). A mini-review of the morphological properties of biosorbents derived from plant leaves. *SN Applied Sciences*, 2(3). <https://doi.org/10.1007/s42452-020-2335-x>
- Igwegbe, C. A., Mohmmadi, L., Ahmadi, S., Rahdar, A., Khadkhodaiy, D., Dehghani, R., & Rahdar, S. (2019). Modeling of adsorption of Methylene Blue dye on Ho-CaWO₄ nanoparticles using Response Surface Methodology (RSM) and Artificial Neural Network (ANN) techniques. *MethodsX*, 6, 1779–1797. <https://doi.org/10.1016/j.mex.2019.07.016>
- Jafari, M., Vanoppen, M., van Agtmaal, J. M. C., Cornelissen, E. R., Vrouwenvelder, J. S., Verliefde, A., van Loosdrecht, M. C. M., & Picioreanu, C. (2021). Cost of fouling in full-scale reverse osmosis and nanofiltration installations in the Netherlands. *Desalination*, 500(December 2020), 114865. <https://doi.org/10.1016/j.desal.2020.114865>
- Jawad, A. H., Rashid, R. A., Ishak, M. A. M., & Ismail, K. (2018). Adsorptive removal of methylene blue by chemically treated cellulosic waste banana (Musa sapientum) peels. *Journal of Taibah University for Science*, 12(6), 809–819. <https://doi.org/10.1080/16583655.2018.1519893>
- Jawad, A. H., Rashid, R. A., Ishak, M. A. M., & Wilson, L. D. (2016). Adsorption of methylene blue onto activated carbon developed from biomass waste by H₂SO₄ activation: kinetic, equilibrium and thermodynamic studies. *Desalination and Water Treatment*, 57(52), 25194–25206. <https://doi.org/10.1080/19443994.2016.1144534>

- Katneni, V. K., Shekhar, M. S., Jangam, A. K., Prabhudas, S. K., Krishnan, K., Kaikkolante, N., Paran, B. C., Baghel, D. S., Koyadan, V. K., Jena, J., & Mohapatra, T. (2020). Novel Isoform Sequencing Based Full-Length Transcriptome Resource for Indian White Shrimp, *Penaeus indicus*. *Frontiers in Marine Science*, 7(December), 1–4. <https://doi.org/10.3389/fmars.2020.605098>
- Kusumawardani, R., Rismawati, A., Retnowati, R., So, H., & Variabel, C. (2018). MODIFIKASI BIJI PEPAYA SEBAGAI BIOSORBEN ZAT WARNA TEKSTIL MORDANT BLACK 11 MODIFICATION OF PAPAYA SEEDS AS BIOSORBENT COLORS OF MORDANT BLACK 11 TEXTILES biosorben biji pepaya untuk mengadsorpsi zat warna tekstil mordant black 11 . *Prinsip kerja dari mor*. 1(2), 92–95.
- Li, W. (2011). Quantitative Analysis of the Reaction between Gliadin and Citric Acid under Weak Acidic and Weak Alkaline Conditions. *Thesis*.
- Liu, L., Fan, S., & Li, Y. (2018). Removal behavior of methylene blue from aqueous solution by tea waste: Kinetics, isotherms and mechanism. *International Journal of Environmental Research and Public Health*, 15(7). <https://doi.org/10.3390/ijerph15071321>
- Makeswari, M., Santhi, T., & Ezhilarasi, M. R. (2016). Adsorption of methylene blue dye by citric acid modified leaves of *Ricinus communis* from aqueous solutions. 8(7), 452–462.
- Mohan, C. (2003). *A guide for the preparation and use of buffers in biological systems*.
- Naghizadeh, A., & Ghafouri, M. (2017). Synthesis and performance evaluation of chitosan prepared from Persian gulf shrimp shell in removal of reactive blue 29 dye from aqueous solution (Isotherm, thermodynamic and kinetic study). *Iranian Journal of Chemistry and Chemical Engineering*, 36(3), 25–36.
- Pang, Y. L., Tan, J. H., Lim, S., & Chong, W. C. (2021). A state-of-the-art review on biowaste derived chitosan biomaterials for biosorption of organic dyes: Parameter studies, kinetics, isotherms and thermodynamics. *Polymers*, 13(17). <https://doi.org/10.3390/polym13173009>
- Pathak, P. D., Mandavgane, S. A., & Kulkarni, B. D. (2016). Characterizing fruit and vegetable peels as bioadsorbents. *Current Science*, 110(11), 2114–2123. <https://doi.org/10.18520/cs/v110/i11/2114-2123>
- Ponnusami, V., Vikram, S., & Srivastava, S. N. (2008). Guava (*Psidium guajava*) leaf powder: Novel adsorbent for removal of methylene blue from aqueous solutions. *Journal of Hazardous Materials*, 152(1), 276–286. <https://doi.org/10.1016/j.jhazmat.2007.06.107>
- Pratiwi, R. (2018). ASPEK BIOLOGI DAN ABLASI MATA PADA UDANG WINDU *Penaeus monodon* SUKU PENAEIDAE (DECAPODA: MALACOSTRACA). *Oseana*, 43(2), 34–47.

<https://doi.org/10.14203/oseana.2018.vol.43no.2.19>

- Purnomo, J. S. (2022). PENINGKATAN KAPASITAS ADSORPSI METHYLENE BLUE SECARA BATCH MENGGUNAKAN AMPAS DAUN SERAI WANGI (*Cymbopogon nardus* L. Rendle) YANG DIMODIFIKASI DENGAN ASAM SITRAT. In *Universitas Andalas* (Issue 8.5.2017).
- Qin, L., Zhou, Z., Dai, J., Ma, P., Zhao, H., He, J., Xie, A., Li, C., & Yan, Y. (2016). Novel N-doped hierarchically porous carbons derived from sustainable shrimp shell for high-performance removal of sulfamethazine and chloramphenicol. *Journal of the Taiwan Institute of Chemical Engineers*, 62, 228–238. <https://doi.org/10.1016/j.jtice.2016.02.009>
- Rafatullah, M., Sulaiman, O., Hashim, R., & Ahmad, A. (2010). Adsorption of methylene blue on low-cost adsorbents: A review. *Journal of Hazardous Materials*, 177(1–3), 70–80. <https://doi.org/10.1016/j.jhazmat.2009.12.047>
- Rahmayeni, R., Oktavia, Y., Stiadi, Y., Arief, S., & Zulhadjri, Z. (2021). Spinel ferrite of $MnFe_2O_4$ synthesized in Piper betle Linn extract media and its application as photocatalysts and antibacterial. *Journal of Dispersion Science and Technology*, 42(3), 465–474. <https://doi.org/10.1080/01932691.2020.1721011>
- Rajumon, R., Anand, J. C., Ealias, A. M., Desai, D. S., George, G., & Saravanakumar, M. P. (2019). Adsorption of textile dyes with ultrasonic assistance using green reduced graphene oxide: An in-depth investigation on sonochemical factors. *Journal of Environmental Chemical Engineering*, 7(6), 103479. <https://doi.org/10.1016/j.jece.2019.103479>
- Ramadhani, P., Chaidir, Z., Zilfa, Tomi, Z. B., Rahmiarti, D., & Zein, R. (2020). Shrimp shell (*Metapenaeus monoceros*) waste as a low-cost adsorbent for metanil yellow dye removal in aqueous solution. *Desalination and Water Treatment*, 197, 413–423. <https://doi.org/10.5004/dwt.2020.25963>
- Ramrakhiani, L., Ghosh, S., & Majumdar, S. (2016). Surface Modification of Naturally Available Biomass for Enhancement of Heavy Metal Removal Efficiency, Upscaling Prospects, and Management Aspects of Spent Biosorbents: A Review. *Applied Biochemistry and Biotechnology*, 180(1), 41–78. <https://doi.org/10.1007/s12010-016-2083-y>
- Rápó, E., & Tonk, S. (2021). Factors affecting synthetic dye adsorption; desorption studies: A review of results from the last five years (2017–2021). *Molecules*, 26(17). <https://doi.org/10.3390/molecules26175419>
- Ravi, & Pandey, L. M. (2019). Enhanced adsorption capacity of designed bentonite and alginate beads for the effective removal of methylene blue. *Applied Clay Science*, 169(October 2018), 102–111. <https://doi.org/10.1016/j.clay.2018.12.019>
- Ribeiro, C., Scheufele, F. B., Espinoza-Quñones, F. R., Módenes, A. N., da Silva,

- M. G. C., Vieira, M. G. A., & Borba, C. E. (2015). Characterization of *Oreochromis niloticus* fish scales and assessment of their potential on the adsorption of reactive blue 5G dye. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 482, 693–701. <https://doi.org/10.1016/j.colsurfa.2015.05.057>
- Sadaf, S., & Bhatti, H. N. (2014). Batch and fixed bed column studies for the removal of Indosol Yellow BG dye by peanut husk. *Journal of the Taiwan Institute of Chemical Engineers*, 45(2), 541–553. <https://doi.org/10.1016/j.jtice.2013.05.004>
- Safa, Y., & Bhatti, H. N. (2011). *Adsorptive removal of direct dyes by low cost rice husk: Effect of treatments and modifications*. 10(16), 3128–3142. <https://doi.org/10.5897/AJB10.1302>
- Sandip, Q. (2015). *Journal of Industrial and Engineering Chemistry Efficient adsorption and photocatalytic degradation of Rhodamine B dye over Bi₂O₃-bentonite nanocomposites: A kinetic study*. 1–8.
- Sawasdee, S., & Watcharabundit, P. (2016). Effect of temperature on brilliant green adsorption by shrimp shell: Equilibrium and kinetics. *Chiang Mai University Journal of Natural Sciences*, 15(3), 221–236. <https://doi.org/10.12982/cmujns.2016.0017>
- Senthil Kumar, P., Janet Joshiba, G., Femina, C. C., Varshini, P., Priyadharshini, S., Arun Karthick, M. S., & Jothirani, R. (2019). A critical review on recent developments in the low-cost adsorption of dyes from wastewater. *Desalination and Water Treatment*, 172, 395–416. <https://doi.org/10.5004/dwt.2019.24613>
- Shakoor, S., & Nasar, A. (2016). Removal of methylene blue dye from artificially contaminated water using citrus limetta peel waste as a very low cost adsorbent. *Journal of the Taiwan Institute of Chemical Engineers*, 66, 154–163. <https://doi.org/10.1016/j.jtice.2016.06.009>
- Sun, C., Qiu, J., Zhang, Z., Marhaba, T. F., Zhang, Y., & Zhang, W. (2016). Characterization of Citric Acid-Modified Clam Shells and Application for Aqueous Lead (II) Removal. *Water, Air, and Soil Pollution*, 227(9). <https://doi.org/10.1007/s11270-016-2975-z>
- Suryawanshi, N., Jujjavarapu, S. E., & Ayothiraman, S. (2019). Marine shell industrial wastes—an abundant source of chitin and its derivatives: constituents, pretreatment, fermentation, and pleiotropic applications—a revisit. *International Journal of Environmental Science and Technology*, 16(7), 3877–3898. <https://doi.org/10.1007/s13762-018-02204-3>
- Taylor, P., Wang, P., Ma, Q., Hu, D., & Wang, L. (2015). *Desalination and Water Treatment Adsorption of methylene blue by a low-cost biosorbent: citric acid modified peanut shell*. May, 37–41. <https://doi.org/10.1080/19443994.2015.1033651>

- Taylor, P., Zhou, Y., Zhang, R., Gu, X., Lu, J., Zhou, Y., Zhang, R., Gu, X., & Lu, J. (2015). *Separation Science and Technology Adsorption of Divalent Heavy Metal Ions from Aqueous Solution by Citric Acid Modified Pine Sawdust*. *Separation Science and Technology*, 37(1), 37–41. <https://doi.org/10.1080/01496395.2014.956223>
- Thamaraiselvan, C., Lerman, S., Weinfeld-Cohen, K., & Dosoretz, C. G. (2018). Characterization of a support-free carbon nanotube-microporous membrane for water and wastewater filtration. *Separation and Purification Technology*, 202(March), 1–8. <https://doi.org/10.1016/j.seppur.2018.03.038>
- Xu, Y., Liu, Y., Liu, S., Tan, X., Zeng, G., Zeng, W., Ding, Y., Cao, W., & Zheng, B. (2016). Enhanced adsorption of methylene blue by citric acid modification of biochar derived from water hyacinth (*Eichornia crassipes*). *Environmental Science and Pollution Research*, 23(23), 23606–23618. <https://doi.org/10.1007/s11356-016-7572-6>
- Zein, R. (2019). Pensi shell (*Corbicula moltkiana*) as a biosorbent for metanil yellow dyes removal: pH and equilibrium model evaluation. *Jurnal Litbang Industri*, 15–22.
- Zein, R., Chaidir, Z., Fauzia, S., & Ramadhani, P. (2022). *Isotherm and Kinetic Studies on the Adsorption Behavior of Metanil Yellow Dyes onto Modified Shrimp Shell-Polyethylenimine (SS-PEI)*. 8(May), 10–22. <https://doi.org/10.15408/jkv.v8i1.22566>
- Zein, R., Purnomo, J. S., Ramadhani, P., Alif, M. F., & Safni, S. (2022). Lemongrass (*Cymbopogon nardus*) leaves biowaste as an effective and low-cost adsorbent for methylene blue dyes removal: isotherms, kinetics, and thermodynamics studies. *Separation Science and Technology*, 00(00), 1–17. <https://doi.org/10.1080/01496395.2022.2058549>
- Zein, R., Tomi, Z. B., Fauzia, S., & Zilfa, Z. (2020). Modification of rice husk silica with bovine serum albumin (BSA) for improvement in adsorption of metanil yellow dye. *Journal of the Iranian Chemical Society*, 17(10), 2599–2612. <https://doi.org/10.1007/s13738-020-01955-6>
- Zhou, Y., Ge, L., Fan, N., & Xia, M. (2018). Adsorption of Congo red from aqueous solution onto shrimp shell powder. *Adsorption Science and Technology*, 36(5–6), 1310–1330. <https://doi.org/10.1177/0263617418768945>