

DAFTAR PUSTAKA

- Abdissa, D., Hamba, N., Kene, K., Bedane, D. A., Etana, G., Muleta, D., & Gerbi, A. (2020). Prevalence and determinants of peripheral neuropathy among type 2 adult diabetes patients attending Jimma University Medical Center, Southwest Ethiopia, 2019, an institutional-based cross-sectional study. *Journal of Diabetes Research*, 1–8. <https://doi.org/10.1155/2020/9562920>
- Akter, N. (2019). Diabetic peripheral neuropathy: epidemiology, physiopathology, diagnosis and treatment. *Delta Med Col J*, 7(1), 35–48.
- Aleidan, F. A., Ahmad, B. A., Alotaibi, F. A., Aleesa, D. H., Alhefdhi, N. A., Badri, M., & Gader, A. G. A. (2020). Prevalence and risk factors for diabetic peripheral neuropathy among Saudi hospitalized diabetic patients: A nested case-control study. *International Journal of General Medicine*, 13, 881–889. <https://doi.org/10.2147/IJGM.S273807>
- Amalia Khaerunisa, T., Adriani, P., & Novitasari, D. (2021). Pengaruh senam kaki diabetes dalam menurunkan intensitas nyeri pada penderita diabetes melitus tipe II. *Silempari*, 1(3), 1364–1368.
- Amelia, R., Wahyuni, A. S., & Yunanda, Y. (2019). Diabetic neuropathy among type 2 diabetes mellitus patients at Amblas primary health care in Medan city. *Tropical and Infectious Diseases Control and Management*, 7(20), 3400–3403. <https://doi.org/10.3889/oamjms.2019.433>
- Anastasi, J. K., & Klug, C. (2021). Diabetic peripheral neuropathy. *Nursing*, 51(4), 34–40.
- Andersen, S. T., Witte, D. R., Dalsgaard, E. M., Andersen, H., Nawroth, P., Fleming, T., Jensen, T. M., Finnerup, N. B., Jensen, T. S., Lauritzen, T., Feldman, E. L., Callaghan, B. C., & Charles, M. (2018). Risk factors for incident diabetic polyneuropathy in a cohort with screen-detected type 2 diabetes followed for 13 years: Addition-Denmark. *Diabetes Care*, 41(5), 1–8. <https://doi.org/10.2337/dc17-2062>
- Arnoval, B. (2019). *Pengaruh buerger allen exercise terhadap sensivitas kaki pada penderita diabetes melitus*. Stikes Perintis Padang.
- Atwany, M. Z., Sahyoun, A. H., & Yaqub, M. (2022). Deep learning techniques for diabetic retinopathy classification: a survey. *IEEE Access*, 10, 28642–28655. <https://doi.org/10.1109/ACCESS.2022.3157632>

- Bandyk, D. (2018). The diabetic foot: pathophysiology, evaluation, and treatment. *Seminars in Vascular Surgery*, 31(2), 43–48. <https://doi.org/10.1053/j.semvascsurg.2019.02.001>
- Bhuvaneshwari, S., & Tamilselvi. (2018). A study to assess the effectiveness of buerger allen exercise on lower extremity perfusion among patients with type 2 diabetes mellitus in saveetha medical college and Hospital in Chennai. *International Journal of Advance Research and Development*, 3(9), 15–20.
- Bril, V., Breiner, A., Perkins, B. A., & Zochodne, D. (2018a). Neuropathy. *Canadian Journal of Diabetes*, 42, S217–S221. <https://doi.org/10.1016/j.jcjd.2017.10.028>
- Bril, V., Breiner, A., Perkins, B. A., & Zochodne, D. (2018b). Neuropathy. *Canadian Journal of Diabetes*, 42, S217–S221. <https://doi.org/10.1016/j.jcjd.2017.10.028>
- Callaghan, B. C., Gallagher, G., Fridman, V., & Feldman, E. L. (2020). Diabetic neuropathy: what does the future hold? *Diabetologia*, 63(5), 891–897. <https://doi.org/10.1007/s00125-020-05085-9>
- Chang, C. C., Chen, M. Y., Shen, J. H., Lin, Y. bin, Hsu, W. W., & Lin, B. S. (2016). A quantitative real-time assessment of buerger exercise on dorsal foot peripheral skin circulation in patients with diabetes foot. *Medicine*, 95(46), 1–5. <https://doi.org/10.1097/MD.0000000000005334>
- Chang, C. F., Chang, C. C., & Chen, M. (2015). Effect of Buerger's Exercises on Improving Peripheral Circulation: A Systematic Review. *Open Journal of Nursing*, 05(02), 120–128. <https://doi.org/10.4236/ojn.2015.52014>
- Cresswell, J. W. (2014). *Research design, qualitative, quantitative and mixed methods approaches*. (4th ed.). SAGE Publications.
- El-Fattah, H. S., Garas, A. F., Hanna, N., & Elsayed, N. (2019). Effect of buerger exercises on improving peripheral circulation of the lower extremities among patients with type 2 diabetes mellitus at selected university hospital–egypt. *Indian Journal of Public Health Research & Development*, 10(6), 719–724. <https://doi.org/10.5958/0976-5506.2019.01358.5>
- Eltrikanawati, T. (2021). The relationship of the duration of type 2 diabetes mellitus with peripheral neuropathy. *Science Midwifery*, 10(1), 145–150. www.midwifery.iocspublisher.org

- Ernawati. (2021). *Penatalaksanaan Keperawatan Diabetes Mellitus Terpadu*. Mitra Wacana Media.
- Feldman, E. L., Callaghan, B. C., Busui, R., Zochodne, D. W., Wright, D. E., Bennett, D. L., Birl, V., Russell, J. W., & Viswanathan, V. (2020). Diabetic neuropathy. *HHS Public Access*, 5(1), 1–40. <https://doi.org/10.1053/svas.2003.50004>
- Feldman, E. L., Callaghan, B. C., Pop-Busui, R., Zochodne, D. W., Wright, D. E., Bennett, D. L., Bril, V., Russell, J. W., & Viswanathan, V. (2019). Diabetic neuropathy. *Nature Review*, 5(41). <https://doi.org/10.1038/s41572-019-0092-1>
- Giurini, J. M. (2018). *The diabetic foot medical and surgical management* (4th ed.). Human Press.
- Gogia, S., & Rao, C. (2017). Prevalence and risk factors for peripheral neuropathy among type 2 diabetes mellitus patients at a tertiary care hospital in coastal Karnataka. *Indian Journal of Endocrinology and Metabolism*, 21(5), 665–669. https://doi.org/10.4103/ijem.IJEM_43_17
- Graciella, V., & Prabawati, D. (2020). The effectiveness of diabetic foot exercise to peripheral neuropathy symptoms and fasting blood glucose in type 2 diabetes patients. *Advances in Health Sciences Research*, 30(I), 45–49. <https://doi.org/10.2991/ahsr.k.201125.008>
- Hossain, Sarkar, Mahbub, & Islam. (2021). HbA1c variability has a strong relationship with peripheral sensory and motor neuropathy in type-2 diabetes mellitus. *Journal of Bio-Science*, 29(1), 93–100. <https://doi.org/10.3329/jbs.v29i0.54825>
- Huang, L., Shen, X., Huang, L., Yan, S., & Wu, P. (2021). Identification of independent risk factors for diabetic neuropathy progression in patients with type 2 diabetes mellitus. *Journal of International Medical Research*, 49(9). <https://doi.org/10.1177/03000605211044366>
- Iqbal, Z., Azmi, S., Yadav, R., Ferdausi, M., Mohit, K., Cuthbertson, D., Lim, J., Malik, R., & Alam, U. (2018). Diabetic peripheral neuropathy: epidemiology, diagnosis and pharmacotherapy. *Clinical Therapeutics*, 40(6), 831–834.
- Irawan, Q. P., Utami, K. D., Reski, S., & Saraheni. (2022). Hubungan indeks massa tubuh (IMT) dengan kadar HbA1c pada penderita diabetes mellitus tipe II di Rumah Sakit Abdoel Wahab Sjahranie. *Formosa Journal of Science and Technology*, 1(5), 459–468. <https://doi.org/10.55927/fjst.v1i5.1220>

- Jannaim, J., Dharmajaya, R., & Asrizal, A. (2018). Pengaruh buerger allen exercise terhadap sirkulasi ekstremitas bawah pada pasien luka kaki diabetik. *Jurnal Keperawatan Indonesia*, 21(2), 101–108. <https://doi.org/10.7454/jki.v21i2.652>
- Kapoor, M. (2022). Accuracy of monofilament in the assessment of diabetic neuropathy. *Irish Journal of Educational Practice*, 6(1), 1–5. <https://aspjournals.org/Journals/index.php/mjhsej>
- Kebede, S. A., Tusa, B. S., Weldesenbet, A. B., Tessema, Z. T., & Ayele, T. A. (2021). Time to diabetic neuropathy and its predictors among newly diagnosed type 2 diabetes mellitus patients in Northwest Ethiopia. *Egyptian Journal of Neurology, Psychiatry and Neurosurgery*, 57(1). <https://doi.org/10.1186/s41983-021-00402-4>
- Khawaja, N., Abu-Shennar, J., Saleh, M., Dahbour, S. S., Khader, Y. S., & Ajlouni, K. M. (2018). The prevalence and risk factors of peripheral neuropathy among patients with type 2 diabetes mellitus; The case of Jordan. *Diabetology and Metabolic Syndrome*, 10(1). <https://doi.org/10.1186/s13098-018-0309-6>
- Kumari, A., Rai, K., Kumari, V., & Sarin, J. (2019). A study to assess the effectiveness of buerger allen exercise on foot perfusion among patients with diabetes mellitus admitted in selected hospital of Ambala. *International Journal of Health and Research*, 9(1), 112–119.
- Kurniawan, A., & Yanni, M. (2020). Pemeriksaan fungsi endotel pada penyakit kardiovaskuler. *Jurnal Human Care*, 5(3), 638–649.
- Lai, Y. R., Chiu, W. C., Huang, C. C., Tsai, N. W., Wang, H. C., Lin, W. C., Cheng, B. C., Su, Y. J., Su, C. M., Hsiao, S. Y., & Lu, C. H. (2019). HbA1c variability is strongly associated with the severity of peripheral neuropathy in patients with type 2 diabetes. *Frontiers in Neuroscience*, 13(90), 1–9. <https://doi.org/10.3389/fnins.2019.00090>
- Lemone, P., Burke, K. M., & Bauldoff, G. (2020). *Buku ajar keperawatan medikal bedah* (5th ed.). EGC.
- Liu, X., Xu, Y., An, M., & Zeng, Q. (2019a). The risk factors or diabetic peripheral neuropathy: a meta-analysis. *Plos One*, 14(2), 1–16. <https://doi.org/10.1371/journal.pone.0212574>
- Liu, X., Xu, Y., An, M., & Zeng, Q. (2019b). The risk factors for diabetic peripheral neuropathy: A meta-analysis. *PLoS ONE*, 14(2). <https://doi.org/10.1371/journal.pone.0212574>

- Magkos, F., Hjorth, M. F., & Astrup, A. (2020). Diet and exercise in the prevention and treatment of type 2 diabetes mellitus. In *Nature Reviews Endocrinology* (Vol. 16, Issue 10, pp. 545–555). Nature Research. <https://doi.org/10.1038/s41574-020-0381-5>
- Maiya, A., Parameshwar, A., Hande, M., & Nandalike, V. (2020). Relationship between glycated Hemoglobin and vibration perception threshold in diabetic peripheral neuropathy. *International Journal of Lower Extremity Wounds*, 1(00), 1–5. <https://doi.org/10.1177/1534734619882173>
- Mao, F., Zhu, X., Liu, S., Qiao, X., Zheng, H., Lu, B., & Li, Y. (2019). Age as an independent risk factor for diabetic peripheral neuropathy in chinese patients with type 2 diabetes. *Aging and Disease*, 10(3), 592–600. <https://doi.org/10.14336/AD.2018.0618>
- Meliyana, I., & Natalia, S. (2020). *Pengaruh buerger allen exercise terhadap sensivitas kaki pada pasien diabetes melitus tipe II*. STIKes Awal Bros Batam.
- Mohamed Hassan, Z. (2020). Impact of buerger allen exercise on improving selected clinical features of peripheral vascular disease among diabetic patients. *Journal of Nursing and Health Science*, 9(2), 4–13. <https://doi.org/10.9790/1959-0902070413>
- Mohammad, I. R., Fahim, E. M., & Heggy, E. H. (2021). Impact of buerger-allen exercises on foot perfusion and pain level for diabetic patients risk with peripheral arterial disease. *Assiut Scientific Nursing Journal*, 9(24), 170–181.
- Nadrati, B., Hadi, M., & Rayasari, F. (2020). Pengaruh buerger allen exercise terhadap sirkulasi ekstremitas bawah bagi penyandang diabetes melitus. *Holistik Jurnal Kesehatan*, 14(2), 248–256.
- Nadrati, B., & Supriatna, L. D. (2021). *Buerger allen exercise dan ankle brachial indeks (ABI) pada penyandang diabetes melitus*. PT. Nasya Expanding Management.
- Notoatmodjo, S. (2017). *Metodologi penelitian kesehatan* (Edisi revi). Rineka cipta.
- Pallant, J. (2016). *SPSS survival manual* (Vol. 6). Mc Graw Hill Education. www.allenandunwin.com/spss
- Pamungkas, R. A., & Usman, A. M. (2021). *Buku panduan praktis screening resiko diabetes dan neuropathy* (1st ed.). KHD Production.

- Patidar, V. (2018). A study to assess the effectiveness of buerger allen exercise on lower extremity perfusion among patients with type 2 diabetes mellitus in selected hospitals at kanyakumari district. *Asian Journal of Nursing Education and Research*, 15(6), 901–905. <https://doi.org/10.5958/2349-2996.2019.00066.1>
- PERKENI. (2021). *Pedoman pengelolaan dan pencegahan diabetes mellitus tipe 2*. PB. Perkeni.
- Perrin, B. M., Southon, J., McCaig, J., Skinner, I., Skinner, T. C., & Kingsley, M. I. C. (2022). The Effect of structured exercise compared with education on neuropathic signs and symptoms in people at risk of neuropathic diabetic foot ulcers: a randomized clinical trial. *Medicina*, 58(1–11). <https://doi.org/10.3390/medicina58010059>
- Prakash, S., Arjunan, P., Gladys, J., & Chandran, D. K. (2022). Effect of buerger allen exercise on lower limb tissue perfusion among patients with type 2 diabetes mellitus. *Indian Journal of Public Health Research & Development*, 13(2), 144–150.
- Prawitasari, D. S. (2019). Diabetes melitus dan antioksidan. *Jurnal Kesehatan Dan Kedokteran*, 1(1), 48–52. <https://doi.org/10.24123/kesdok.v1i1.2496>
- Punjot, P., Bishnoi, R., Kant, R., & Sharma, S. (2021). Factors associated with peripheral neuropathy among patients with type 2 diabetes mellitus: A cross-sectional study. *Journal of Cardio-Diabetes and Metabolic Disorders*, 1(1), 25–30. https://doi.org/10.4103/JCDM.JCDM_6_20
- Putri, R. N., & Waluyo, A. (2020). Faktor resiko neuropati perifer diabetik pada pasien diabetes melitus tipe 2 : tinjauan literatur. *Jurnal Keperawatan Abdurrah*, 3(2), 17–25. <https://doi.org/10.36341/jka.v3i2.839>
- Rachmantoko, R., Afif, Z., Rahmawati, D., Rakhmatiar, R., & Nandar Kurniawan, S. (2021). Diabetic neuropathic pain. *JPHV*, 2(1), 8–12. <https://doi.org/10.21776/ub.jphv.2021.002.01.3>
- Radhika, J., Poomalai, G., Nalini, S. J., & Revathi, R. (2020). Effectiveness of buerger-allen exercise on lower extremity perfusion and peripheral neuropathy symptoms among patients with diabetes mellitus. *Iranian Journal of Nursing and Midwifery Research*, 25(4), 291–295. https://doi.org/10.4103/ijnmr.IJNMR_63_19
- Rahmi, A. S. (2022). *Hubungan kadar gamma glutamil transferase serum dengan kejadian neuropati pada pasien diabetes mellitus tipe 2*. Universitas Andalas.

- Salawu, F., Adenle, T., Bukbuk, D., Salawu, F., Shadrach, L., Adenle, T., Martins, O., & Bukbuk, D. (2018). Diabetic peripheral neuropathy and its risk factors in a Nigerian population with type 2 diabetes mellitus. *Original Article 16 African Journal of Diabetes Medicine*, 26(1), 1–5.
- Salihun, S. (2022). *Perbedaan aktivitas buerger allen exercise dengan senam diabetes mellitus terhadap sirkulasi darah perifer dan kadar glukosa darah pada penderita diabetes mellitus tipe 2*. Universitas Hasanudin.
- Sanklapur, V., Shruthi, S., & Attar, N. (2020). Accuracy of monofilament in the assessment of diabetic Neuropathy. *Asian Journal of Medicine and Health*, 18(7), 9–15. <https://doi.org/10.9734/ajmah/2020/v18i730219>
- Sari, A., W, A. W., & Sofiani, Y. (2019). Efektifitas perbandingan buerger allen exercise dan senam kaki terhadap nilai ABI pada penderita DM tipe II. *Journal of Telenursing (JOTING)*, 1(1), 1–16. <https://doi.org/10.31539/joting.v1i1.492>
- Sayed, R., Elsalam, S. N., & Elmetwaly, R. M. (2021). Effect of buerger-allen exercise on lower extremities perfusion among patients with type 2 diabetes mellitus. *Egyptian Journal of Health Care*, 12(2), 555–572.
- Schaper, N. C., Netten, J. J. van, Apelqvist, Jan, Bus, S. A., Hinchliffe, R., & Lipsky, B. A. (2019). IWGDF guidelines on the prevention and management of diabetic foot disease. In *Wound practice and research*. <https://iwgdfguidelines.org/>
- Sharma, J. K., Rohatgi, A., & Pandita, N. (2021). Diabetic neuropathy. *Review Article*, 11(2).
- Sina, M. I. (2019). *Hubungan skor diabetic neuropathy symptom dan diabetic neuropathy examination dengan berg balance scale pasien neuropati diabetik*. Universitas Sumatra Utara.
- Sri Rahmi, A., Syafrita, Y., & Susanti, R. (2022). Hubungan lama menderita DM tipe 2 dengan kejadian neuropati diabetik. *Jambi Medical Journal*, 10(1), 20–25.
- Sri Rosiani, K., Made Widyanthari, D., & Wayan Surasta, I. (2018). Pengaruh senam kaki diabetes terhadap neuropati perifer sensori pada pasien diabetes melitus tipe 2. *Community of Publishing in Nursing*, 6(1), 17–26.
- Sugiyono. (2019). *Metode penelitian kuantitatif, kualitatif dan R&D* (2nd ed.). Alfabeta.

- Suharni, Kusnadi, D. T., & Zulkarnaini, A. (2022). Karakteristik faktor-faktor risiko terjadinya neuropati diabetik pada pasien diabetes melitus tipe 2 di RSI Siti Rahmah Padang tahun 2019-2020. *Scientific Journal*, 1(2), 94–100. <https://journal.scientic.id/index.php/sciena/issue/view/2>
- Suhertini, C., & Subandi. (2016). Senam kaki efektif mengobati neuropati diabetik pada pasien diabetes melitus. *Jurnal Kesehatan*, VII(3), 480–487.
- Suri, M. H., Haddani, H., & Sinulingga, S. (2018). Hubungan karakteristik, hiperglikemi, dan kerusakan saraf pasien neuropati diabetik di RSMH Palembang. *Biomedical Journal of Indonesia*, 4(1), 40–45. <https://doi.org/10.32539/bji.v4i1.7957>
- Suryati, I. (2021). *Buku keperawatan latihan efektif untuk pasien diabetes mellitus berbasis hasil penelitian* (1st ed.). Deepublish.
- Suryati, I., Murni, L., Stikes, A., & Padang, P. (2019). Pengaruh buerger allen exercise terhadap sensitivitas kaki pasien diabetes mellitus. *Prosiding Seminar Kesehatan Perintis*, 2(1), 111–116.
- Syah, I., Rahmiwati, & Oktorina, R. (2021). Efektifitas buerger allen exercise dengan range of motion (ROM) terhadap nilai sensifitas kaki pada pasien diabetes melitus. *Jurnal Endurance*, 6(1), 135–143. <https://doi.org/10.22216/jen.v6i1.5718>
- Veves, A., Giurini, J. M., & Guzman Editors, R. J. (2018). The diabetic foot. In *Conteprary Diabetes* (Fourth edition, Vol. 4). Springer International Publishing. <http://www.springer.com/series/7679>
- Wu, B., Niu, Z., & Hu, F. (2021). Study on risk factors of peripheral neuropathy in type 2 diabetes mellitus and establishment of prediction model. *Diabetes and Metabolism Journal*, 45(4), 526–538. <https://doi.org/10.4093/DMJ.2020.0100>
- Yulita, R. F., Waluyo, A., & Azzam, R. (2019). Pengaruh senam kaki terhadap penurunan skor neuropati dan kadar gula darah pada pasien DM tipe. *Journal of Telenursing*, 1(1), 80–95.
- Zahran, W., Hassanen, A., Nabih, M., & Kyrillos, F. (2018). Effect of buerger allen exercise on lower limb perfusion among patients with type 2 diabetes mellitus. *Mansoura Nursing Journal*, 5(1), 101–111. <https://doi.org/10.21608/mnj.2018.150616>
- Zamroni, Asmedi, A., & Nuradyo, D. (2016). Neuropathy symptom score dan neuropathy deficit score sebagai skor diagnostik neuropati diabetik. *Berkala Neurosains*, 15(1).

Ziegler, D., Keller, J., Maier, C., & Pannek, J. (2021). Diabetic Neuropathy. *Experimental and Clinical Endocrinology and Diabetes*, 129, S70–S81. <https://doi.org/10.1055/a-1284-6245>

Ziegler, D., Porta, M., Papanas, N., Mota, M., Jermendy, G., Beltramo, E., Mazzeo, A., Cacioppo, A., Striglia, E., Serhiyenko, V., Serhiyenko, A., Rosta, L., Stirban, O. A., Putz, Z., Istenes, I., Horváth, V., & Kempler, P. (2021). The role of biofactors in diabetic microvascular complications. *Current Diabetes Reviews*, 18(4). <https://doi.org/10.2174/1871527320666210825112240>

