

DAFTAR PUSTAKA

- Akhriadi, P., Hernawati, R. Tamin. 2004. A New Species of *Nepenthes* (*Nepentheaceae*) from Sumatera. *Reinwardtia*. 12(2), 141-144.
- Akhriadi, P. 2007. Kajian Taksonomi Hibrid Alami *Nepenthes* (*Nepentheaceae*) di Kerinci, *Tesis Pascasarjana Departement Biologi*. Padang:Universitas Andalas.
- Arnold, M.L. 1997. *Natural Hybridization and Evolution*. Oxford University Press Inc.New York.
- Bigoni, L., J. Velemínská, J. Brůžek. 2010. ‘Three-dimensional geometric morphometric analysis of cranio-facial sexual dimorphism in a Central European sample of known sex’, *HOMO- Journal of Comparative Human Biology*, 61(1), pp. 16–32. doi: 10.1016/j.jchb.2009.09.004
- Bonhomme, V., E. Forster, M. Wallace, E. Stillman, M. Charles, G. Jones. 2017. Identification of inter- and intra species variation in cereal grains through geometric morphometric analysis, and its resilience under experimental charring. *J Archaeol Sci*. 86:60-67
- Bonhomme, V., S. Picq, C. Gaucherel, J. Claude. 2014. Momocs: outline analysis using R. *J Stat Soft*. 56 (13):1-24.
- Bookstein FL. 1991. *Morphometrics Tools for Landmark Data: Geometry and Biology*. New York: Cambridge University Press.
- Bourgeon, O., C. Pagnoux, S. Mauné, E. García, S. Ivorra, V. Bonhomme, M. Ater, A. Moukhli, JF. Terra. 2017. Olive tree varieties cultivated for the great Baetican oil trade of olive stones from Las Delicias (Ecija, Province of Seville, Spain). *Veget Hist Archaeobot*. Buitenzorg III,9: 3–4.
- Caillon, F., V. Bonhomme, C. Mollmann, R. Frelat. 2018. A morphometric dive into fish diversity. *Ecosphere*. 9(5)
- Cheek, M and M. Jebb. 2001. *Flora Melesiana: Nepentheaceae*. Series I-Seed Plants. Vol. 15 (2000): 1-157.
- Chitwood DH and WC. Otoni. 2017. Morphometric analysis of *Passiflora* leaves: the relationship between landmarks of the vasculature and elliptical Fourier descriptors of the blade. *GigaScience*. 6:1-13.doi: 10.1093/gigascience/gix070.
- Choi, K., J.S. Kim, J.H. Pak. 2001. Natural Hybridization Between *Pseudostellaria davidii* and *Pseudostellaria palibiana* (*Caryophyllaceae*). *Plant Species Biology* 16:39-47.
- Choi, K. and J.H. Pak. 1999. A Natural Hybrid Between *Pseudostellaria heterophylla* and *P. palibiana* (*Caryophyllaceae*). *Acta Phytotax. Geobot*. 50 (2): 161-171.

- Chuang, R and V. Bonhomme. 2018. Rethinking the dental morphological differences between domestic equids. *J Archaeol Sci.* 1-9
- Clarke, C., Ch Lee, S Mc Pherson. 2006. *Nepenthes chania* (*Nepentheaceae*) a new species from northwestern Borneo. *Sabah Parks Nature Journal* 7,53- 66
- Clarke, C. 1997. *Nepenthes of Borneo*. Kinabalu (MY). Natural History.
- Clarke, C. 2001. *Nepenthes of Sumatra and Peninsular Malaysia*. Natural History Publications, Kota Kinabalu
- Clarke, Charles, Schlauer, Jan, Moran, A. Jonathan A. Robinson, Alastair. 2018 *Systematics and evolution of Nepenthes*. In: Ellison, Aaron M., and Adamec, Lubomír, (eds.) *Carnivorous Plants: physiology, ecology, and evolution*. Oxford University Press, New York, NY, USA, pp. 58-59.
- Clarke, C.M. 2018. *Nepenthes inermis* (errata version published in 2019). *The IUCN Red List of Threatened Species* 2018: e.T40112A143967551. <https://dx.doi.org/10.2305/IUCN.UK.20181.RLTS.T40112A143967551.en>. Accessed on 01 March 2022.
- Clarke, C.M. 2018. *Nepenthes bongso* (errata version published in 2019). *The IUCN Red List of Threatened Species* 2018: e.T39625A143957450. <https://dx.doi.org/10.2305/IUCN.UK.20181.RLTS.T39625A143957450.en>. Accessed on 01 March 2022.
- Danser, B. H. 1928. The *Nepentheaceae* of the Netherlands Indies. *Bulletin de Jardin de Botanique Buitenzorg Serie III*. 9 (3-4): 249-438.
- Darwin, C. 1875. *Insectivorous plants*. London, UK: John Murray. Francisco, 573 pp.
- Fukushima, K., X. Fang, D. Alvarez-Ponce, H. Cai, L. Carretero-Paulet, C. Chen, TH. Chang, KM. Farr, T. Fujita, Y. Hiwatashi *et al.*, 2017. Genome of the pitcher plant *Cephalotus* reveals genetic changes associated with carnivory. *Nature Ecology & Evolution*.1: 59.
- Gegas, V., C. A. Nazari, S. Griffiths, J. Simmonds, L. Fish, S. Orford *et al.*, 2010. A genetic framework for grain size and shape variation in wheat. *Plant Cell* 22, 1046–1056.
- Goswami, A., A. Watanabe, RN. Felice *et al.*, 2019. High-density morphometric analysis of shape and integration: the good, the bad, and the not-really-a-problem. *Integr Comp Biol*, 59(3): 669–83
- Heon, SP., C. Clarke. 2015. Prey capture patterns in *Nepenthes* species and natural hybrids are the pitchers of hybrids as effective at trapping prey as those of their parents?. *Carnivorous Plants Newsletter*, 44(2): 62–7920

- Hernawati., P. Akhriadi. 2006. *A Field Guide to the Nepenthes of Sumatra*. Padang (ID): PILI-NGO Movement, *Nepenthes* Team, BP Conservation Programme. Padang.
- Huberty, C.J and S. Olejnik. 2006 *Applied MANOVA and discriminant analysis*. 2nd Edition, John Wiley & Sons Inc, New York.
- Jensen, R.J., S.C. Hokanson, J.G. Isebrands, J.F. Hancock. 1993 Morphometric variation in oaks of the Apostle Islands in Wisconsin: evidence of hybridization between *Quercus rubra* and *Q. ellipsoidalis* (Fagaceae). *Am J Bot*, 80: 1358–1366.
- John Vincent P, II. Anino, P. Dave, Buenavista. 2016. Landmark-Based Geometric Morphometric Analysis on *Nepenthes saranganiensis* Kurata in Relationship to the Plant's Trapping Strategies. *International Journal of Bioinformatics and Computational Biology*, 1(1), pp. 1-8.
- Juniper, B.E., R.J. Robins, D.M. Joel. 1989. *The carnivorous plants*. London, UK: Academic Press.
- Klein, L., M. Caito, C. Chapnick, C. Kitchen, O. Regan, D.H. Chitwood, A.J. Miller, 2017. Digital morphometrics of two north american grapevines (Vitis: Vitaceae) quantifies leaf variation between species, within species, and among Individuals. *Front. Plant Science*, 8:373. doi: 10.3389/fpls.2017.00373
- Kuhl, F.P and C.R. Giardina. 1982. Elliptic Fourier features of a closed contour. *Comput Gr ImProces*. 18(3): 236–258.
- Lawrence, G.H.M. 1995. *Taxonomy of Vascular Plants*. The MacMillian Cp. New York.
- Lee, C., Hernawati, P. Akhriadi. 2006. *Two new species of Nepenthes (Nepentheaceae) from North Sumatra*. *Blumea*. 51(3), 561-568.
- Legendre, P. and L. Legendre. 1998. Numerical ecology. 2nd English Edition, Elsevier, Amsterdam.
- Mansur, M. 2013. Tinjauan tentang Nepenthes (Nepentheaceae) di Indonesia. *Berita Biol*, 12:1
- McPherson S.R. 2009. *Pitcher Plant of the Old World*. Pole (GB): Redfern Natural History.
- Moran, J.A., Clarke, C. 2011. Incorporating ecological context: A revised protocol for the preservation of *Nepenthes* pitcher plant specimens (Nepentheaceae). *Blumea*. 56: 225–228
- Moran J.A., Gray L.K, Clarke C.M, Chin L. 2013. Capture mechanism in palaeotropical pitcher plants (Nepentheaceae) is constrained by climate. *Annals of Botany* 112: 1279–1291

- Muhammadin, 1995. Studi Taksonomi *Nepenthes* yang terdapat di Bukit Taratak, Pesisir Selatan, *Skripsi Sarjana Biologi*, Universitas Andalas.
- Nerz, J. 2013. Sumatra, a centre of evolution in the genus *Nepenthes*. *Acta Botanica Gallica*. 152:2,262-263
- O'Higgins, P and N. Jones. 1998. Facial Growth in *Cercocebus torquatus*: An Application of Three Dimensional Geometric Morphometric Techniques to the Study of Morphological Variation. *Journal of Anatomy*. 193, 251-272.
- Olejnik, S and C. Huberty. 2006. *Applied MANOVA and Discriminant Analysis*. New Jersey (US). J Wiley.
- Pecuchet, L., A. Tornroos and M. Lindegren. 2016. Patterns and drivers of fish community assembly in a large marine ecosystem. *Marine Ecology Progress Series* 546:239–248.
- Phillips, A and A. Lamb. 1996. *Pitcher Plants of Borneo*. Natural History Publications (Borneo), Kota Kinabalu.
- POWO. 2021. *Plants of the World Online*. Facilitated by the Royal Botanic Gardens, Kew. Published on the Internet; <http://www.plantsoftheworldonline.org/> diakses 06 Juli 2021.
- Raisal, J.N. 2019. Analisis Morfometrika Geometris pada Variasi Bentuk Kantong antar Jenis *Nepenthes* L. (Nepentheaceae), *Tesis*. Institut Pertanian Bogor. Bogor.
- Richtsmeier JT., DB. Burke, S. Lele. 2002. The promise of geometric morphometrics. *Am J Phys Anthropol*. 119(35): 63-91.doi: 10.1002/ajpa.10174.
- Rohlf FJ, Slice D. 1990. Extensions of the Procrustes method for the optimal superimposition of landmarks. *Syst Zool*. 39, 40.doi:10.2307/2992207.
- Rohlf FJ. 1990. Morphometrics. *Annu Rev Ecol Evol Syst*. 21:299–316.doi: 10.1146/annurev.es.21.110190.001503.
- Singh, G. 2005. *Plant Systematic an Inteprated Approach*. Science Publisher, Inc., Enfield, NH. USA.
- Soleimanipour A., GR. Chegini, J. Massah. 2018. Classification of Anthurium flowers using combination of PCA, LDA, and support vector machine. *Agric Eng Int*. 20(1): 219-228.
- Sneath, P.H.A. and R.R. Sokal. 1973. *Numerical Taxonomy*. W. H Freeman and Co. San Fransisco.
- Synder, I. 2000. Colchicine Treatment on Sterile Hybird Sundews. *Carnivorous Plant Newsletter*. March 2000. www.carnivorousplant.org. Diakses tanggal 1 Maret 2022.

- Tamin, R and M. Hotta. 1986. *Nepenthes* di Sumatera: The Genus *Nepenthes* of the Sumatra Island. In: M. Hotta (ed.), *Diversity and Dynamics of The Plant Life in Sumatra*. Kyoto University, Japan. p. 75-109.
- T. McLellan and J. A. Endler. 1998. The relative success of some methods for measuring and describing the shape of complex objects. *Systems biology*, 47:264–281.
- Victoriano, M. 2021. A New Species of *Nepenthes* (Nepentheaceae) and its Natural hybrid from Aceh, Sumatra, Indonesia. *Reinwardtia*. 20(1), 17-26.
- Wäldchen J., R. Michael, M. Seeland, P. Mader. 2018. Automated plant species identification-Trends and future direction. *PLoS Comput Biol*. 14(4): e1005993.doi:10.1371/journal.pcbi.1005993.
- Whitmore, T. C., 1972. *Tree Flora of Malaya*, Vol. I. Malay For. Rec. no. 26. Longman, London, 471 pp.
- Yulita KS and M. Mansur. 2012. The occurrence of hybrid in *Nepenthes hookeriana* Lindl. from Central Kalimantan can be detected by RAPD and ISSR markers. *Hayati J Biosci*. 19(1):18-24.doi: 10.4308/hjb.19.1.

