

## DAFTAR PUSTAKA

- Almas, I., Innocent, E., Machumi, F., & Kisinza, W. (2019). Effect of Geographical location on yield and chemical composition of essential oils from three Eucalyptus species growing in Tanzania / Asian Journal of Regular article Effect of Geographical location on yield and chemical composition of essential oils fr. *Asian Journal of Traditional Medicines*, 14(1), 1–12.
- Amin, M. R., Perawati, S., & Sutrisno, D. (2020). Etnofarmasi Pada Suku Anak Dalam di Desa Pauh Menang Kecamatan Pamenang Ethnopharmacy in the Anak Dalam Tribe in Pauh Menang Village , Pamenang District. *Journal of Healthcare Technology and Medicine*, 6(1), 334–344.
- Anburaj, J., Tamilselvi, E., Swapna, S., & Amuthavalli, K. (2020).  $\beta$ -amyryn modulates P38 MAPK and Jnk pathway to inhibit cell proliferation and induce ROS-mediated apoptosis in HeLa cells. *Indian Journal of Pharmaceutical Sciences*, 82(3), 420–428. <https://doi.org/10.36468/pharmaceutical-sciences.664>
- Anderson, K. M., Seed, T. M., Wilson, D. E., & Harris, A. J. E. (1992). 5,8,11,14-Eicosatetraynoic Acid Induced Destruction Of Mitochondria In Human Prostate Cells (PC-3). *In Vitro Cell*, 1(1), 410–414.
- Arévalo-Ramírez, H., Bartra-Reátegui, A., Arévalo-Fasanando, L., & Rodríguez-de-la-Matta, S. (2022). Extractos y componentes fitoquímicos de *Clibadium remotiflorum*, *Lonchocarpus nicou*, *Hura crepitans*, *Dieffenbachia costata*, con probable valor terapéutico contra *Leishmania*, in vitro, San Martín. *Revista Salud Amazónica y Bienestar*, 1(2), e347. <https://doi.org/10.51252/rsayb.v1i2.347>
- Arriagada, J. E. (2003). Revision of the genus *Clibadium* (Asteraceae, Heliantheae). *Brittonia*, 55(3), 245–301. [https://doi.org/10.1663/0007-196X\(2003\)055\[0245:ROTGCA\]2.0.CO;2](https://doi.org/10.1663/0007-196X(2003)055[0245:ROTGCA]2.0.CO;2)
- Basholli-Salih, M., Schuster, R., Hajdari, A., Mulla, D., Viernstein, H., Mustafa, B., & Mueller, M. (2017). Phytochemical composition, anti-inflammatory activity and cytotoxic effects of essential oils from three *Pinus* spp. *Pharmaceutical Biology*, 55(1), 1553–1560. <https://doi.org/10.1080/13880209.2017.1309555>
- Beserra Santos, L. K., Alves Veras, M. D., Gadelha Marques, K. K., de Moraes Alves, M. M., Nogueira Mendes, A., de Amorim Carvalho, F. A., Vieira Sobral, M., Helena Chaves, M., & Ramos Gonçalves, J. C. (2020). Assessment of in Vitro Anti-melanoma Potential of *Ephedranthus pisocarpus* R.E.Fr. *Anticancer Research*, 40(9), 5015–5024. <https://doi.org/10.21873/anticancer.14504>
- Bohm, B. A., Berlow, S., & Stuessy, T. F. (1983). Flavonoid Variation In *Clibadium Trianea* And *C. Surinamense*. *Phytochemistry*, 22(12), 2743–2744.

- Bohm, B. A., & Stuessy, T. O. D. F. (1981). *Flavonol derivatives of the genus clibadium ( compositae )*. 20(5), 1053–1055.
- Bowen, Ifor, & Delme. (2005). *Anti-Tumor Terpen Compound* (Patent No. PTC/GB2004/004769).
- ÇARIKÇI, S., ÖZER, Z., DERELİ, S., ACAR, D., GÖREN, A. C., & KILIÇ, T. (2018). Essential Oil Composition of Five Sideritis Species Endemic to Turkey. *Süleyman Demirel Üniversitesi Fen Bilimleri Enstitüsü Dergisi*, 22(Özel), 301. <https://doi.org/10.19113/sdufbed.39038>
- Cavaliere, E., Mariotto, S., Fabrizi, C., De Prati, A. C., Gottardo, R., Leone, S., Berra, L. V., Lauro, G. M., Ciampa, A. R., & Suzuki, H. (2004).  $\alpha$ -Bisabolol, a nontoxic natural compound, strongly induces apoptosis in glioma cells. *Biochemical and Biophysical Research Communications*, 315(3), 589–594. <https://doi.org/10.1016/j.bbrc.2004.01.088>
- Chang, M. Y., & Shen, Y. L. (2014). Linalool exhibits cytotoxic effects by activating antitumor immunity. *Molecules*, 19(5), 6694–6706. <https://doi.org/10.3390/molecules19056694>
- Chang, M. Y., Shieh, D. E., Chen, C. C., Yeh, C. S., & Dong, H. P. (2015). Linalool induces cell cycle arrest and apoptosis in leukemia cells and cervical cancer cells through CDKIs. *International Journal of Molecular Sciences*, 16(12), 28169–28179. <https://doi.org/10.3390/ijms161226089>
- Chen, H., Yuan, J., Hao, J., Wen, Y., Lv, Y., Chen, L., & Yang, X. (2019).  $\alpha$ -Humulene inhibits hepatocellular carcinoma cell proliferation and induces apoptosis through the inhibition of Akt signaling. *Food and Chemical Toxicology*, 134(September), 110830. <https://doi.org/10.1016/j.fct.2019.110830>
- Chen, W., Liu, Y., Li, M., Mao, J., Zhang, L., Huang, R., Jin, X., & Ye, L. (2015). Anti-tumor effect of  $\alpha$ -pinene on human hepatoma cell lines through inducing G2 / M cell cycle arrest. *Journal of Pharmacological Science*, 127(3), 332–338. <https://doi.org/10.1016/j.jphs.2015.01.008>
- Costa, E. A., Rocha, F. F., Torres, M. L. B., Souccar, C., De Lima, T. C. M., Lapa, A. J., & Lima-Landman, M. T. R. (2006). Behavioral effects of a neurotoxic compound isolated from *Clibadium surinamense* L (Asteraceae). *Neurotoxicology and Teratology*, 28(3), 349–353. <https://doi.org/10.1016/j.ntt.2006.01.010>
- Cruz, A. de Jesus Soare da, Silva, W. R. da S. e, Cruz, J. dos S., Junior, F. D. S., Hamoy, M., Scofield, A., Cavalcante, G. G., & Monteiro, M. V. B. (2022). Larvicidal activity of the crude methanolic extract from leaves of *Clibadium surinamense* against *Aedes aegypti*. *Ciência Rural, Santa Maria*, 53(5).
- Czerson, H., Bohlmann, F., Stuessy, T. F., & Fischer, N. . (1979). Sesquiterpenoid and acetylenic constituents of seven. *Phytochemistry*, 18(2), 257–260.
- Delnavazi, M. R., Saiyarsarai, P., Jafari-Nodooshan, S., Khanavi, M., Tavakoli, S., Hadavinia, H., & Yassa, N. (2018). Cytotoxic flavonoids from the aerial parts

of *Stachys lavandulifolia* vahl. *Pharmaceutical Sciences*, 24(4), 332–339. <https://doi.org/10.15171/PS.2018.47>

- Djafar, F., Supar, M. D., & Gani, A. (2010). PENGARUH UKURAN PARTIKEL, SF RASIO DAN WAKTU PROSES TERHADAP RENDEMEN PADA HIDRODISTILASI MINYAK JAHE. *Hasil Penelitian Industri*, 23(2), 47–54.
- Dong, J., Ma, X., Wei, Q., Peng, S., & Zhang, S. (2011). Effects of growing location on the contents of secondary metabolites in the leaves of four selected superior clones of *Eucommia ulmoides*. *Industrial Crops & Products*, 34(3), 1607–1614. <https://doi.org/10.1016/j.indcrop.2011.06.007>
- Ferrer, I., & Thurman, E. M. (2013). Advanced Techniques in Gas Chromatography-Mass Spectrometry (GC-MS-MS and GC-TOF-MS). In *Comprehensive Analytical Chemistry series* (Vol. 15, Issue 3). <https://www.elsevier.com/books/advanced-techniques-in-gas-chromatography-mass-spectrometry-gc-ms-ms-and-gc-tof-ms-for-environmental-chemistry/ferrer/978-0-444-62623-3>
- Fidy, K., Fiedorowicz, A., Strzdała, L., & Szumny, A. (2016). B-Caryophyllene and B-Caryophyllene Oxide—Natural Compounds of Anticancer and Analgesic Properties. *Cancer Medicine*, 5(10), 3007–3017. <https://doi.org/10.1002/cam4.816>
- Filgueiras, C. C., Farias, P. R. S., Cardoso, M. das G., Vendramim, J. D., Ramos, Edson Marcos Leal Soares, F. R. de O., & Cantão. (2011). OF AQUEOUS EXTRACTS OF *Clibadium sylvestre* ( AUBL .) BAILL . AND *Derris amazonica* KILLIP ON THE APHID *Myzus persicae* ( SULZER , 1776 ) ( HEMIPTERA : APHIDIDAE ). *Ciênc. Agrotec., Lavras*, 35(6), 1059–1066.
- García, M. A. D., & Valdivia, R. M. L. (2013). *Actividad Antibacteriana del Extracto Etanólico de hojas y tallo de *Clibadium surinamense* L. (Huaca) Mediante el Método de difusión en disco (Kirby-Bauer)*. UNIVERSIDAD NACIONAL DE LA AMAZONÍA PERUANA Facultad.
- Gowda, P. J., Ramakrishnaiah, H., Krishna, V., Narra, S., & Jagannath, N. (2012). Caryophyllene-rich essential oil of *Didymocarpus tomentosa*: Chemical composition and cytotoxic activity. *Natural Product Communications*, 7(11), 1535–1538. <https://doi.org/10.1177/1934578x1200701131>
- Hanifa, M., Wulandari, R., Zulfin, U. M., Nugroho, E. P., Haryanti, S., & Meiyanto, E. (2022). Different Cytotoxic Effects of Vetiver Oil on Three Types of Cancer Cells, Mainly Targeting CNR2 on TNBC. *Asian Pacific Journal of Cancer Prevention*, 23(1), 253–263. <https://doi.org/10.31557/APJCP.2022.23.1.241>
- Hanušová, V., Caltová, K., Svobodová, H., Ambrož, M., Skarka, A., Murínová, N., Králová, V., Tomšík, P., & Skálová, L. (2017). The effects of  $\beta$ -caryophyllene oxide and trans-nerolidol on the efficacy of doxorubicin in breast cancer cells and breast tumor-bearing mice. *Biomedicine and Pharmacotherapy*, 95(August), 828–836. <https://doi.org/10.1016/j.biopha.2017.09.008>
- Haryoto, Muhtadi, Indrayudha, P., Azizah, T., Suhendi, A., & Haryoto, Muhtadi,

Peni Indrayudha, Tanti Azizah, A. S. (2013). Aktivitas Sitotoksik Ekstrak Etanol Tumbuhan Sala (*Cynometra ramiflora* Linn) Terhadap Sel HeLa, T47D dan WiDR. *Jurnal Penelitian Saintek*, 18(2), 21–28.

Hejmadi, M. (2010). *Introduction to Cancer Biology* (2nd ed.).

Herdwiani, W., & Rejeki, E. S. (2015). Uji Aktivitas Sitotoksik Ekstrak Kulit Batang Kayu Manis (*Cinnamomum burmannii*) Terhadap Kultur Sel T47D. *Jurnal Farmasi Indonesia*, 12(2), 102–113.

Holcapek, M., & Byrdwell, W. C. (2013). *Advanced Chromatography /Mass Spectrometry Techniques*.

Idu, M., Aihikhai, M. O., & Imoni, C. (2021). Gas Chromatography-Mass Spectrometry (GC-MS) Analysis and Phytochemical Gas Chromatography-Mass Spectrometry (GC-MS) Analysis and Phytochemical Screening of Polyherbal Aqueous Leaves Extract (PALE). *Journal of Complementary and Alternative Medical Research*, 14(2), 1–18. <https://doi.org/10.9734/JOCAMR/2021/v14i230240>

Intitute, N. C. (2021). *What Is Cancer?* <https://www.cancer.gov/about-cancer/understanding/what-is-cancer#definition>

Ismaryani, A., Setiawan, A., Biomedik, I., Kedokteran, F., & Sriwijaya, U. (2018). Aktivitas Sitotoksik, Antiproliferasi dan Penginduksi Apoptosis Daun Salung (*Psychotria viridiflora* Reinw. ex. Blume) terhadap Sel Kanker Serviks HeLa (Cytotoxic Activity, Antiproliferation and Induced Apoptosis of Salung Leaf (*Psychotria viridiflora* Rei. *Jurnal Ilmu Kefarmasian Indonesia*, 16(2), 206–213.

ITIS. (1996). *Integrated Taxonomic Information System - Report*. [https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=37100#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=37100#null)

Jabbar, S. A. B., Twentyman, P. R., & Watson, J. V. (1989). The MTT assay underestimates the growth inhibitory effects of interferons. *Br.J.Cancer*, 528(60), 523–528.

Jou, Y. J., Hua, C. H., Lin, C. S., Wang, C. Y., Wan, L., Lin, Y. J., Huang, S. H., & Lin, C. W. (2016). Anticancer activity of  $\gamma$ -bisabolene in human neuroblastoma cells via induction of p53-mediated mitochondrial apoptosis. *Molecules*, 21(5), 601–6012. <https://doi.org/10.3390/molecules21050601>

Jun, N. J., Mosaddik, A., Moon, J. Y., Jang, K., Lee, D., Ahn, K. S., & Cho, S. K. (2011). Cytotoxic Activity of  $\beta$ -Caryophyllene Oxide Isolated from Jeju Guava (*Psidium cattleianum* Sabine) Leaf. *ACG Publication*, 3(2011), 242–246.

Kabel, A., Hassan Baali, F., Kabel, A. M., & Baali, F. H. (2015). Breast Cancer: Insights into Risk Factors, Pathogenesis, Diagnosis and Management. *Journal of Cancer Research and Treatment*, 3(2), 28–33. <https://doi.org/10.12691/jcrt-3-2-3>

- Kang, E., Lee, D. H., Jung, Y. J., Shin, S. Y., Koh, D., & Lee, Y. H. (2016).  $\alpha$ -Pinene inhibits tumor invasion through downregulation of nuclear factor (NF)- $\kappa$ B-regulated matrix metalloproteinase-9 gene expression in MDA-MB-231 human breast cancer cells. *Applied Biological Chemistry*, 59(4), 511–516. <https://doi.org/10.1007/s13765-016-0175-6>
- Kementrian Kesehatan Indonesia. (2022). *Kanker Payudara Paling Banyak di Indonesia, Kemenkes Targetkan Pemerataan Layanan Kesehatan*. <https://www.kemkes.go.id/article/view/22020400002/kanker-payudara-paling-banyak-di-indonesia-kemenkes-targetkan-pemerataan-layanan-kesehatan.html#:~:text=Kanker payudara menempati urutan pertama,kasus baru kanker di Indonesia.>
- Kitson, F. ., Larsen, B. ., & McEwen, C. (1996). *Gas Chromatography and Mass Spectrometry - A Practical Guide - F. Kitson, et al., (AP, 1996) WW.pdf* (pp. 1–300). Academic Press.
- Kubo, I., Chaudhuri, swapan K., Kubo, Y., Sanchez, Y., Ogura, T., Saito, T., Ishikawa, H., & Haraguchi, H. (1996). Cytotoxic and Antioxidative Sesquiterpenoids from *Heterotheca inuloides*. *Planta*, 62(6), 427–430.
- Legault, J., & Pichette, A. (2007). Potentiating effect of  $\beta$ -caryophyllene on anticancer activity of  $\alpha$ -humulene, isocaryophyllene and paclitaxel. *Pharmacy and Pharmacology*, 59(1), 1643–1647. <https://doi.org/10.1211/jpp.59.12.0005>
- Lei, J., Wang, Q., Li, G., Li, Y., Zhang, P., & Xu, G. (2021).  $\beta$ -Caryophyllene from Chilli Pepper Inhibits the Proliferation of Non-Small Cell Lung Cancer Cells by Affecting miR-659-3p-Targeted Sphingosine Kinase 1 (SphK1). *International Journal of General Medicine*, 14(1), 9599–9613. <https://doi.org/10.2147/IJGM.S338513>
- Lin, C. C., Wu, C. S., Chen, Y. J., Chen, J. J. W., Shieh, J. J., Huang, C. H., Lin, P. S., Chang, G. C., & Chang, J. T. (2012). Terpinen-4-ol induces apoptosis in human nonsmall cell lung cancer in vitro and in vivo. *Evidence-Based Complementary and Alternative Medicine*, 2012(1), 1–13. <https://doi.org/10.1155/2012/818261>
- Lin, Z., Lin, Y., Shen, J., Jiang, M., & Hou, Y. (2020). Flavonoids in *Ageratum conyzoides* L. Exert Potent Antitumor Effects on Human Cervical Adenocarcinoma HeLa Cells in Vitro and in Vivo. *BioMed Research International*, 2020, 1–10. <https://doi.org/10.1155/2020/2696350>
- Liu, K., Abdullah, A. A., Huang, M., Nishioka, T., & Kanaya, S. (2017). Novel Approach to Classify Plants Based on Metabolite-Content Similarity. *Hindawi Biomed Research Internationa*, 2017(2010), 1–12.
- Makki, J. (2015). Diversity of Breast Carcinoma: Histological Subtypes and Clinical Relevance. *Libertas Academi*, 8, 23–31. <https://doi.org/10.4137/CPath.S31563.TYPE>
- Mariajancyrani, Chandramohan, & Ravikumar. (2014). Terpenes and

Antimicrobial Activity from Lantana Camara Leaves. *Research Journal of Recent Sciences*, 3(9), 52–55.

- Mboge, M. Y., Ramirez-Mata, A., Bullock, A., O'Donnell, R., Mathias, J. V., Davila, J., Frost, C. J., & Frost, S. C. (2019). B-Caryophyllene Enhances the Transcriptional Upregulation of Cholesterol Biosynthesis in Breast Cancer Cells. *Current Topics in Biochemical Research*, 20, 1. <https://doi.org/10.31300/ctbr.20.2019.1-16>
- Meyer, B. N., Ferrigni, N. R., Putnam, J. E., Jacobsen, L. B., Nichols, D. E., & McLaughlin, J. L. (1982). Brine shrimp: A convenient general bioassay for active plant constituents. *Planta Medica*, 45(1), 31–34. <https://doi.org/10.1055/s-2007-971236>
- Miller, J. A., Lang, J. E., Ley, M., Nagle, R., Hsu, C. H., Thompson, P. A., Cordova, C., Waer, A., & Chow, H. H. S. (2013). Human breast tissue disposition and bioactivity of limonene in women with early-stage breast cancer. *Cancer Prevention Research*, 6(6), 577–584. <https://doi.org/10.1158/1940-6207.CAPR-12-0452>
- Mirunalini, S., Isabella, S., & Vaithyanathan, V. (2016). Antiproliferative Effect of Alpha Amyrin on Hep2 Cells by Inducing Cytotoxicity and Oxidant Antioxidant Status Modifications. *FoodSci: Indian Journal of Research in Food Science and Nutrition*, 3(2), 44. <https://doi.org/10.15613/fijrnf/2016/v3i2/139485>
- Mora, L. M. (2000). *Terpenoides Y Alcaloides Del Clibadium Surinamense*. De Los Andes.
- Neta, M. C. S., Vittorazzi, C., Guimarães, A. C., Martins, J. D. L., Fronza, M., Endringer, D. C., & Scherer, R. (2017). Effects of  $\beta$ -caryophyllene and *Murraya paniculata* essential oil in the murine hepatoma cells and in the bacteria and fungi 24-h time-kill curve studies. *Pharmaceutical Biology*, 55(1), 190–197. <https://doi.org/10.1080/13880209.2016.1254251>
- Nuwa, Jemi, R., Toni, H., & Triyadi, A. (2022). Aktivitas Toksisitas Minyak Atsiri Kulit *Cinnamomum sintoc* Blume Terhadap Larva *Artemia salina* Leach (Studi Pendahuluan Anti Kanker). *Hutan Tropika*, 16(2), 138–146. <https://doi.org/10.36873/jht.v16i2.3580>
- Observatory, G. C. (2020). *Cancer Today*. World Health Organization. <https://gco.iarc.fr/>
- Pant, P., Pandey, S., & Dall'Acqua, S. (2021). The Influence of Environmental Conditions on Secondary Metabolites in Medicinal Plants: A Literature Review. *Chemistry and Biodiversity*, 18(11). <https://doi.org/10.1002/cbdv.202100345>
- Perawati, S., Dila, I., & Hasti, B. (2022). Uji Aktivitas Sitotoksik Ekstrak Daun Semambu (*Clibadium Surinamense* L.) Dengan Metoda BSLT. *Jurnal Katalisator*, 7(1), 102–114.
- Pérez-Amador, M. C., Muñoz, V., Noyola, A., & García-Jiménez, F. (2006).

Essential oil and phototoxic compounds in *Clibadium surinamense* L. and *Montanoa grandiflora* D.C. (Asteraceae). *Phyton-International Journal of Experimental Botany*, 75, 145–150. <https://doi.org/10.32604/phyton.2006.75.145>

- Prakash, V. (2018). Terpenoids as Cytotoxic Compounds: A Perspective. *Pharmacogn.Rev*, 12(24), 166–176. <https://doi.org/10.4103/phrev.phrev>
- Pratama, I. P. A. A. C., Putra, I. M. H., Pujasari, L. W. S., Dewi, K. D. M. S., & Laksmiani, N. P. L. (2022). The potency of alpha-humulene as HER-2 inhibitor by molecular docking. *Pharmacy Reports*, 2(1), 22. <https://doi.org/10.51511/pr.22>
- Qnais, E., Bseiso, Y., Wedyan, M., & Al-omari, M. (2016). Chemical composition and antinociceptive effects of essential oil from aerial parts of *Gundelia tournefortii* L Asteraceae ( Compositae ) in rats. *Tropical Journal of Pharmaceutical Research October*, 15(10r), 2183–2190.
- R. Hamidi, M., Jovanova, B., & Kadifkova Panovska, T. (2014). Toxicological evaluation of the plant products using Brine Shrimp (*Artemia salina* L.) model. *Macedonian Pharmaceutical Bulletin*, 60(01), 9–18. <https://doi.org/10.33320/maced.pharm.bull.2014.60.01.002>
- Ramírez, N., A., N.-C. E., & Vallejo, y V. J. Y. (2011). Estudio toxicológico del extracto total y fracciones cromatográficas de las hojas de *Clibadium asperum* en animales de experimentación , Iquitos , 2009. *Conoc. Amaz*, 2(2), 103–114.
- Ramteke, A., Ganatra, S., Gour, P., Jasudkar, D., & Tulankar, A. (2021). Anti-cancer inhibition studies of naturally occurring Terpenes using in-vitro technique. *Journal of Physics: Conference Series*, 1913(2021), 1–9. <https://doi.org/10.1088/1742-6596/1913/1/012081>
- Rojas-Vera, J., Díaz, A. B., Arvelo, F. A., Sojo, F. J., Suarez, A. I., & Rojas, L. (2020). Essential oil composition and cytotoxic activity in two species of the plant genus *vismia* (Hypericaceae) from the Venezuelan andes. *Revista de Biología Tropical*, 68(3), 884–891. <https://doi.org/10.15517/RBT.V68I3.39503>
- Said, A. A., El Gendy, M. A. M., Abdel Raoof, G. F., Omer, E. A., Fouad, R., Abd EL-Kader, A. E., & Weinfeld, M. (2019). Cytotoxic activity and volatile components of peel oil of *Citrus volkameriana*. *South African Journal of Botany*, 127, 201–207. <https://doi.org/10.1016/j.sajb.2019.09.005>
- Sajjadi, S. E., Ghanadian, M., Haghghi, M., & Mouhebat, L. (2015). Cytotoxic effect of *Cousinia verbascifolia* Bunge against OVCAR-3 and HT-29 cancer cells. *Journal of HerbMed Pharmacology*, 4(1), 15–19.
- Sánchez Perera, L. M., Mancebo Dorvigny, B., & Regalado Veloz, A. I. (2017). Inhibition of seed germination, toxicity on *Artemia salina* and phytochemical prospecting with from Cuban plants as indicator of antitumo activity. *Macedonian Pharmaceutical Bulletin*, 63(02), 29–36. <https://doi.org/10.33320/maced.pharm.bull.2017.63.02.004>

- Santos, E. L., Freitas, P. R., Araújo, A. C. J., Almeida, R. S., Tintino, S. R., Paulo, C. L. R., Silva, A. C. A., Silva, L. E., do Amaral, W., Deschamps, C., Junior, J. P. S., Filho, J. M. B., de Sousa, G. R., Ribeiro-Filho, J., & Coutinho, H. D. M. (2021). Enhanced antibacterial effect of antibiotics by the essential oil of *Aloysia gratissima* (Gillies & Hook.) Tronc. and its major constituent beta-caryophyllene. *Phytomedicine Plus*, 1(4), 1–6. <https://doi.org/10.1016/j.phyplu.2021.100100>
- Sharifi-Rad, J., Sureda, A., Tenore, G. C., Daglia, M., Sharifi-Rad, M., Valussi, M., Tundis, R., Sharifi-Rad, M., Loizzo, M. R., Oluwaseun Ademiluyi, A., Sharifi-Rad, R., Ayatollahi, S. A., & Iriti, M. (2017). Biological activities of essential oils: From plant chemoeology to traditional healing systems. In *Molecules* (Vol. 22, Issue 1). <https://doi.org/10.3390/molecules22010070>
- Silalahi, M., & Mustaqin, W. A. (2021). *Tumbuhan berbiji di jakarta* (2nd ed.). UKI Press.
- Singh, R. (2016). Chemotaxonomy : A Tool for Plant Classification. *Journal of Medicinal Plants Studies*, 4(2), 90–93.
- Sobral, M. V., Xavier, A. L., Lima, T. C., & Sousa, D. P. De. (2014). Antitumor Activity of Monoterpenes Found in Essential Oils. *Hindawi*, 2014(1), 1–35.
- Sobrinho, A. C. N., de Morais, S. M., de Souza, E. B., Albuquerque, M. R. J. R., dos Santos, H. S., de Paula Cavalcante, C. S., de Sousa, H. A., & dos Santos Fontenelle, R. O. (2020). Antifungal and Antioxidant Activities of *Vernonia Chalybaea* Mart. ex DC. Essential Oil and their Major Constituent  $\beta$ -caryophyllene. *Brazilian Archives of Biology and Technology*, 63(1), 1–11. <https://doi.org/10.1590/1678-4324-2020190177>
- Sobrinho, A. C. N., Souza, E. B. de, Rocha, M. F. G., Albuquerque, M. R. J. R., Bandeira, P. N., Santos, H. S. dos, Pereira, R., Morais, S. M. de M., Fontenelle, R. O. dos S., & Cavalcante, C. S. de P. (2016). Cytotoxicity , antifungal and antioxidant activities of the essential oil from *Eupatorium ballotifolium* Kunth ( Asteraceae ). *African Journal of Pharmacy and Pharmacology*, 10(161), 346–355. <https://doi.org/10.5897/AJPP2016.4537>
- Suleimen, E. M., Dudkin, R. V, Gorovoi, P. G., Wang, M., Khan, I., Ross, S. A., Chemistry, A., Eurasian, L. N. G., Academy, R., Garden-institute, B., Branch, F., Constituent, T., & Oils, E. (2015). CONSTITUENT COMPOSITIONS OF ESSENTIAL OILS FROM *Artemisia littorcola* AND *A . mandshurica* Essential oils from two previously investigated Far-East *Artemisia* species were studied . *A . littorcola* Kitam . is a perennial of the family Asteraceae ( Composita. *Chemistry of Natural Compounds*, 51(4), 676–677. <https://doi.org/10.1007/s10600-015-1414-5>
- Suleimen, E. M., Sisengaliev, G. G., Adilkhanova, A. A., Dudkin, R. V., Gorovoi, P. G., & Iskakova, Z. B. (2019). Composition and Biological Activity of Essential Oil from *Artemisia keiskeana*. *Chemistry of Natural Compounds*, 55(1), 154–156. <https://doi.org/10.1007/s10600-019-02641-7>
- Sumihe, G., Runtuwene, M. r. ., & Rorong, J. A. (2013). Phytochemical Analysis



- And Determining LC50 Value Of Liwas Leave Methanol Extract. *Jurnal Ilmiah Sains*, 14(2), 1–4.
- Suryati., Aziz, E. D., Efdi, M., Wahyuni, F. S., & Hefni, D. (2021). Analysis of The Essential Oil from *Lantana camara* Leaves and Its Cytotoxic Potential Against T-47D Breast Cancer Cells. *Jurnal Riset Kimia*, 12(1), 1–9.
- Suryati, Hefni, D., Wahyuni, F. S., & Dachriyanus. (2021). The cytotoxicity study of *lantana camara* Linn essential oil on HeLa cancer cells line. *Pharmacognosy Journal*, 13(6), 1498–1501. <https://doi.org/10.5530/PJ.2021.13.190>
- Suryati, S., Salim, E., & Elizar, G. (2022). Potensi Antimikroba dan Toksisitas Minyak Atsiri yang Diisolasi dari Biji Jintan ( *Carum carvi* L .). *Jurnal Riset Kimia*, 13(2), 198.
- Suryati, S., Santoni, A., Arifin, B., Ferdinal, N., Salim, E., Amelia, A., Zein, L., Mairanti, S., Lestari, I. P., Materials, N., Chemistry, O., Sciences, N., & Sumatra, W. (2022). Analysis of Chemical Content, Cytotoxic and Anti-Bacterial Activity Essential Oil of *Lantana Camara* Linn Leaves from Various Regions. *Molekul*, 17(2), 156–164.
- Suryati, Santoni, A., Kartika, M. Z., & Aziz, H. (2016). Antioxidant activity and total phenolic content of ethyl acetate extract and fractions of *Lantana camara* L. leaf. *Der Pharma Chemica*, 8(8), 92–96.
- Syamsir, D. R. . (2018). *Characterization Of Compounds And Essential Oils From Curcuma Zedoaria, And Evaluation Of Their Cytotoxic And Apoptotic Properties*. University Malaya.
- Tseng, Y., Wang, C., & Peng, C. (2008). *Clibadium surinamense* L . ( Asteraceae ): A Newly Naturalized Plant in Taiwan. *Taiwania*, 53(1), 103–106. [https://doi.org/10.6165/tai.2008.53\(1\).103](https://doi.org/10.6165/tai.2008.53(1).103)
- Turkez, H., Togar, B., Tatar, A., Geyikoglu, F., & Hacimuftuoglu, A. (2014). Cytotoxic and cytogenetic effects of  $\alpha$ -copaene on rat neuron and N2a neuroblastoma cell lines. *Biologia (Poland)*, 69(7), 936–942. <https://doi.org/10.2478/s11756-014-0393-5>
- Tyagi, A. K., Prasad, S., Yuan, W., Li, S., & Aggarwal, B. B. (2015). Identification of a novel compound ( $\beta$ -sesquiphellandrene) from turmeric (*Curcuma longa*) with anticancer potential: Comparison with curcumin. *Investigational New Drugs*, 33(6), 1175–1186. <https://doi.org/10.1007/s10637-015-0296-5>
- Walker, J. M. (2011). *Mammalian Cell Viability* (Martin J. Stoddart (ed.)). Humana Press.
- Washington, V. D., Agius, B. R., Palazzo, M. C., Haber, W. A., Setzer, N., & Washington, V. D. (2013). Chemical composition of the leaf essential oil of *Clibadium leiocarpum* from Monteverde , Costa Rica. *American Journal Of Essential Oils and Natural Product*, 1(2), 43–45.
- Wen, S., Gu, D., & Zeng, H. (2018). Antitumor effects of beta-amyrin in Hep-G2 liver carcinoma cells are mediated via apoptosis induction, cell cycle

disruption and activation of JNK and P38 signalling pathways. *Journal of B.U.ON.*, 23(4), 965–970.

WHO. (2020). *Global Cancer Observatory*.

Widhyastini, I. G. A. M., Yuliani, N., & Nurilmala, F. (2017). Identifikasi Dan Potensi Gulma Di Bawah Tegakan Jati Unggul Nusantara (Jun) Di Kebun Percobaan Universitas Nusa Bangsa, Cogreg, Bogor. *Jurnal Sains Natural*, 2(2), 186. <https://doi.org/10.31938/jsn.v2i2.48>

Witantri, R. G., Citra, E., Ruspindi, A. Y. U., & Saputro, D. W. I. S. (2015). Keanekaragaman pohon berpotensi obat antikanker di kawasan Kampus Kentingan Universitas Sebelas Maret , Surakarta. *Pros Sem Nas Masy Biodiv Indon*, 1(Mangan 2009), 477–483. <https://doi.org/10.13057/psnmbi/m010317>

Xiao-su, H., Pei, Y., Chang, Z., Qiaoxiang, X., Ming, L., Lianbao, Y., Wenqing, Y., & Wei qiang, C. (2022).  $\alpha$  -Pinene inhibits the growth and induces the apoptosis of cervical cancer cells through regulating miR-34a / Bcl-2 signaling axis. *Research Square*, 2(3), 1–18.

Yang, J., Fa, J., & Li, B. (2017). APOPTOSIS INDUCTION OF EPIFRIEDELINOL ON HUMAN CERVICAL CANCER CELL LINE. *Tradit Complement Altern Med*, 14(4), 80–86.

Yeo, S. K., Ali, A. Y., Hayward, O. A., Turnham, D., Jackson, T., Bowen, I. D., & Clarkson, R. (2016).  $\beta$ -Bisabolene, a Sesquiterpene from the Essential Oil Extract of Opoponax (*Commiphora guidottii*), Exhibits Cytotoxicity in Breast Cancer Cell Lines. *Phytotherapy Research*, 30(3), 418–425. <https://doi.org/10.1002/ptr.5543>

Yu, S., Kim, T., Hyun, K., & Kang, K. (2017). Biochemical and Biophysical Research Communications The T47D cell line is an ideal experimental model to elucidate the progesterone-specific effects of a luminal A subtype of breast cancer. *Biochemical and Biophysical Research Communications*, 1–7. <https://doi.org/10.1016/j.bbrc.2017.03.114>

Zafrial, R. M., Amalia, R., Studi, P., Farmasi, S., Farmasi, F., & Padjadjaran, U. (2018). ARTIKEL TINJAUAN: ANTI KANKER DARI TANAMAN HERBAL. *Farmaka*, 16(1), 15–23.