

DAFTAR PUSTAKA

1. Patel ZM, Hwang PH. Nonpolypoid rhinosinusitis: pathogenesis, diagnosis, staging, and treatment. In: Johnson JT, Rosen CA, eds. Bailey's head & neck surgery otolaryngology. Vol.1. Fifth edition. Philadelphia: Lippincott Williams & Wilkins;2014. P.535-47.
2. Prince AA, Steiger JD, Khalid AN, Dogrhamji L, Reger C, Claire SE, et al. Prevalence of biofilm-forming bacteria in chronic rhinosinusitis. Am J Rhinol 2008;22:239-45
3. Leid JG, Cope EK, Parmenter S, Shirtliff ME, Dowd S, Wolcott R, et al. The importance of biofilms in chronic rhinosinusitis. Dalam: Bjarnsholt T, et al, eds. Biofilm infection. LLC:Springer science;2011. p.139-60.
4. Palmer J. Bacterial biofilms in chronic rhinosinusitis. Annals of Otology, Rhinology & Laryngology 2006;115(9)Suppl 196:35-9.
5. Sanclement JA, Webster P, Thomas J, Ramadan HH. Bacterial biofilms in surgical specimens of patients with chronic rhinosinusitis. Laryngoscope 2005;115:578-82.
6. Galli J, Ardito F, Calo L, Mancinelli L, Imperiali M, Parrilla C, et al. Recurrent upper airway infections and bacterial biofilms. The Journal of Laryngology & Otology 2007;121:341-4.
7. Tamashiro E, Antunes MB, Palmer JN, Cohen NA, Anselmo-Lima WT. Implication of bacterial biofilms in chronic rhinosinusitis. BJID 2009;13(3):232-5
8. Bendouah Z, Barbeau J, Hamad WA, Desrosiers M. Use of in vitro assay for determination of biofilm-forming capacity of bacteria in chronic rhinosinusitis. Am J Rhinol. 2006;20:434-8.
9. Bendouah Z, Barbeau J, Hamad WA, Desrosiers . Biofilm formation by *Staphylococcus aureus* and *Pseudomonas aeruginosa* is associated with an unfavorable evolution after surgery for chronic sinusitis and nasal polyposis. Otolaryngol Head Neck Surg. 2006;134:991-6.
10. Singhal D, Foreman A, Bardy JJ, Wormald PJ. *Staphylococcus aureus* biofilms: nemesis of endoscopic sinus surgery. Laryngoscope 2011;121: 1578-83.
11. Foreman A, Psaltis AJ, Tan LW, Wormald PJ. Characterization of bacterial and fungal biofilms in chronic rhinosinusitis. Am J Rhinol Allergy. 2009;23:556-61.
12. Stodley LH, Hu FZ, Gieseke A, Nistico L, Nguyen D, Hayes J, et al. Direct detection of bacterial biofilms on the middle ear mucosa of children with chronic otitis media. JAMA 2006;296:202-11.
13. Galli J, Calo L, Ardito F, Imperiali M, Basotti E, Fadda G, et al. Biofilm formation by *Haemophilus influenzae* isolated from adenotonsil tissue samples and its role in recurrent adenotonsillitis. Acta otorhinolaryngologica italic 2007;27:134-8.
14. Cain RB, Lal D. Update on the management of chronic rhinosinusitis. Infection and Drug Resistance 2013;6:1-14.
15. Tiba M, Youssef T, Al-Ajlan A. Does bacterial biofilms have a role in the development of human chronic rhinosinusitis? EJENTAS 2009;10:1-4.

16. Taj Y, Essa F, Aziz F, Kazmi SU. Study on biofilm-forming properties of clinical isolates of *Staphylococcus aureus*. *J Infect Dev Ctries.* 2012;5(6):403-9.
17. Sanderson AR, Leid JG, Hunsaker D. Bacterial biofilms on the sinus mucosa of human subjects with chronic rhinosinusitis. *Laryngoscope* 2006;116:1121-6.
18. Deka N. Comparison of tissue culture plate method, tube method and congo red agar method for the detection of biofilm formation by coagulase negative *Staphylococcus* isolated from non-clinical isolates. *Int.J.Curr.Microbiol.App.Sci.* 2014;3(10):810-5.
19. Christensen GD, Simpson A, Bisno AL, Beachey EH. Adherence of slime-producing strains of *Staphylococcus epidermidis* to smooth surfaces. *Infection and immunity* 1982;37:318-326.
20. Mathur T, Singhal S, Khan S, Upadhyay DJ, Fatma T, Rattan A. Detection of biofilm formation among the clinical isolates of staphylococci: an evaluation of three different screening methods. *Indian J Med Microbiol.* 2006;24:25-9.
21. Oliveira A, Cunha MLRS. Comparison of methods for the detection of biofilm production in coagulase-negative staphylococci. *BMC* 2010;3:260.
22. Sharvari S, Chitra P. Evaluation of different detection methods of biofilm formation in clinical isolates of staphylococci. *Int J Pharm Bio Sci.* 2012;3(4):724-33.
23. Rewatkar AR, Wadher BJ. *Staphylococcus aureus* and *Pseudomonas aeruginosa*- biofilm formation methods. *IOSR-JPBS* 2013;8(5):36-40.
24. Vasanthi R, Karthikeyan D, Jeya M. Study of biofilm production and antimicrobial resistance pattern of the bacterial isolates from invasive devices. *Int J Res Health Sci.* 2014;2(1):274-81.
25. Hassan A, Usman J, Kaleem F, Omair M, Khalid A, Iqbal M. Evaluation of different detection methods of biofilm formation in the clinical isolates. *Braz J Infect Dis* 2011;15(4):305-11.
26. Pokharel M, Karki S, Shrestha BL, Shrestha I, Amatya RCM. Correlations between symptoms, nasal endoscopy, computed tomography and surgical findings in patients with chronic rhinosinusitis. *Kathmandu Univ Med J.* 2013;43(3):201-5.
27. Amodu EJ, Fasunla AJ, Akano AO, Olusesi AD. Chronic rhinosinusitis: correlation of symptoms with computed tomography scan findings. *Pan African Medical Journal* 2014;18:40
28. Lund VJ, Mackay IS. Staging in rhinosinusitis. *Rhinology* 1993;31:183-4.
29. Lund VJ, Kennedy DW. Staging for rhinosinusitis. *Otolaryngol Head Neck Surg* 1997;117:S35-S40.
30. Lund VJ, Kennedy DW. Quantification for staging sinusitis. *Ann Otol Rhinol Laryngol.* 1995;104:17-22.
31. Arango P, Kountakis SE. Significance of computed tomography pathology in chronic rhinosinusitis. *Laryngoscope* 2001;111:1779-82.
32. Bhattacharyya N. Relationship between mucosal inflammation, computed tomography, and symptomatology in chronic rhinosinusitis without polyposis. *Annals of Otology, Rhinology & Laryngology* 2008;117(7):517-22.

33. Vaid L, Arya M, Gupta N, Singh PP, Saha R. Impact of biofilm on quality of life of rhinosinusitis patients after endoscopic sinus surgery. *Clin Rhinol An Int J.* 2012;5(3):95-102.
34. Psaltis AJ, Weitzel EK, Ha KR, Wormald PJ. The effect of bacterial biofilms on post-sinus surgical outcomes. *Am J Rhinol.* 2008;22:1-6.
35. Hong SD, Dhong HK, Chung SK, Kim HY, Park JO, Ha SY. Hematoxylin and eosin staining for detecting biofilms: practical and cost effective methods for predicting worse outcomes after endoscopic sinus surgery. *Clinical and Experimental Otorhinolaryngology* 2014;7(3):193-7.
36. Soetjipto D, Mangunkusumo E, Wardani RS. Hidung. Dalam: Soepardi EA, Iskandar N, Bashiruddin J, Restuti RD, eds. Buku ajar ilmu kesehatan telinga hidung tenggorok kepala & leher. Edisi ketujuh. Jakarta: FKUI;2012.h.96-100.
37. Ballenger JJ. Anatomy and physiology of the nose and paranasal sinus. In: Snow JB, Ballenger JJ, eds. *Ballenger's otorhinolaryngology head and neck surgeri.* 16th edition. Hamilton:BC Decker Inc;2003.p.547-60.
38. Bolger WE. Anatomy of the paranasal sinus. In: Kennedy DW, Bolger WE, Zinreich SJ, eds. *Diseases of the sinus diagnosis and management.* Hamilton:BC Decker Inc;2001.p.1-11.
39. Leung RM, Walsh WE, Kern RC. Sinonasal anatomy and physiology. Johnson JT, Rosen CA, eds. *Bailey's head and neck surgery – otolaryngology.* Fifth edition. Philadelphia: Lippincott Williams & Wilkins;2014.p.359-70.
40. Nizar NW, Wardani RS. Anatomi endoskopik hidung-sinus paranasal dan patofisiologi sinusitis. Dalam: Kumpulan naskah lengkap: kursus, pelatihan dan demo bedah sinus endoskopik fungsional (10-12 Juni 2000). Makassar: Bagian Ilmu penyakit THT FK Universitas Hasanuddin;2000. P.1-12
41. Duque CS, Casiano RR. Surgical anatomy and embriology of the frontal sinus. In: Kountakis S, Senior B, Draf W, eds. *The frontal sinus.* Heidelberg:Springer;2005. p.21-30.
42. Antranik. Special parts of the skull [internet]. [Updated 2011 October 10; cited 2015 June 24]. Available from: <http://antranik.org/special-parts-of-the-skull>.
43. Fokkens W, Lund V, Mullol J, et al. European position paper on rhinosinusitis and nasal polyps. *Rhinology,* 2012; 50(suppl 23): 1-298.
44. Peric A, Gacesa D. Etiology and pathogenesis of chronic rhinosinusitis. *Vojnosanit Pregl.* 2008;65(9):699-702.
45. Hamilos DL. Chronic rhinosinusitis: Epidemiology and medical management. *J Allergy Clin Immunol.* 2011;128:693-707.
46. Reh DD, Higgins TS, Smith TL. Impact of tobacco smoke on chronic rhinosinusitis – a review of the literature. *Int Forum Allergy Rhinol.* 2012;2(5):362-9.
47. Cohen NA, Zhang S, Sharp DB, Tamashiro E, Chen B, Sorscher EJ, et al. Cigarette smoke condensate inhibits transepithelial chloride transport and ciliary beat frequency. *Laryngoscope* 2009;119(11):2269-74.
48. De la Hoz RE, Shohet MR, Cohen JM. Occupational rhinosinusitis and upper airway disease: the world trade center experience. *Curr Allergy Asthma Rep.* 2010;10(2):77-83.

49. Boase S, Foreman A, Cleland E, Tan L, Melton-Kreft R, Pant H, et al. The microbiome of chronic rhinosinusitis: culture, molecular diagnostic and biofilm detection. *BMC Infectious Disease* 2013;13:210-7.
50. Suh JD, Chiu AG. Medical management of chronic sinusitis. In: Johnson JT, Rosen CA, eds. *Bailey's head & neck surgery otolaryngology*. Vol.1. Fifth edition. Philadelphia: Lippincott Williams & Walkins;2014. P.586-594.
51. Antony A. Study of biofilm forming capacity of pathogen involved in chronic rhinosinusitis. Disertasi. Auckland: Auckland university of technology;2011.
52. Fux CA, Stoodley P, Stoodley LH, Costerton JW. Bacterial biofilms: a diagnostic and therapeutic challenge. *Expert Rev. Anti-infect Ther.* 2003;1(4):667-83.
53. Psaltis AJ. The role of bacterial biofilms in chronic rhinosinusitis. Disertasi. Department of surgery, Faculty of Health Sciences, The Queen Elizabeth Hospital/University of Adelaide, South Australia, 2008.
54. Ceri H, Olson ME, Stremick C, Read R, Morck D, Buret A. The Calgary biofilm device: new technology for rapid determination of antibiotic susceptibilities of bacterial biofilms. *J.Clin.Microbiol.* 1999;37(6):1771-6.
55. Freeman DJ, Falkiner FR, Keane CT. New methode for detecting slime production by coagulase negative staphylococci. *J Clin Pathol* 1989;42:872-4.
56. Perloff JR, Palmer JN. Evidence of bacterial biofilms on frontal recess stents in patients with chronic rhinosinusitis. *American Journal of Rhinology* 2004;18(4):377-80.
57. Perloff JR, Palmer JN. Evidence of bacterial biofilms in a rabbit model of sinusitis. *American Journal of Rhinology* 2005;19(1):1-6.
58. Bezerra TFP, MeloPadua FC, Ogawa AI, Gebrim EM, Sadiva PHN, Voegels RL. Biofilm in chronic rhinosinusitis with nasal polyps: pilot study. *Braz J.Otorhinolaryngol.* 2009;75(6):788-93.
59. Ferguson BJ, Stoltz DB. Demonstration of biofilm in human bacterial chronic rhinosinusitis. *American Journal of Rhinology* 2005;19:452-7.
60. Zernotti ME, Villegas NA, Revol MR, Cagnani CE, Miranda JE, Paredes ME, et al. Evidence of bacterial biofilms in nasal polyposis. *J Investig Allergol Clin Immunol.* 2010;20(5):380-5.
61. Rasmussen TB, Bjarnsholt T, Skindersoe ME, Hentzer M, Kristofferson P, Kote M, et al. Screening for quorum-sensing inhibitors (QSI) by use of a novel genetic system, the QSI selector. *Journal of bacteriology* 2005;187:1799-1814.
62. Rasmussen TB, Givskov M. Quorum sensing inhibitors: a bargain of effects. *Microbiology* 2006;152:895-904.
63. Chiu AG, Palmer JN, Woodworth BA, Doghramji L, Cohen MB, Prince A, et al. Baby shampoo nasal irrigations for the symptomatic post-functional endoscopic sinus surgery patient. *Am J Rhinol.* 2008;22:34-7.
64. Aalandjani T, Marsan J, Ferris W, Slinger R, Chan F. Effectiveness of honey on *Staphylococcus aureus* and *Pseudomonas aeruginosa* biofilms. *Otolaryngology-Head and Neck Surgery* 2009;141:114-8.
65. Del Pozo JL, Rouse MS, Patel R. Bioelectric effect and bacterial biofilm. A systematic review. *Int J Artif Organs.* 2008;31(9):786-95.

66. Basso FG, Oliveira CF, Fontana A, Kurachi C, Bagnato VS, Spolidorio DMP, et al. In vitro effects of low level laser therapy on typical oral microbial biofilms. *Braz Dent J*. 2011;22(6):502-10.
67. Cortes ME, Bonilla JC, Sinisterra RD. Biofilm formation, control and novel strategies for eradication. In: Vilas AM,ed. *Science against microbial pathogens communicating current research and technological advances*. Brazil:Formatex;2011.p.896-905.
68. Harper DR, Parracho HMRT, Walker J, Sharp R, Hughes G, Werthen M, et al. Bacteriophages and biofilms. *Antibiotics* 2014;3:270-84.
69. Bhattacharyya N, Fried MP. The accuracy of computed tomography in the diagnosis of chronic rhinosinusitis. *Laryngoscope*. 2003;113(1):125-9.
70. Atay G, Yucel OT, Tatar I, Ozer S, Ogretmenoglu O, Celik HH, et al. Correlation of bacterial biofilm grade with clinical features in chronic rhinosinusitis. *GMJ* 2013;24:44-9.
71. Neto SA, Baracat ECE, Felipe LF. A new score for tomographic opacification of paranasal sinuses in children. *Braz J Otorhinolaryngol*. 2010;76(4):491-8.
72. Sastroasmoro S, Ismael S. *Dasar-dasar metodologi penelitian klinis*. Edisi ke-3. Jakarta:Sagung Seto;2008.
73. Chen Y, Dales R, Lin M. The Epidemiology of Chronic Rhinosinusitis in Canadians. *Laryngoscope* 2003, 113:1199–1205.
74. Shi JB, Fu QL, Zhang H, Cheng L, Wang YJ, Zhu DD, et al. Epidemiology of chronic rhinosinusitis: results from a cross-sectional survey in seven Chinese cities. *Allergy* 2015;70:533-9.
75. Beule A. Epidemiology of chronic rhinosinusitis, selected risk factors, comorbidities, and economic burden. *GMS Curr Topic in Otorhinol – HNS* 2015;14:1-31.
76. Kim YS, Kim NH, Seong SY, Kim KR, Lee GB, Kim KS. Prevalence and risk factors of chronic rhinosinusitis in Korea. *Am J Rhinol Allergy*. 2011;25:e117–21
77. Dietz DAE, Hopkins C, Fokkens WJ. Symptoms in chronic rhinosinusitis with and without nasal polyps. *Laryngoscope* 2013;123:57-63.
78. Dlugaszewska J, Leszezynska M, Lenkowski M, Tatarska A, Pastusiak T, Szyfter W. The pathophysiological role of bacterial biofilms in chronic sinusitis. *Eur Arch Otorhinolaryngol* 2015. Available from: <http://www.springerlink.com>.
79. Marcinkiewicz J, Strek P, Strus M, Glowacki R, Swiezy KZ, Gawda A, et al. *Staphylococcus epidermidis* and biofilm-associated chronic rhinosinusitis. A pilot study. *Int J Exp Path*. 2016;96:378-86.
80. O'gara JP, Humphreys H. *Staphylococcus epidermidis* biofilms: importance and implications. *J Med Microbiol* 2001;50:582-7.
81. Ramakrishnan VR, Feazel LM, Gitomer SA, Ir D, Robertson CE, Frank DN. The microbiome of the middle meatus in healthy adults. *Plos One* 2013;8(12):e85507.
82. Fey PD, Olson ME. Current concepts in biofilm formation of *Staphylococcus epidermidis*. *Futur Microbiol*. 2010;5(6):917-33.
83. Zhang Z, Kofonow JM, Finkelman BS, Doghramji L, Chiu AG, Kennedy DW,et al. Clinical factors associated with bacterial biofilm formation in chronic rhinosinusitis. *Otolaryngol-HNS* 2011;144(3):457-62.

84. Kamath MP, Shenoy V, Mittal N, Sharma N. Microbiological analysis of paranasal sinuses in chronic sinusitis – A south Indian coastal study. Egypt J ENT and Allied Sci. 2013;14:185-9.
85. Yan S, Bing Z, Cheng-shuo W, Qian H, Qi Z, Ye-hua H, et al. Clinical and histopathologic features of biofilm-associated chronic rhinosinusitis with nasal polyps in Chinese patients. Chin Med J. 2012;125(6):1104-9
86. Singh P, Mehta R, Agarwal S, Mishra P. Bacterial biofilm on the sinus mucosa of healthy subjects and patients with chronic rhinosinusitis (with or without nasal polyposis). J laryngol Otol. 2015;129:46-9.
87. Nayak N, Satpathy G, Nag HL, Venkatesh P, Ramakrishnan S, Nag TC, et al. Slime production is essential for the adherence of *Staphylococcus epidermidis* in implant-related infection. J Hosp Infect. 2011;77:153-6.
88. Tan NCW, Foreman A, Jardeleza C, Douglas R, Tran H, Wormald PJ. The multiplicity of *Staphylococcus aureus* in chronic rhinosinusitis: correlating surface biofilm and intracellular residence. Laryngoscope 2012;122:1655-60.
89. Balestrino D, Haagensen JAJ, Rich C, Forestier C. Characterization of type 2 quorum sensing in *Klebsiella pneumoniae* and relationship with biofilm formation. J bacteriol. 2005;187(8):2870-80.
90. Maldonado NC, Ruiz S, Cecilia M, Macias ME. A simple technique to detect *Klebsiella* biofilm-forming-strains. Inhibitory potential of *Lactobacillus fermentum* CRL 1058 whole cells and products. Comm Curr Res Ed Microbiol.2007;52-9.
91. Jacobsen SM, Shirliff ME. *Proteus mirabilis* biofilms and catheter associated urinary tract infections. Virulence 2011;2(5):460-5.
92. Pandak N, Pajic-Penavic L, Sekelj A. Bacterial colonization or infection in chronic sinusitis. Wien. Klin. Wochenschr. 2011;123:710-3.
93. Chen HH, Liu X, Ni C, Lu YP, Xiong GY, Lu YY, et al. Bacterial biofilms in chronic rhinosinusitis and their relationship with inflammation severity. Auris Nasus Larynx 2012;39:169-74.
94. Li H, Wang D, Sun X, Hu L, Yu H, Wang J. Relationship between bacterial biofilm and clinical features of patients with chronic rhinosinusitis. Eur Arch Otorhinolaryngol. 2012;269:155-63.
95. Jung JH, Cha HE, Kang IG, Kim ST. Clinical characteristics of biofilms in patients with chronic rhinosinusitis: a prospective case-control study. Indian J Otolaryngol Head Neck Surg. 2015;67(1):1-6.
96. Neidhardt FC. Bacterial structures. In: Ryan KJ, Ray CG, eds. Sherris Medical Microbiology. An introduction to infectious diseases. 4th edition. New York: McGraw-Hill;2004.p15-21.
97. Wilson JW, Schurr MJ, LeBlanc CL, Ramamurthy R, Buchanan KL, Nickerson CA. Mechanisms of bacterial pathogenicity. Postgrad Med J. 2002;78:216-24.
98. Hopkins C, Browne JP, Slack R, Lund V, Brown P. The Lund-Mackay staging system for chronic rhinosinusitis: How is it used and what does it predict. Otolaryngol-HNS 2007;137:555-61.