

DAFTAR PUSTAKA

- Afian, D. H., Anam, M. S., Himawan, A. B., & Suswihardhyono, A. N. R. (2021). Faktor yang Berhubungan dengan Kenaikan Berat Badan Bayi Berat Lahir Rendah. *Sari Pediatri*, 23(2), 75. <https://doi.org/10.14238/sp23.2.2021.75-81>
- Aizid, R. (2011). *Sehat dan cerdas dengan terapi musik*. Laksana.
- Anil, K. C., Basel, P. L., & Singh, S. (2020). Low birth weight and its associated risk factors: Health facility-based case-control study. *PLoS ONE*, 15(6 June). <https://doi.org/10.1371/journal.pone.0234907>
- Arora, K., Goel, S., Manerkar, S., Konde, N., Panchal, H., Hegde, D., & Mondkar, J. (2018). Prefeeding Oromotor Stimulation Program for Improving Oromotor Function in Preterm Infants – A Randomized Controlled Trial. *Indian Pediatrics*, 55(8), 675–678.
- Bagshaw, J., & Fox, I. (2005). *Baby massage for dummies*. Wiley Publishing, Inc.
- Bratha, S. D. K. (2022). Pengaruh terapi musik lullaby terhadap berat badan bayi. *Jurnal Kesehatan Maharatu*, 3(1).
- Cape Town Metropole Paediatric Interest Group. (2009). *Anthropometry guideline paediatrics*. https://silo.tips/queue/anthropometry-guideline-paediatrics-cape-town-metropole-paediatric-interest-grou?&queue_id=-1&v=1664592936&u=MjAwMT0NDhhOjQwNDQ6NDRmZjo4OTFjOmIxZmY6NDBmZDoxNGIw
- Chandran, R., & Alagesan, J. (2021). Oro-motor intervention protocol to improve sucking behavior among neonates with immature sucking: An experimental

protocol. *International Journal of Surgery Protocols*, 25(1), 129–134.
<https://doi.org/https://doi.org/10.29337/ijsp.152>

da Costa, B. R., & Vieira, E. R. (2009). Risk factors for work-related musculoskeletal disorders: a systematic review of recent longitudinal studies. *American Journal of Industrial Medicine*, n/a-n/a. <https://doi.org/10.1002/ajim.20750>

da Rosa Pereira, K., Levy, D., Procianoy, R. S., & Silveira, R. C. (2020). Impact of a pre-feeding oral stimulation program on first feed attempt in preterm infants: Double-blind controlled clinical trial. *PloS One*, 15(9).
<https://doi.org/https://doi.org/10.1371/journal.pone.0237915>

Dahlan, S. (2020). *Besar sampel dalam penelitian kedokteran dan kesehatan* (5th ed., Vol. 2). Epidemiologi Indonesia.

Dutta, S., Singh, B., Chessell, L., Wilson, J., Janes, M., McDonald, K., Shahid, S., Gardner, V. A., Hjartarson, A., Purcha, M., Watson, J., de Boer, C., Gaal, B., & Fusch, C. (2015). Guidelines for feeding very low birthweight infants. *Nutrients*, 7(1), 423–442. <https://doi.org/10.3390/nu7010423>

el Mashad, G., el Saied, H., & Mekawy, N. (2021). Effect of an early oral stimulation program on oral feeding in preterm neonates. *Menoufia Medical Journal*, 34(1), 226. https://doi.org/10.4103/mmj.mmj_241_19

Farida. (2017). Penggunaan alat kontrasepsi suntik dan pil terhadap peningkatan berat badan pada ibu pasangan usia subur. *STRADA Jurnal Ilmiah Kesehatan*, 6(2), 43–47. <http://jurnal.strada.ac.id/sjik>

Fatmawati, L., Syaiful, Y., & Tias, A. A. N. (2021). Pengaruh stimulasi oral terhadap peningkatan berat badan pada bayi BBLR. *Journals of Ners Community*, 12(01), 50–58.

- Fucile, S., & Gisel, E. (2010). Sensorimotor Interventions Improve Growth and Motor Function in Preterm Infants. *Neonatal Network*, 29(6), 359–366. <https://doi.org/10.1891/0730-0832.29.6.359>
- Fucile, S., Gisel, E. G., & Lau, C. (2005). Effect of an oral stimulation program on sucking skill maturation of preterm infants. *Developmental Medicine & Child Neurology*, 47, 158–162.
- Fucile, S., Gisel, E. G., Mcfarland, D. H., & Lau, C. (2011). Oral and non-oral sensorimotor interventions enhance oral feeding performance in preterm infants. *Developmental Medicine & Child Neurology*, 53(9), 829–835. <https://doi.org/10.1111/j.1469-8749.2011.04023.x>
- Fucile, S., Gisel, E., & Lau, C. (2002). Oral stimulation accelerates the transition from tube to oral feeding in preterm infants. *Journal of Pediatrics*, 141(2), 230–236. <https://doi.org/10.1067/mpd.2002.125731>
- Greene, Z., O'Donnell, C. P. F., & Walshe, M. (2013). Oral stimulation techniques in preterm infants - International research challenges. *Journal of Neonatal Nursing*, 19(4), 168–174. <https://doi.org/10.1016/j.jnn.2013.03.005>
- Handayani, A. F., & Rahayu, H. (2021). Effect of mozart music therapy on the sucking reflex and body weight gain in infants with low birth weight. *Developing a Global Pandemic Exit Strategy and Framework for Global Health Security*, 143. <https://doi.org/10.26911/AB.Maternal.ICPH.08.2021.17>
- Hariati, S., Rustina, Y., & Handiyani, H. (2010). Peningkatan berat badan dan suhu tubuh bayi prematur mellalui terapi musik. *Jurnal Keperawatan Indonesia*, 13(3), 160–166. <https://doi.org/10.7454/jki.v13i3.247>

Husain, A., Tendean, L., & de Queljoe, E. (2015). Pengaruh kelebihan berat badan/overweight terhadap terjadinya disfungsi seksual pria. *Jurnal E-Biomedik (EBm)*, 3(3), 782–785.

IDAI. (2016). *Konsensus: Asuhan nutrisi pada bayi prematur*. Badan Penerbit IDAI.

John, H. B., Padankatti, S. M., Kuruvilla, K. A., Rebekah, G., & Rajapandian, E. (2018). Effectiveness of oral motor stimulation administered by mothers of preterm infants- A pilot study. *Journal of Neonatal Nursing*, 24(5), 261–265. <https://doi.org/10.1016/j.jnn.2018.05.001>

Kemendes RI. (2021). *Profil kesehatan Indonesia tahun 2020*. <https://www.kemkes.go.id/downloads/resources/download/pusdatin/profil-kesehatan-indonesia/Profil-Kesehatan-Indonesia-Tahun-2020.pdf>

Kosim. (2012). *Buku ajar neonatologi*. Badan Penerbit IDAI.

Latief, A., Tumbelaka, A. R., Matondang, C. S., Chair, I., & Bisanto, J. (2017). *Pemeriksaan klinis pada bayi dan anak* (I. Wahidiyat & S. Sastroasmoro, Eds.; Ed. 3). Sagung seto.

Lau, C. (2015). Development of suck and swallow mechanisms in infants. *Annals of Nutrition and Metabolism*, 66(Suppl. 5), 7–14. <https://doi.org/10.1159/000381361>

Lyu, T. C., Zhang, Y. X., Hu, X. J., Cao, Y., Ren, P., & Wang, Y. J. (2014). The effect of an early oral stimulation program on oral feeding of preterm infants. *International Journal of Nursing Sciences*, 1(1), 42–47. <https://doi.org/10.1016/j.ijnss.2014.02.010>

Mahanani, A. (2013). *Durasi pemberian terapi musik klasik Mozart terhadap tingkat kecemasan pada anak* [Skripsi]. Universitas Jendral Soedirman.

- Nasar, S. S. (2004). Tata laksana nutrisi pada bayi berat lahir rendah. *165 Sari Pediatri*, 5(4), 165–170.
- Negi, D., Swain, D., & Som, T. K. (2022). Effectiveness of multistimulation approach on feeding habits of low-birth-weight babies-A randomized control trial. *European Journal of Obstetrics and Gynecology and Reproductive Biology*, 15. <https://doi.org/10.1016/j.eurox.2022.100159>
- Ningrum, M. P. (2017). *Perbandingan efektivitas perawatan metode kanguru dengan terapi musik klasik mozart terhadap peningkatan berat badan bayi berat lahir rendah di RSUD Dr. Rasidin Padang dan RSI Ibnu Sina Padang tahun 2017* [Skripsi]. Universitas Andalas.
- Notoatmodjo, S. (2012). *Promosi kesehatan dan ilmu perilaku kesehatan*. Rineka Cipta.
- Nursalam. (2013). *Konsep penerapan metode penelitian ilmu keperawatan*. Salemba Medika.
- Oktavia, N. S., Gandamiharja, S., & Akbar, I. B. (2013). Perbandingan efek musik klasik Mozart dan musik tradisional gamelan Jawa terhadap pengurangan nyeri persalinan kala I fase aktif pada nulipara. *Majalah Kedokteran Bandung*, 45(4), 218–225. <https://doi.org/10.15395/mkb.v45n4.174>
- Proverawati, A., & Ismawati, C. (2014). *Berat badan lahir rendah (BBLR)*. Nuha Medika.
- Retnowati, R. D., S, R. H., & Supriyadi. (2017). Pengaruh fisioterapo oral terhadap refleks hisap pada bayi berat badan lahir rendah di Ruang Perinatologi RSD dr. Soebandi Jember. *The Inodnesian Journal of Health Science*, 3(2), 147–151.

- Rusmiati. (2017). *Pengaruh stimulasi oral terhadap reflek hisap dan berat badan pada BBLR di Ruang Perinatal RSUD dr. R. Goeteng Taroenadibrata Purbalingga 2017* [Skripsi, Universitas Harapan Bangsa]. Pengaruh stimulasi oral terhadap reflek hisap dan berat badan pada BBLR di Ruang Perinatal RSUD dr. R. Goeteng Taroenadibrata Purbalingga 2017
- Sembiring, & Juliana. (2020). *Asuhan neonatus, bayi, balita, anak prasekolah*. Depublish.
- Setyoadi, Lestari, R., & Kusuma, N. (2016). Pengaruh relaksasi otot progresif dengan musik terhadap kualitas tidur lansia di Posyandu Lansia “Anjasmoro” Kelurahan Sukorame Kediri. *Majalah Kesehatan FKUB*, 3(1), 18–24.
- Sjarif, D., Lestari, E., Mexitalia, M., & Nasar, S. (2011). *Buku ajar nutrisi pediatrik dan penyakit metabolik* (Jilid I). Badan Penerbit IDAI.
- Standley, J. M., Cassidy, J., Grant, R., Cevasco, A., Szuch, C., Nguyen, J., Walworth, D., Procelli, D., Jarred Jennifer, & Adams, K. (2010). The effect of music-reinforced nonnutritive sucking on feeding rate of premature infants. *Journal of Pediatric Nursing*, 18(3), 169–173. <https://doi.org/10.1053/jpnd.2003.34>
- Sukesi, A., Setiyani, A., & Esyuananik. (2016). Modul bahan ajar kebidanan. In *Praktikum Asuhan Kebidanan Neontus, Bayi, Balita, dan Anak Pra Sekolah* (Cetakan Pertama, pp. 166–170). Kementerian Kesehatan RI.
- Sumawidayanti, M. wiwin, Sulisnadewi, N. L. K., & Suntari, N. L. K. Y. (2015). Pengaruh terapi musik klasik mozart terhadap berat badan pada bayi BBLR di Ruang Perinatologi Rumah Sakit Wangaya. *COPING Ners Jurnal*, 3(3), 1–7.
- Supariasa, I. D. N. (2013). *Penilaian status gizi* (Edisi Revisi). EGC.
- Suryana, D. (2012). *Terapi musik*. Koleksiku.

Thakkar, P. A., Rohit, H. R., Ranjan Das, R., Thakkar, U. P., & Singh, A. (2018).

Effect of oral stimulation on feeding performance and weight gain in preterm neonates: a randomised controlled trial. *Paediatrics and International Child Health*, 38(3), 181–186. <https://doi.org/10.1080/20469047.2018.1435172>

Wahyuningsri, & Eka, N. L. P. (2014). Classical music therapy with the suck reflex and weight loss of premature babies. *JURNAL KEPERAWATAN*, 5(1), 108–113.

<http://ejournal.umm.ac.id/index.php/keperawatan/issue/view/226/showToc>

WHO. (2011). *Guidelines on optimal feeding of low birth-weight infants in low- and middle-income countries*. World Health Organization.

<https://apps.who.int/iris/handle/10665/85670>

WHO. (2022). *Global nutrition targets 2025: Low birth weight policy brief*.

<https://www.who.int/publications/i/item/WHO-NMH-NHD-14.5>

