

DAFTAR PUSTAKA

- Abbas F, Kumar R, Mahmood T, Somrongthong R. (2021) Impact of children born with low birth weight on stunting and wasting in Sindh province of Pakistan: a propensity score matching approach. *Sci Rep.* 2021 Oct 7;11(1):19932. doi: 10.1038/s41598-021-98924-7. PMID: 34620917; PMCID: PMC8497567.
- Achadi E.L., *et al.* (2020) *Pencegahan Stunting Pentingnya Peran 1000 Hari Pertama Kehidupan*. Depok: Rajawali Pers.
- Adair, L. S., Fall, C. H., Osmond, C., Stein, A. D., Martorell, R., Ramirez-Zea, M., & Micklesfield, L. (2013) Associations of linear growth and relative weight gain during early life with adult health and human capital in countries of low and middle income: findings from five birth cohort studies. *The Lancet*, 382(9891), 525-534.
- Adriani, M. & Wirjatmadi, B. (2012) *Peranan Gizi dalam Siklus Kehidupan*. Jakarta: Kencana Prenada Media Group.
- Aguayo VM, Nair R, Badgaiyan N, Krishna V. (2016) Determinants of stunting and poor linear growth in children under 2 years of age in India: an in-depth analysis of Maharashtra's comprehensive nutrition survey. *Matern Child Nutr.* 2016 May;12 Suppl 1(Suppl 1):121-40. doi: 10.1111/mcn.12259. PMID: 27187911; PMCID: PMC5084823.
- Aguayo VM. (2017) Complementary Feeding Practices For Infants and Young Children in South Asia. A review of Evidence For Action Post 2015. *Maternal & Child Nutrition*, 13(S2): e12439.
- Agus Hendra AL-Rahmad, Ampere Miko, Abdul Hadi. (2013) Kajian Stunting Pada Anak Balita Ditinjau dari Pemberian Asi Eksklusif, Mp-Asi, Status Imunisasi dan Karakteristik Keluarga Di Kota Banda Aceh. Jurusan Gizi Politeknik Kesehatan Aceh. *Jurnal Kesehatan Ilmiah Nasuwakes* Vol.6 No.2, 169 – 184.
- Amaliah, N., Sari, K., & Suryaputri, I. Y. (2016) Panjang Badan Lahir Pendek Sebagai Salah Satu Faktor Determinan Keterlambatan Tumbuh Kembang Anak Umur 6-23 Bulan Di Kelurahan Jaticempaka, Kecamatan Pondok Gede, Kota Bekasi. *Jurnal Ekologi Kesehatan* Vol. 15 No 1, Juni 2016 : 43 – 55.
- Amalia. R., Ramadani. A., Muniroh,. (2022) Associations of Complementary Feeding Practice History and Protein Adequacy Level with Childhood Stunting in the Working Area of Puskesmas Bantaran in Probolinggo Regency. *Media Gizi Indonesia*. doi. 10.20473/mgi.v17i3.310-319.

- Amer S, & Veldkamp A,. (2018) Complementary feeding and stunting in Rwanda. *Nutrition*. 2018; 7(16):1-30. <https://doi.org/10.1016/j.nut.2018.07.016>.
- Andi Thahir, E. (2018) Psikologi Perkembangan. Lampung: Aura Publishing.
- Andreas, N.J., B. Kampmann., K.M.L. Doare. (2015) Human Breast Milk: A Review on its Composition and Bioactivity. *Journal Elsevier 91 (11)*, 629-635.
- Anggaraeni Z E, Kurniawan H, Yasin M & Aisyah A D. (2020) Hubungan berat badan lahir, panjang badan lahir dan jenis kelamin dengan kejadian stunting. *The Indonesian Journal of Health Science*. 12(1), 51 – 56.
- Anugraheni, H.S., & Kartasurya, M. I. (2012) Faktor risiko kejadian stunting pada anak usia 12-36 bulan di kecamatan Pati Kabupaten Pati. *Journal of Nutrition College*. 11(1) 590-605.
- Arisman, 2010. Gizi dalam Daur Kehidupan. EGC.
- Arifah and , Muwakhidah, S.KM, M.Kes (2021) *Hubungan Berat Badan Lahir dan Panjang Badan Lahir Dengan Kejadian Stunting Pada Anak Usia 6-24 Bulan di Desa Kedawung Mondokan Kabupaten Sragen Tahun 2021*. Universitas Muhammadiyah Surakarta.
- Asosiasi Dietisien Indonesia (AsDI), Ikatan Dokter Anak Indonesia (IDAI) & Persatuan Ahli Gizi Indonesia (PERSAGI). (2014) Penuntun Diet Anak. Jakarta: Universitas Indonesia Press.
- Badan Penelitian dan Pengembangan Kesehatan Republik Indonesia. Riset kesehatan dasar. (2010) Jakarta: Kementerian Kesehatan Republik Indonesia; 2010.
- Badan Pusat Statistik (BPS). (2021) Laporan Indeks Khusus Penanganan *Stunting* 2019 – 2020. Jakarta.
- Batubara, J. R. L., Tridjaja, B., & Pulungan, A. B. (2017) *Buku ajar endokrinologi anak*. Badan Penerbit Ikatan Dokter Anak Indonesia.
- Beal T, Tumilowicz A, Sutrisna A, Izwardy D, Neufeld LM. (2018) A review of child stunting determinants in Indonesia. Vol. 14, *Maternal and Child Nutrition*. Blackwell Publishing Ltd; 2018. pmid:29770565.
- Berman, Jessica,. (2021) Poor Growth in the Womb Cited as Number One Cause of Stunting. <https://www.voanews.com/science-health/poor-growth-womb-cited-number-one-cause-stunting>. Diakses pada 30 Desember 2021.
- Budge S, Parker AH, Hutchings PT, Garbutt C. (2019) Environmental enteric dysfunction and child stunting. *Nutr Rev*. 2019 Apr 1;77(4):240-253. doi: 10.1093/nutrit/nuy068. PMID: 30753710; PMCID: PMC6394759.

- Butte, N.F., Lopez-Alarcon, M.G. & Garza, C. (2002) *Nutrient Adequacy of Exclusive Breastfeeding for the Term Infant During the First Six Months of Life*. WHO (World Health Organization), 57.
- Black R, Lopez De Roma G, Brown K, et al. (1989) Incidence and etiology of infantile diarrhea and major routes of transmission in Huascar, Peru. *Am J Epidemiol*. 1989;129:785–799.
- Byers, A. (2015) *The Benefits of Breastfeeding*. Liberty University. Tesis.
- Cameron. (2013) *Human Growth and Development. 2nd Edition*. Leicestershire: Academic Press.
- Candra, A., Puruhita, N., & Susanto, J. (2012) *Risk Factors of Stunting among 1-2 Years Old Children in Semarang City*. *Media Medika Indonesian*, 46(36), 6–11.
- C. G. Victora. (2008) Maternal and Child Undernutrition Study Group, Maternal and child undernutrition: Consequences for adult health and human capital. *Lancet* 371, 340–357 (2008).
- Cunningham FG, Leveno KJ, Bloom SL, Hauth JC, Rouse DJ, Spong CY, (2022). *Obstetri Williams. 26 ed*. Yovita, Salim N, Setia R, Nalurita, Muliawan E, Rifky, et al., editor. Jakarta: EGC;2012. 16-31.
- Champe PC., Harvey RA., & Ferrier DR., (2010). *Biokimia: Ulasan bergambar*. Edisi ke 3. Jakarta: Penerbit Buku Kedokteran EGC.
- Chowdhury, T. R., Chakrabarty, S., Rakib, M., Afrin, S., Saltmarsh, S., & Winn, S. (2020). Factors associated with stunting and wasting in children under 2 years. in Bangladesh. *Heliyon*, 6(9), e04849. <https://doi.org/10.1016/j.heliyon.2020.e04849>.
- Chowdhury, T. R., Chakrabarty, S., Rakib, M., Winn, S., & Bennie, J. (2022) Risk factors for child stunting in Bangladesh: an analysis using MICS 2019 data. *Archives of public health = Archives belges de sante publique*, 80(1), 126. <https://doi.org/10.1186/s13690-022-00870-x>.
- Christian P, et al. (2013) “Risk of childhood undernutrition related to small-for-gestational age and preterm birth in low- and middle- income countries”. *International Journal of Epidemiology* 2013;42:1340-55.
- Christian P. (2014) Fetal growth restriction and preterm as determinants of child growth in the first two years and potential interventions. *Nestle Nutr Inst Workshop Ser*. 2014;78:81-91. doi: 10.1159/000354943. Epub 2014 Jan 27. PMID: 24504209.

- Chávez-Zárate, E. (2019) Relationship between stunting in children 6 to 36 months of age and maternal employment status in Peru: A sub-analysis of the Peruvian Demographic and Health Survey. *PLoS ONE*, 14(4), 1–16. <https://doi.org/10.1371/journal.pone.0212164>.
- Damayanti dan Fatonah, S. (2016) ‘Hubungan Pola Pemberian Makanan Pendamping ASI dengan Status Gizi Balita Usia 6-24 Bulan’, *Jurnal Ilmiah Keperawatan Sai Betik*, XII(2), hal. 257–263.
- Dasantos, P., Dimiatri H., Husnah,. (2020) Hubungan Berat Badan Lahir dan Panjang Badan Lahir dengan Stunting pada Balita di Kabupaten Pidie. *Jurnal Kedokteran dan Kesehatan Malikussaleh*. Vol. 6. doi. 10.29103/averrous.v6i2.2649.
- de Onis M, Onyango AW. (2008) WHO child growth standards. *Lancet*. Jan 19;371(9608):204. doi: 10.1016/S0140-6736(08)60131-2. PMID: 18207015.
- Deoni S, Dean D 3rd, Joelson S, O'Regan J, Schneider N. (2018) Early nutrition influences developmental myelination and cognition in infants and young children. *Neuroimage*. 2018 Sep;178:649-659. doi:10.1016/j.neuroimage.2017.12.056. Epub 2017 Dec 20. PMID: 29277402.
- Depkes. (2011) *Panduan Penyelenggaraan PMT pada balita*. Jakarta: Departemen Kesehatan RI Ditjen Bina Kesehatan Masyarakat Direktorat Bina Gizi Masyarakat.
- Dewi, Fatwa ST, *et al.* (2020) “Faktor Penentu Stunting Dan Efektivitas Gizi, Informasi, Intervensi Pendidikan Untuk Mencegah Stunting Dalam 1000 Hari Pertama Kehidupan: Tinjauan Sistematis.” *7th International Conference on Public Health 2020, Surakarta, Indonesia, November 2020*. Universitas Sebelas Maret, 2020, hlm. 285-300, doi: 10.26911/the7thicph-FP.03.30 .
- Dewey, K. G., & Begum, K. (2011) *Long-term consequences of stunting in early life*. *Maternal & Child Nutrition*, 7, 5–18. doi:10.1111/j.1740-8709.2011.00349.x.
- Dinas Kesehatan Kabupaten Solok. (2021) *Hasil Pemantauan Status Gizi Balita :Dinkes Kabupaten Solok*.
- Dhingra S, Pingali PL. (2021) Effects of short birth spacing on birth-order differences in child stunting: Evidence from India. *Proc Natl Acad Sci U S A*. Feb 23;118(8):e2017834118. doi: 10.1073/pnas.2017834118. PMID: 33602815; PMCID: PMC7923660.

- Emmett PM, Hays NP, Taylor CM. (2018) Antecedents of picky eating behaviour in young children. *Appetite*. 2018 Nov 1;130:163-173. doi: 10.1016/j.appet.2018.07.032. Epub 2018 Aug 10. PMID: 30099068; PMCID: PMC6173797.
- EFSA. (2013) Scientific Opinion on Dietary Reference Values for Energy. Parma, Italy, European Food Safety Authority Panel on Dietetic Products, Nutrition and Allergies. *EFSA Journal* 11:1 pp.112.
- FAO, IFAD, UNICEF, WFP and WHO. (2021) The State of Food Security and Nutrition in the World 2021. Transforming food systems for food security, improved nutrition and affordable healthy diets for all. Rome, FAO. <https://doi.org/10.4060/cb4474en>.
- Fewtrell, M. *et al.* (2017) 'Complementary feeding: A position paper by the European Society for Paediatric Gastroenterology, Hepatology, and Nutrition (ESPGHAN) committee on nutrition', *Journal of Pediatric Gastroenterology and Nutrition*, 64(1), pp. 119–132. doi: 10.1097/MPG.0000000000001454.
- Flora, R. (2021) *Stunting Dalam Kajian Molekuler*. Palembang: Unsri Press.
- Gertosio C, Meazza C, Pagani S, Bozzola M. (2016) Breastfeeding and its gamut of benefits. *Minerva Pediatr*. 2016 Jun;68(3):201-12. Epub 2015 May 29. PMID: 26023793.
- Gestational Age and Birthweight Classification. In: Gomella T, Cunningham M, Eyal FG, Tuttle DJ. eds. *Neonatology: Management, Procedures, On-Call Problems, Diseases, and Drugs*, 7e. McGraw Hill; 2013. Accessed March 22, 2022. <https://accesspediatrics.mhmedical.com/content.aspx?bookid=1303§ionid=79658371>.
- Gluckman, P.D et al. (2008) "Effect of in utero and early-life conditions on adult health and disease". *The New England Journal of Medicine*, vol. 359, no.1 pp. 61-73.
- Gordon, WM., and Hampl JS. (2007) *Perspective in Nutrition*. 7Thed. McGrawHill USA. 543-51.
- Grantham-McGregor S, Cheung YB, Cueto S, Glewwe P, Richter L, Strupp B., (2007) International Child Development Steering Group. Developmental potential in the first 5 years for children in developing countries. *Lancet*. 2007 Jan 6;369(9555):60-70. doi: 10.1016/S0140-6736(07)60032-4. PMID: 17208643; PMCID: PMC2270351.
- Grewin M et al. (2011) *Gizi Kesehatan Masyarakat*. EGC.

- Hadi H, Fatimatasari F, Irwanti W, Kusuma C, Alfiana RD, Asshiddiqi MIN, Nugroho S, Lewis EC, Gittelsohn J. (2021) Exclusive Breastfeeding Protects Young Children from Stunting in a Low-Income Population: A Study from Eastern Indonesia. *Nutrients*. 2021 Nov 26;13(12):4264. doi: 10.3390/nu13124264. PMID: 34959815; PMCID: PMC8706015.
- Hall, John. E. (2014) *Buku Ajar Fisiologi Kedokteran, Edisi Revisi Berwarna Ke 12*. Philadelphia: Elsevier.
- Halli SS, Biradar RA, Prasad JB. (2022) Low Birth Weight, the Differentiating Risk Factor for Stunting among Preschool Children in India. *Int J Environ Res Public Health*. 2022 Mar 22;19(7):3751. doi: 10.3390/ijerph19073751. PMID: 35409434; PMCID: PMC8997567.
- Harjatma, T. P., Holil, P. M. and Wiyono, S. (2017) *Penilaian Status Gizi*.
- Hirvonen K, Wolle A, Laillou A, Vinci V, Chitekwe S, Baye K. (2021) Understanding delays in the introduction of complementary foods in rural Ethiopia. *Matern Child Nutr*. 2021 Sep 15:e13247. doi: 10.1111/mcn.13247. Epub ahead of print. PMID: 34523796.
- Henukh, D., Siti Nur Asyah Jamillah Ahmad, & Aning Pattypeilohy. (2021) The Relationship Between Maternal Weight Gain and Newborn Weight With the Frequency of Stunting in South Central Timor District (TTS). *Embrio : Jurnal Kebidanan*, 13(1), 46–55. <https://doi.org/10.36456/embrio.v13i1.3290>.
- Holil M. Par'i, Sugeng Wiyono, Titus Priyo Harjatmo. (2017) *Bahan Ajar Penilaian Status Gizi*. Jakarta: Kementerian Kesehatan RI.
- Indriati, M., & Ningsih, K. (2020) Profil Pengetahuan Ibu Hamil Tentang Pemberian Makanan Pendamping Asi (MPASI) Pada Bayi 0-6 Bulan Di Wilayah Kerja Puskesmas Padasuka Kota Bandung. *Jurnal Sehat Masada*, 14(2), 107-113. <https://doi.org/https://doi.org/10.38037/jsm.v14i2.131>.
- International Food Policy Research Institute. (2016) *From Promise to Impact Ending malnutrition by 2030*. IFPRI: Washington DC.
- International of Medicine, Food, & Nutrition Board, (2002) *Dietary Reference Intake (DRI) for Energy and the Macronutrients, Carbohydrates, Fiber, Fat, Fatty Acids, Cholesterol, Protein and Amino Acids*. Washington, DC, National Academy of Sciences.
- Juwita, S., Andayani H., Bachtiar., Sofia., & Anidar. (2019) Hubungan Jumlah Pendapatan Keluarga dan Kelengkapan Imunisasi Dasar dengan Kejadian Stunting pada Balita di Kabupaten Pidie: *Jurnal Kedokteran Nanggroe Medika*. Vol 2 No 4 (2019).

- Kementerian Kesehatan RI. (2018) *Buku Saku Pemantauan Status Gizi 2017*. Jakarta.
- Kementerian PPN/Bappenas. (2018) Rencana Aksi Nasional Dalam Rangka Penurunan *Stunting*. *Rebuk Stunting*: Jakarta.
- Kementerian Kesehatan Republik Indonesia. (2018) “Riset Kesehatan Dasar (Riskesdas)”. Jakarta: Balitangkes RI.
- Kementerian Kesehatan RI. (2021) *Buku Saku Hasil Studi Gizi Indonesia (SSGI) Tingkat Nasional, Provinsi, dan Kabupaten/Kota Tahun 2021* : Jakarta. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Kementerian Kesehatan RI. (2021) *Sekretariat Jenderal Profil Kesehatan Inonesia Tahun 2020* : Jakarta. Kemenkes RI.
- Kuchenbecker J, Jordan I, Reinbott A, Herrmann J, Jeremias T, Kennedy G, Muehlhoff E, Mtimuni B, Krawinkel MB. (2015) Exclusive breastfeeding and its effect on growth of Malawian infants: results from a cross-sectional study. *Paediatr Int Child Health*. 2015 Feb;35(1):14-23. doi: 10.1179/2046905514Y.0000000134. Epub 2014 Jul 9. PMID: 25005815; PMCID: PMC4280265.
- Khasanah, D. P., H. Hadi dan B.A. Paramashanti. (2016) Waktu Pemberian Makanan Pendamping ASI (MP-ASI) Berhubungan dengan kejadian *stunting* anak usia 6-23 bulan di Kecamatan Sedayu. *Jurnal Gizi dan Diet Etik Indonesia* 4(2):105-111.
- Kliegman, MD RM, Stanton BF, St. Geme III, MD JW, Schor, MD, PhD NF. (2016) *Nelson Textbook of Pediatrics, Twentieth Edition*. Behrman, MD RE, editor. *Elsevier Inc*. 2016; 20:5315.
- Kramer dan Kakuma. (2012) *Optimal duration of exclusive breastfeeding*. Chocrane Library; Wiley.
- Laksono, A. (2012) ‘Pedoman Perencanaan Program’, Gerakan Nasional Percepatan Perbaikan Gizi Dalam Rangka Seribu Hari Pertama Kehidupan (Gerakan 1000 HPK), pp 10-17.
- Lamid, Astuti. (2015) *Masalah Kependudukan (Stunting) pada Balita. Analisis Prospek Penanggulangan di Indonesia*. Bogor: IPB Press.
- Lestari, W., A. Margawati, dan M.Z. Rahfiludin. (2014) Faktor risiko *Stunting* pada anak umur 6-24 bulan di Kecamatan Penanggalan Kota Subussalam Provinsi Aceh. *Jurnal Gizi Indonesia* (ISSN : 1858-4942), 3(1):37-4.
- Lawson M. Makanan sehat untuk bayi dan balita. Jakarta: Dian Rakyat, 2013.

- Mayo-Wilson E, Imdad A, Herzer K, Yakoob MY, Bhutta ZA. (2011) Vitamin A supplements for preventing mortality, illness, and blindness in children aged under 5: systematic review and meta-analysis. *BMJ*. 2011 Aug 25;343:d5094. doi: 10.1136/bmj.d5094. PMID: 21868478; PMCID: PMC3162042.
- Mudholkar, A., Korostenski, L., Blackwell, D., & Lane, A. E. (2023) Factors associated with the early emergence of atypical feeding behaviours in infants and young children: A scoping review. *Child: Care, Health and Development*, 49(1), 1– 19. <https://doi.org/10.1111/cch.13005>.
- Mulyaningsih T, Mohanty I, Widyaningsih V, Gebremedhin TA, Miranti R, Wiyono VH. Beyond personal factors: Multilevel determinants of childhood stunting in Indonesia. *PLoS One*. 2021 Nov 19;16(11):e0260265. doi: 10.1371/journal.pone.0260265. PMID: 34797892; PMCID: PMC8604318.
- Murray RK., Granner DK., Rodwell VW. (2009) Dalam Nanda Wulandari, Leo Rendy, Linda Dwijayanthi, Liena, Frans Dany, Luqman Yanuar Rachman (Ed). *Biokimia Harper edisi 27*. EGC : Jakarta.
- Muthmainnah, Fitriatul. (2010) Faktor-faktor yang berhubungan dengan pengetahuan ibu dalam memberikan makanan pendamping ASI di Puskesmas Pamulang. Fakultas Kedokteran UIN Syarif Hidayatullah. Jakarta.
- Motee, A., dan R. Jeewon. (2014) Importance of Exclusive Breast Feeding and Complementary Feeding Among Infants. *Current Research in Nutrition and Food Science*. 2(2): 56-72.
- Martorell R, Horta BL, & Adair LS et al. (2010) Consortium on Health Oriented Research in Transitional Societies Group. Weight Gain in the First Two Years of Life Is an Important Predictor of Schooling Outcomes in Pooled Analyses from Five Birth Cohort from Low and Middle Income Countries. *J. Nutr*, 140, 348-354.
- Nasution YF, Lipoeto NI, Yulizawati Y. (2019). Hubungan kadar insuline-like growth factor 1 serum maternal dengan berat badan dan panjang badan bayi baru lahir pada ibu hamil KEK. *Maj Kedokt Andalas*. 42(35).19-26.
- Nurrizka RH, Wenny DM, Amalia R. (2021) Complementary Feeding Practices and Influencing Factors Among Children Under 2 Years of Age: A Cross-Sectional Study in Indonesia. *Pediatr Gastroenterol Hepatol Nutr*. 2021 Nov;24(6):535-545. doi: 10.5223/pghn.2021.24.6.535. Epub 2021 Nov 5. PMID: 34796098; PMCID: PMC8593361.
- Palmeira, P., dan M.C. Sampaio. (2016) Immunology of Breast Milk . *Ev Assoc Med Bras* , 62 (6) 584-593.

- Pickering A, Julian T, Marks S, et al. (2012) Fecal contamination and diarrheal pathogens on surfaces and in soils among Tanzanian households with and without improved sanitation. *Environ Sci Technol.* 2012; 46:5736–5743.
- Prihutama N Y., Rahmadi F A., Hardaningsih G., (2018) Pemberian Makanan Pendamping Asi Dini Sebagai Faktor Risiko Kejadian Stunting Pada Anak Usia 2-3 Tahun. *Jurnal Kedokteran Diponegoro.* Volume 7, Nomor 2.
- Proverawati, A & Ismawati, C. (2010) *Berat badan lahir rendah* . Yogyakarta: Muha medika.
- Rahayu, A., Yulidasari, F., Putri, A.O., dan Anggraini, L ., (2018) *Study Guide – Stunting Dan Upaya Pencegahannya* (Vol. Isbn: 978-602-52833-1-4). Yogyakarta: C.V Mine.
- Rahmadi A., (2015). Hubungan Berat Badan dan Panjang Badan Lahir dengan Stunting Anak 12-59 Bulan Di Provinsi Lampung. *J Keperawatan.* XII (2):209-18.
- Rahmawati, V.E. (2020). Hubungan Panjang Badan Lahir Dengan Kejadian Stunting Pada Anak Balita Usia 0-59 Bulan Di Kabupaten Jombang. *Jurnal Kebidanan,* 9(2), Pp. 44–48. Doi:10.47560/Keb.V9i2.250.
- Richard S, Black R, Gilman R, et al. Diarrhea in early childhood: short-term association with weight and long-term association with length. *Am J Epidemiol.* 2013;178:1129–1138.
- Rosa, BCH. Sari, K. Yunita, SP. Amaliah, N. Utami, NH (2016). Peran Intervensi Gizi Spesifik dan Sensitif dalam Perbaikan Masalah Gizi Balita di Kota Bogor. *Buletin Penelitian Kesehatan.* Volume 44 No 2. hal 127-138.
- Semba RD, Muhilal, Scott AL, Natadisastra G, Wirasasmita S, Mele L, et al. Depressed Immune Response to Tetanus in Children with Vitamin A Deficiency. *The Journal of Nutrition.* 1992; 122(1):101– 7. <https://doi.org/10.1093/jn/122.1.101> PMID: 1729457
- Semba RD, West KP, Ph, Sommer A, Griffin DE, Ward BJ, et al. Abnormal T-cell subset proportions in vitamin-A-deficient children. *The Lancet.* 1993; 341(8836):5–8. [https://doi.org/10.1016/0140-6736\(93\) 92478-C](https://doi.org/10.1016/0140-6736(93) 92478-C).
- Sirkka O, Abrahamse-Berkeveld M, van der Beek EM. (2022). Complementary Feeding Practices among Young Children in China, India, and Indonesia: A Narrative Review. *Curr Dev Nutr.* 2022 May 5;6(6):nzac092. doi: 10.1093/cdn/nzac092. PMID: 35769448; PMCID: PMC9233619.
- Spong CY,. (2007). Prediction and prevention of recruitment spontaneous preterm birth, *Obstetric and Gynecology,* vol. 110, pp. 15-405.
- Stam, J., Sauer, P.J. & Boehm, G. (2013). Can We Define an Infant’s Need from the Composition of Human Milk? *AJCN,* 98, 521S-528S.

- Stewart CP, Iannotti L, Dewey KG, Michaelsen KF, Onyango AW. (2013). Contextualising complementary feeding in a broader framework for stunting prevention. *Matern Child Nutr.* 2013 Sep;9 Suppl 2(Suppl 2):27-45. doi: 10.1111/mcn.12088. PMID: 24074316; PMCID: PMC6860787.
- Supariasa, Bakri, B. & Fajar, I. (2012). *Penilaian status gizi*. Jakarta: EGC.
- Soesanti, I., Saptandari, P., Adiningsih, S., & Qomaruddin, M. B. (2020). The practice of complementary feeding among stunted children under the age of two. *Infectious Disease Reports*. doi:10.4081/idr.2020.8723.
- Sharlin, J. & Edelstein, S. (2011). *Essentials of Life Cycle Nutrition*. Massachusetts: Jones and Bartlett Publishers.
- Sherwood, L. (2018). *Fisiologi Manusia dari Sel ke Sistem, Edisi: 9*. Jakarta:EGC.
- Tafesse T, Yoseph A, Mayiso K, Gari T. (2021). Factors associated with stunting among children aged 6-59 months in Bensa District, Sidama Region, South Ethiopia: unmatched case-control study. *BMC Pediatr.* 2021 Dec 6;21(1):551. doi: 10.1186/s12887-021-03029-9. PMID: 34872503; PMCID: PMC8647487.
- The Lancet. (2013). Executive Summary of The Lancet Maternal and Child Nutrition Series. *The Lancet*.
- The world Bank. *Aiming High Indonesia's Ambition To Reduce Stunting*. Washington DC; 2018.
- UNICEF. *Undernutrition contributes to half of all deaths in children under 5 and is widespread in Asia and Africa*. <http://data.unicef.org/nutrition/malnutrition> Published 2022. Accessed December 12, 2022.
- United Nations Children's fund (2020). *Situasi Anak di Indonesia – Tren, Peluang, dan Tantangan Dalam Memenuhi Hak – Hak Anak*. Jakarta: UNICEF Indonesia.
- Virginia, A., Maryanto S., Anugrah R., (2020). Hubungan Pemberian Mp-Asi Dan Usia Pertama Pemberian Mp-Asi Dengan Kejadian Stunting Pada Anak Usia 6-24 Bulan Di Desa Leyangan Kecamatan Ungaran Timur Kabupaten Semarang: *Jurnal Gizi Dan Kesehatan*. doi : 10.35473/jgk.v12i27.58.
- Vogel JP, Chawanpaiboon S, Moller AB, Watananirun K, Bonet M, Lumbiganon P. (2018). The global epidemiology of preterm birth. *Best Pract Res Clin Obstet Gynaecol.* 52:3–12.
- Wanimbo, E., & Wartiningsih, M., (2020). Relationship Between Maternal Characteristics With Children (7-24 Months) Stunting Incident. *Jurnal Manajemen Kesehatan Yayasan RS.Dr.Soetomo* Vol.6 No.1 April 2020.

- Walters CN, Rakotomanana H, Komakech JJ, Stoecker BJ. Maternal determinants of optimal breastfeeding and complementary feeding and their association with child undernutrition in Malawi (2015-2016). *BMC Public Health*. 2019 Nov 11;19(1):1503. doi: 10.1186/s12889-019-7877-8. PMID: 31711452; PMCID: PMC6849257.
- Wangiyana, N. K. A., Karuniawaty, T., John, R., Qurani, R., Teng kawan, J., Septisari, A., & Ihyauddin, Z. (2021). [The Complementary Feeding Practice And Risk Of Stunting Among Children Aged 6-12 Months In Central Lombok]. *Penelitian Gizi Dan Makanan (The Journal of Nutrition and Food Research)*, 43(2), 81-88. <https://doi.org/10.22435/pgm.v43i2.4118>.
- Wicaksono, R. A., Arto, K. S., Mutiara, E., Deliana, M., Lubis, M., & Latief Batubara, J. R. (2021). *Risk Factors Of Stunting In Indonesian Children Aged 1 To 60 Months*. *Paediatrica Indonesian*. Doi: 10.14238/Pi61.1.2021.12-9.
- Widyawati W, Febry F, and Destriatania S. (2016). Analysis complementary feeding and nutritional status among children aged 12- 24 months in Puskesmas Lesung Batu, Empat Lawang. *J Ilmu Kesehat Masy.*; 7(2):139–149, doi: 10.26553/jikm. 2016. 7.2.139-149.
- Wells, J. C. K., Devakumar, D., Manandhar, D. S., Saville, N., Chaube, S. S., Costello, A., & Osrin, D. (2018). Associations of stunting at 2 years with body composition and blood pressure at 8 years of age: longitudinal cohort analysis from lowland Nepal. *European Journal of Clinical Nutrition*. doi:10.1038/s41430-018-0291-y
- World Bank. Spending Better to Reduce Stunting in Indonesia: Findings from a Public Expenditure Review. Washington, DC; 2020.
- WHO. 2011. “Haemoglobin concentrations for the diagnosis of anemia assessment of severity”. <https://apps.who.int/iris/handle/10665/85839>. Diakses pada 30 Desember 2021.
- WHO. (2020). Healt topics: Breastfeeding overview.
- WHO. (2020). Pekan Menyusi Dunia : *South-East Asia Indonesia*.
- WHO. “Stunting in A Nutshell”. https://www.who.int/nutrition/healthygrowthproj_stunted_videos/en/. Diakses pada 30 Desember 2020.
- World Health Organization (WHO). 2015. *WHA Global Nutrition Targets 2025: Stunting Policy Brief*.
- World Health Organization. *Global strategy for infant and young child feeding*. Geneva, Switzerland: World Health Organization 2003.

Zaragoza Cortes J, Trejo Osti LE, Ocampo Torres M, Maldonado Vargas L, Ortiz Gress AA. Poor breastfeeding, complementary feeding and dietary diversity in children and their relationship with stunting in rural communities. *Nutr Hosp.* 2018 Feb 27;35(2):271-278. English. doi: 10.20960/nh.1352. PMID: 29756958.

Zimmerman, M. & Snow, B. 2012. *An Introduction to Nutrition*. Tersedia di <http://2012books.lardbucket.org/>.

