

DAFTAR PUSTAKA

1. Kementerian Kesehatan RI. Indikator Program Kesehatan Masyarakat dalam RPJMN dan Renstra Kementerian Kesehatan 2020-2024. Katalog Dalam Terbitan Kementerian Kesehatan RI 351077 [Internet]. 2020;1–99. Available from: <https://kesmas.kemkes.go.id/assets/uploads/contents/attachments/ef5bb48f4aaae60ebb724caf1c534a24.pdf>
2. Putri NI. Analisis Angka Kematian Bayi di Provinsi Jawa Timur Tahun 2012-2016. 2020;3:1. Available from: https://ejournal.undip.ac.id/index.php/dinamika_pembangunan/article/view/27582/18896
3. Lengkong GT, Langi FLFG, Posangi J. Faktor Faktor Yang Berhubungan Dengan Kematian Bayi Di Indonesia. Jurnal Kesehatan masyarakat. 2020;9(4):41–7.
4. Nurhafni, Yarmaliza, Zakiyudin. Analisis faktor risiko terhadap angka kematian bayi di wilayah kerja puskesmas johan pahlwan (rundeng) kabupaten aceh barat. J Jurmakemas. 2021;1(1).
5. Bank TW. Mortality Rtae, Infant (per 1000 lives births) [Internet]. 2020. Available from: <https://data.worldbank.org/indicator/SP.DYN.IMRT.IN>
6. World Health Organization. Newborns: improving survival and well-being [Internet]. 2020. Available from: <https://www.who.int/news-room/fact-sheets/detail/newborns-reducing-mortality>
7. Indonesia KKR. Profil Kesehatan Indonesia 2020 [Internet]. Kementrian Kesehatan RI. 2021. 139 p. Available from: <https://pusdatin.kemkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/Profil-Kesehatan-Indonesia-Tahun-2020.pdf>
8. Manuaba IBGF, Manuaba IAC, Manuaba IBGF. Pengantar Kuliah Obstetric. Jakarta: EGC; 2007.
9. Profil Kesehatan Kota Padang 2020 [Internet]. Padang: Dinas Kesehatan; 2020. Available from: <https://dinkes.padang.go.id/profil-kesehatan-tahun-2020>

10. Kemenppa RI. Profil Kesehatan Anak Indonesia Tahun 2018. Ilmu Pendidik. 2018;5(1):12–21.
11. UNICEF, WHO. UNICEF-WHO Low Birthweight Estimates Levels and trends 2000-2015. World Heal Organ [Internet]. 2019;4(3):3–9. Available from: <https://www.unicef.org/reports/UNICEF-WHO-low-birthweight-estimates-2019#:~:text=Highlights,death%2C stunting and developmental difficulties>.
12. WHO. Prevalensi BBLR [Internet]. 2018. Available from: www.who.int/gho/data/organisasi_kesehatan_dunia
13. Endalamaw A, Engeda EH, Ekubagewargies DT, Belay GM, Tefera MA. Low birth weight and its associated factors in Ethiopia: A systematic review and meta-analysis. Italian Journal Pediatric. 2018;44(1):1–12.
14. Profil Kesehatan Kota Padang 2019 [Internet]. Padang: Dinas Kesehatan; 2019. Available from: <https://dinkes.padang.go.id/profil-kesehatan-tahun-2019>
15. Badan Perencana Pembangunan Daerah Aceh. Kajian Faktor Resiko Kematian Ibu dan Bayi. Laporan Penelitian Kajian Faktor Resiko Kematian Ibu dan Bayi di Provinsi Banda Aceh. 2016;1–30.
16. CDC. Reproductive and Birth Outcomes [Internet]. Available from: <https://www.cdc.gov/nceh/tracking/topics/ReproductiveandBirthOutcomes.htm>
17. Jabraeile M, Rasolly AS, Farshi MR, Malakouti J. Effect of Olive Oil massage on weight gain in preterm infant : a randomized controlled clinical trial. Nigerian Medical Journal. 2016;
18. Menteri Pendidikan dan Kebudayaan Republik Indonesia. Berita Negara Republik Indonesia - Peraturan Menteri Kesehatan Republik Indonesia. Menteri Kesehatan Republik Indonesia Peraturan Menteri Kesehatan Republik Indonesia. 2014;(879):2004–6.
19. Yuliasati, Nining. Keperawatan Anak. Kementrian Kesehatan RI; 2016.
20. Lindquist R, Snyder M, Tracy MF. Complementary & Alternative Therapies in Nursing [Internet]. VII. 2014. Available from: <http://stikespanritahusada.ac.id/wp-content/uploads/2017/04/Ruth->

Lindquist-PhD-RN-APRN-BC-FAAN_-Mariah-Snyder-PhD_-Mary-Frances-Tracy-PhD-RN-CCNS-FAAN-Complementary-Alternative-Therapies-in-Nursing_-Seventh-Edition-Springer-Publishing-Company-2013.pdf

21. Sukirno RSH. Kesabaran Ibu Merawat Bayi Berat Lahir Rendah (BBLR). *Journal Psychology Perspective*. 2019;1(1):1–14.
22. Kementrian Kesehatan RI 2018. Riset Kesehatan Dasar Provinsi Sumatera Barat Tahun 2018. Laporan Riskesdas Nasional 2018. 2018. 493 p.
23. Mobarak AA, Mohamed T. Effect of Massage Therapy on Weight Gain and Hospital Stay for Premature Neonates. 2018;7(2):37–42. Available from: www.iosrjournals.org
24. Iskandar FN. Tactile-kinesthetic stimulation to gain weight and reduce the length of stay care for premature baby at public hospitals of Semarang, Indonesia. *Global Health Management Journal*. 2019;3.
25. Katili DNO. Pengaruh Stimulasi Pijat Bayi Terhadap Kenaikan Berat Badan Pada Bayi Berat Lahir Rendah Di Kota Yogyakarta. 2018;
26. Yuliana F, Lathifah N. Efektivitas Perawatan Metode Kanguru Terhadap Peningkatan Berat Badan Pada Bayi Berat Lahir Rendah Di Rumah Sakit Kota Banjarmasin. *Din Kesehatan Journal Kebidanan dan Keperawatan*. 2020;11(2):536–43.
27. Herawati I, Anggraini N. Efek Perawatan Metode Kanguru Terhadap Kenaikan Berat Badan pada Bayi Berat Lahir Rendah. *Journal Kebidanan dan Kesehatan Tradisional*. 2020;5(1):23–8.
28. Bebasari M, Agonwardi A, Nandiati N. Pengaruh Perawatan Metode Kanguru Terhadap Kenaikan Berat Badan Pada Bayi Berat Badan Lahir Rendah Di Ruang Perinatologi Rsud Dr. Rasidin Padang Tahun 2017. *Jik- Journal Ilmu Kesehatan*. 2017;1(1):32–8.
29. Siagian Y, Pujiati W, Sinaga MI, Hang S, Tanjungpinang T. Pengaruh metode kanguru terhadap peningkatan berat badan pada bayi bblr. *Journal SMART Kebidanan*. 2021;8(2):136–42.
30. Hartiningrum I, Fitriyah N. Bayi Berat Lahir Rendah (BBLR). *Journal Biometrika dan Kependudukan*. 2019;7(2):97.

31. Maisaroh S, Nabella RV. Faktor-Faktor Yang Berhubungan Dengan BBLR. *Journal Ilmu Kesehatan Karya Bunda Husada*. 2018;6(1):25–32.
32. Jumhati S, Novianti D. Analisis Faktor-faktor yang Berhubungan dengan Kejadian BBLR di Rumah Sakit Permata Cibubur-Bekasi. *Journal Ilmu Kesehatan Masyarakat*. 2018;7(02):113–9.
33. Kamilah DD, Ningrum WM. Pertumbuhan Anak Umur 6-24 Bulan Dengan Riwayat Bayi Berat Lahir Rendah (BBLR). 2020;2(1):15–22.
34. Textbook IAP. IAP Textbook of Pediatrics. IAP Textbook of Vaccines. 2014.
35. Wiadnyana IB, Bikin Suryawan IW, Sucipta A. M. Hubungan antara bayi berat lahir rendah dengan asfiksia neonatarum di RSUD Wangaya Kota Denpasar. *Intisari Sains Medis*. 2018;9(2):95–9.
36. Hikmah R. Relation Low Birth Weight With Hypothermia Case. 2016;III(2):101–6.
37. Trisnawati N, Mustofa FL, Illahi MR. Hubungan Upaya Pencegahan Yang Dilakukan Ibu Hamil Terhadap Berat Badan Lahir Rendah (Bblr) Di Wilayah Kerja Puskesmas Mekar Baru Kabupaten Tangerang Tahun 2018. *Journal Ilmu Kedokteran Dan Kesehatan*. 2019;5(4).
38. Rosela K, Taviane E, Alestari RO. Pagaruh Pendidikan Kesehatan Terhadap Tingkat Pengetahuan Ibu Hamil Dalam Pencegahan Terjadinya Kelahiran Bayi Berat Badan Lahir Rendah (BBLR) DI Wilayah Kerja UPTD Puskesmas Pahadut Palangka Raya. 2016;7(2):106–11.
39. Maternity D, Anjani AD, Evrianasari N. *Asuhan Kebidanan Neonatus, Bayi, Balita, & Anak Prasekolah*. 1st ed. Christian P, editor. Yogyakarta: CV. Andi Offset; 2018.
40. Dewi S. *Pijat & Asupan Gizi Tepat untuk Melejitkan Tumbuh Kembang Anak*. Yogyakarta: Pustaka Baru Press; 2016.
41. Rizki LK. Efektivitas Pijat Bayi Terhadap Perkembangan Motorik Pada Bayi Usia 8 – 28 Hari. *MIKIA Mimb Ilm Kesehat Ibu dan Anak (Maternal Neonatal Health Journal)*. 2017;1(2).
42. Akhiriyanti EN, Nisa H. *Mengenal Terapi Komplementer Dalam Kebidanan Pada Ibu Nifas, Ibu Menyusui, Bayi Dan Balita*. Jakarta: CV.

- Trans Info Media; 2020. 78–107 p.
43. Noorbaya S, Johan H, Wati NWKW. Panduan Belajar Asuhan Neonatus Bayi, Balita dan Anak Prasekolah. Yogyakarta: Gosyen Publishing; 2020. 91–92 p.
 44. Sutarmi. Buku Panduan Bagi Orang Tua Loving Touch Stimulation Pada Bayi Berat Lahir Rendah (BBLR). Politeknik Kesehatan Semarang. 2020;(July):45.
 45. Marni. Pengaruh Pijat Bayi Terhadap Peningkatan Berat Badan Pada Bayi. *Journal Kebidanan Indonesia*. 2019;10(1):12–8.
 46. Ulfa RB, Munir Z, Kholisotin K. Efektifitas Stimulasi Pijat Bayi terhadap Peningkatan Berat Badan Bayi Usia 0-4 Bulan dengan Riwayat BBLR. *Citra Delima Journal Ilmu STIKES Citra Delima Bangka Belitung*. 2019;3(2):155–62.
 47. Dhilon DA, Eldarita F. Pengaruh Perawatan Metode Kangguru Terhadap Kenaikan Berat Badan Lahir Rendah (BBLR) Di RS Sekabupaten Kampar Tahun 2018. *Journal Doppler Univ Pahlawan Tuanku Tambusai*. 2019;3(1):32–8.
 48. Yelmi S. Pengaruh Perawatan Metode Kanguru terhadap Perubahan Berat Badan Bayi Lahir Rendah. *Journal Ipteks Terapan*. 2015;9(1):11–9.
 49. Khairunisa D, Muflilah. Peningkatan Berat Badan Pada Bayi Bblr Di Rsud Panembahan Senopati Bantul Yogyakarta Tahun 2013. *Journal Ilmu Umum Dan Kesehatan 'aisyiyah*. 2018;3(Program Studi Bidan Pendidik Jenjang DIV Sekolah Tinggi Ilmu Kesehatan 'Aisyiyah Yogyakarta):125–33.
 50. Snyder H. Literature review as a research methodology: An overview and guidelines. *Journal Business Research [Internet]*. 2019;104(July):333–9. Available from: <https://doi.org/10.1016/j.jbusres.2019.07.039>
 51. dos Anjos FR, Nakato AM, Hembercker PK, Nohama P, Sarquis ALF. Effects of hydrotherapy and tactile-kinesthetic stimulation on weight gain of preterm infants admitted in the Neonatal Intensive Care Unit. *Journal Pediatric (Rio J)*. 2022;98(2):155–60.
 52. Yoanita R, Gunardi H, Rohsiswatmo R, Setyanto DB. Effect of tactile–

- kinesthetic stimulation on growth, neurobehavior and development among preterm neonates. *Journal Bodyweight Movement Therapy* [Internet]. 2021;28:180–6. Available from: <https://doi.org/10.1016/j.jbmt.2021.06.023>
53. Álvarez MJ, Rodríguez-González D, Rosón M, Lapeña S, Gómez-Salgado J, Fernández-García D. Effects of Massage Therapy and Kinesitherapy to Develop Hospitalized Preterm Infant's Anthropometry: A Quasi-Experimental Study. *Journal Pediatric Nursing* [Internet]. 2019;46:e86–91. Available from: <https://doi.org/10.1016/j.pedn.2019.03.015>
54. Zhang X, Wang J. Massage intervention for preterm infants by their mothers: A randomized controlled trial. *Journal Specialist Pediatric Nursing* [Internet]. 2019;24(2). Available from: <http://dx.doi.org/10.1111/jspn.12238>
55. Taheri PA, Goudarzi Z, Shariat M, Nariman S, Matin EN. The effect of a short course of moderate pressure sunflower oil massage on the weight gain velocity and length of NICU stay in preterm infants. *Infant Behavior Development* [Internet]. 2018;50(January 2017):22–7. Available from: <http://dx.doi.org/10.1016/j.infbeh.2017.11.002>
56. Elmoneim MA, Mohamed HA, Awad A, El-Hawary A, Salem N, El helaly R, et al. Effect of tactile/kinesthetic massage therapy on growth and body composition of preterm infants. *European Journal Pediatric*. 2021;180(1):207–15.
57. Aziznejadroshan P, Zahed Pasha Y, Hajiahmadi M. Comparison of the effect of massage with coconut oil and sunflower oil on the growth of premature infants. *Journal Babol University Medicine Science*. 2020;22(1):119–25.
58. Rad Z, Haghshenas M, Javadian Y, Hajiahmadi M, Kazemian F. The effect of massage on weight gain in very low birth weight neonates. *Journal Clinical Neonatology*. 2016;5(2):96.
59. Negi D, Swain D, Som TK. Effectiveness of multistimulation approach on feeding habits of low-birth-weight babies-A randomized control trial. *European Journal Obstetric Gynecology Reproductive Biology X* [Internet]. 2022;15(May):100159. Available from:

<https://doi.org/10.1016/j.eurox.2022.100159>

60. Muliani M, Lisnawati L. The Effect of Kangaroo Mother Care Method toward Weight Gain and Length of Stay among Low Birth Weight Baby. *International Journal Public Health Science*. 2018;7(2):91.
61. Rehman MO ur, Hayat S, Gul R, Waheed KAI, Victor G, Khan MQ. Impact of intermittent kangaroo mother care on weight gain of neonate in nicu: Randomized control trial. *Journal Pakistan Medicine Association*. 2020;70(6):973–7.
62. Nurhayati, Lifrinur Y, Afrian Nuari N, Iskandar A, Sukiyono K, Novitasari D, et al. Effectiveness of kangaroo method to weight infants with low birth weight at the perinatology room dr. achmad mochtar hospital bukittinggi. *Journal Physic Conference Series*. 2019;1175(1).
63. Mehrpishah S, Doorandish Z, Farhadi R, Ahmadi M, Moafi M, Elyasi F. The Effectiveness of Kangaroo Mother Care (KMC) on attachment of mothers with premature infants. *European Journal Obstetric Gynecology Reproductive Biology X* [Internet]. 2022;15(April):100149. Available from: <https://doi.org/10.1016/j.eurox.2022.100149>
64. Logronio JMM, Villanueva-Uy MET, De Leon-Mendoza S. Effect of Continuous versus Intermittent Kangaroo Mother Care on Weight Gain and Duration of Hospital Stay among Low-Birth-Weight Admitted at a Level II NICU: A Randomized Control Trial. *Acta Medical Philippina*. 2021;55(9):885–92.
65. Shattnawi KK, Al-Ali N. The Effect of Short Duration Skin to Skin Contact on Premature Infants' Physiological and Behavioral Outcomes: A Quasi-Experimental Study. *Journal Pediatric Nursing* [Internet]. 2019;46:e24–8. Available from: <https://doi.org/10.1016/j.pedn.2019.02.005>
66. Casper C, Sarapuk I, Pavlyshyn H. Regular and prolonged skin-to-skin contact improves short-term outcomes for very preterm infants: A dose-dependent intervention. *Archive Pediatric* [Internet]. 2018;25(8):469–75. Available from: <https://doi.org/10.1016/j.arcped.2018.09.008>
67. De Ocampo FS, Villanueva-Uy MET. A Randomized Controlled Trial of Intermittent Kangaroo Mother Care versus Conventional Care in Increasing

- the Rate of Weight Gain among Low-Birth-Weight Neonates. *Acta Medical Philippina*. 2021;55(9):873–9.
68. Handayani AF, Dewi YLR, Pamungkasari EP. The Effect of Kangaroo Mother Care on Increasing the Body Weight in Infants with Low Birth Weight: A Meta-Analysis. *Journal Maternal Child Health*. 2021;6(6):707–18.
69. Rasalan-Fermin RF, Imperial L, de Ocampo FS. Effect of Kangaroo Mother Care plus Touch Therapy versus Kangaroo Mother Care Alone on the Low-Birth-Weight Infant’s Growth and Physiologic Responses: Randomized Controlled Trial. *Acta Medical Philippina*. 2021;55(9):908–15.
70. Aldana Acosta AC, Tessier R, Charpak N, Tarabulsky G. Randomised controlled trial on the impact of kinesthetic stimulation on early somatic growth of preterm infants in Kangaroo position. *Acta Paediatric International Journal Paediatric*. 2019;108(7):1230–6.
71. Goykar P, Kadam N. Effectiveness of Early Physiotherapy Interventions for Weight Gain in Low Birth Weight Neonates. *Journal Ecophysiology Occupational Health*. 2020;20(1&2):95–9.

