

## DAFTAR PUSTAKA

- Aditama, Tjandra Yoga. 2012. *Rokok dan tuberkulosis Paru*. Jakarta: Bagian Pulmonologi dan Kedokteran Respirasi FKUI/RS Persahabatan.
- Alisjahbana B, Crevel R Van, Sahiratmadja E, Heijer M den, Maya A. et. al. 2006. Diabetes mellitus is strongly associated with tuberculosis in Indonesia. *INT J TUBERC LUNG DIS*. 10(6):696–700.
- Anwar R. 2005. *Meta Analisis*. Bandung: Fakultas Kedokteran Universitas Padjajaran.
- Ariyothai N, Podhipak A, Akarasewi P, Tornee S, Smithtikarn S, and Thongprathum P. 2004. Cigarette Smoking and Its Relation to Pulmonary tuberculosis in Adults. *SOUTHEAST ASIAN J TROP MED PUBLIC HEALTH*. Vol 35 No. 1 March 2004.
- Assunta, Mary. 2013. Institute of alcohol Studies (IAS): Impact of alcohol consumption on Asia. Available from: <http://www.ias.org.uk/What-we-do/Publication-archive/The-Globe/Issue-4-2001-amp-3-2001/Impact-of-alcohol-consumption-on-Asia.aspx> [Accessed 31 Mei 2016].
- Bates M N, Khalakdina A, Pai M, Chang L, Lessa F, and Smith K R. 2007. Risk of Tuberculosis From Exposure to Tobacco Smoke: A Systematic Review and Meta-analysis. *Arch Intern Med*. 2007;167:335-342.
- Brewer, Tomothy F. 2000. Preventing Tuberculosis with Bacillus Calmatte-Guerin Vaccine: A Meta-Analysis of the Literatur. *Clinical Infectious Diseases* 2000;31(Suppl 3):S64–7.
- Buu, Tran Ngoc, Houben Rein M G J, Quy H T, Lan N T N, Borgdorff M W, and Cobelens F G J. 2007. HIV and Tuberculosis in Hoi Chi Minh City, Vietnam, 1997 – 2002. *Emerging Infectious Diseases*-www.cdc.gov/eid-. Vol. 13, No. 10, October 2007.
- CDC, WHO, and Foundation, World Lung. 2015. *The GATS Atlas: Global Adult Tobacco Survey*. Available from: <http://www.who.int/tobacco/publications/surveillance/gatstlas/en/> [Accessed 19 Desember 2015].
- Centers for Disease Control and Prevention (CDC). 2012. *Basic TB Fact, Risk Factors*. Available: <http://www.cdc.gov/tb/topic/basics/risk.htm> [Accessed 5 November 2015].
- Centers for Disease Control and Prevention (CDC). 2013. *Latent Tuberculosis Infection: A Guide for Primary Health Care Providers*. Available:

[www.cdc.gov/tb/publications/lbti/.../targetedltbi.p](http://www.cdc.gov/tb/publications/lbti/.../targetedltbi.p). [Accessed 9 Desember 2015].

Centers for Disease Control and Prevention (CDC). 2014. *Protect Your Family and Friends from TB- The TB Contact Investigation*. Available: <http://www.cdc.gov/tb> [Accessed 19 Desember 2015].

Chen M, Deng J, Li W et al. 2015. Impact of tea drinking upon tuberculosis: a neglected issue. *BMC Public Health* 2015;15:515.

Croffon J, Horne N, Miller F. 2002. *Tuberkulosis Klinis*. Edisi 2 . Jakarta: EGC.

Dahlan M Sopiudin. 2012. *Seri 12 Pengantar Meta-Analisis*. Jakarta: PT Epidemiologi Indonesia.

Davies, P.D. O. 2005. Risk Factors for Tuberculosis. *Monaldi Arch Chest Dis*. 2005; 63: 1, 37-46.

EMB (Evidence-Based Medicine). 2006. *Evidence-Based Medicine (EMB) Resources, Dartmouth Biomedical Libraries*. Available from: [http://www.dartmouth.edu/~biomed/resources.html/guides/ebm\\_resources.shtml](http://www.dartmouth.edu/~biomed/resources.html/guides/ebm_resources.shtml). [Accessed 15 Desember 2015].

Feng J.Y, Huang S. F, Ting. W. Y, et al. 2012. Gender Differences in Treatment Outcomes of Tuberculosis Patients in Taiwan: a Prospective Observational Study. *Clin Microbiol Infect* 2012; 18: E331–E337. doi:10.1111/j.1469-0691.2012.03931.x. Available: <http://www.ncbi.nlm.nih.gov/pubmed/22734962> [Accessed 5 November 2015].

FHI. 2016. *Isoniazid Preventive Therapy (IPT) for the Prevention of Tuberculosis in People Living with HIV (e-course)*. Available from: <https://www.fhi360.org/resource/isoniazid-preventive-therapy-ipt-prevention-tuberculosis-people-living-hiv-e-course>. [Accessed 3 Juni 2016].

Fox G J, Barry S E, Britton W J, Marks G B. 2013. Contact investigation for tuberculosis: a systematic review and meta-analysis. *Eur Respir J* 2013; 41: 140–156 doi: 10.1183/09031936.00070812.

Green, Chris W. 2006. *Seri buku kecil: HIV & TB*. Jakarta: Yayasan Spiritia. Available from: [spiritia.or.id/dokumen/buku-hivtb.pdf](http://spiritia.or.id/dokumen/buku-hivtb.pdf) [Accessed 15 Desember 2015].

Hadriani P. 2015. 7 Program Penanggulangan Rokok di Indonesia. Available from: <http://m.tempo.co/read/news/2015/05/31/060670950/ada-7-program-penanggulangan-rokok-di-indonesia>. [Accessed 1 Juni 2016].

- Ho-Pham L T, Nguyen N D, Nguyen T T et al. 2010. Association between vitamin D insufficiency and tuberculosis in a vietnamese population. *BMC Infectious Diseases* 2010, 10:306.
- Hsu W-H, Kuo C-K, Wang S SW et al. 2014. Acid suppressive agents and risk of Mycobacterium Tuberculosis: case-control study. *BMC Gastroenterology* 2014, 14:91.
- Hung C-L, Chien J-Y, Ou C-Y. 2015. Associated Factors for Tuberculosis Recurrence in Taiwan: A Nationwide Nested Case-Control Study from 1998 to 2010. *PLoS ONE* 10(5): e0124822. doi:10.1371/journal.pone.0124822.
- Hussain H, Akhtar S, Nanan D. 2003. Prevalence of and risk factors associated with Mycobacterium tuberculosis infection in prisoners, North West Frontier Province, Pakistan. *International Journal of Epidemiology* 2003;32:794-799.
- International Diabetes Federation (IDF). 2014. *IDF Diabetes Atlas 6th Edition 2014 Update*. Available from: [http://www.idf.org/idf\\_publications](http://www.idf.org/idf_publications) [Accessed 5 November 2015].
- Jackson S, Sleight A C, Wang G-J, Liu X-L. 2006. Poverty and the economic effects of TB in rural China. *INT J TUBERC LUNG DIS* 10(10):1104-1110.
- Jeon CY, Murray BM. 2008. Diabetes mellitus increases the risk of active tuberculosis: A systematic review of 13 observational studies. *PLoS Med.*2008;5:e152.
- Jubulis J, Kinikar A, Ithape M et al. 2014. Modifiable risk factors associated with tuberculosis disease in children in Pune, India. *Int J Tuberc Lung Dis.* 2014 February;18(2):198-204. doi:10.5588/ijtld.13.0314.
- Kasjono, Subaris Heru dan Kristiawan, Heldhi B.2008. *Intisari Epidemiologi*. Yogyakarta: Mitra Cendikia Press.
- Katzung BG, Masters S B, Trevor A J. 2012. *Basic and Clinical Pharmacology*. 12th ed. USA: The McGraw-Hill Companies, Inc.
- Kementerian Kesehatan RI. 2011. *Pedoman Nasional Pengendalian Tuberkulosis*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan RI. 2011. *Promosi Kesehatan di Daerah Bermasalah Kesehatan Panduan bagi Petugas Kesehatan di Puskesmas*. Jakarta: Kementerian Kesehatan Republik Indonesia.



- Kementerian Kesehatan RI. 2012. *Pedoman Pencegahan dan Pengendalian Infeksi Tuberkulosis di Fasilitas Pelayanan Kesehatan*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan RI. 2014. *Pedoman Nasional Pengendalian Tuberkulosis*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan RI. 2015. *Profil Kesehatan Indonesia 2014*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan RI. 2016. Menkes: *Mari Sukseskan GERMAS dan Keluarga Sehat*. Available: <http://www.depkes.go.id/article/view/16040400003/menkes-mari-bersama-sukseskan-germas-dan-keluarga-sehat.html>. [Accessed 2 Juni 2016].
- Kirenga B J, Ssenooba W, Muwonge C, et.al. 2015. Tuberculosis risk factors among Tuberculosis patient in Kampala, Uganda: implication for tuberculosis control. *BMC Public Health* (2015) 15:13. DOI 10.1186/s12889-015-1376-3.
- Kolappan C, Gopi P G. 2002. Tobacco smoking and pulmonary tuberculosis. *Thorax* 2002;57:964–966.
- Kolappan C, Gopi P G, Subramani R, Narayanan P R. 2007. Selected biological and behavioural risk factors associated with pulmonary tuberculosis. *INT J TUBERC LUNG DIS* 11(9):999–1003.
- Kuo M-C, Lin S-H, Lin C-H, Mao I-C, Chang S-J, Hsieh M-C. 2013. Type 2 Diabetes : An Independent Risk Factor for Tuberculosis: A Nationwide Population-Based Study. *PLoS ONE* 8(11): e78924. doi:10.1371/journal.pone.0078924.
- Lai S-W, Wang I-K, Lin C-L, Chen H-J, Liao K-F. 2013. Splenectomy correlates with increased risk of pulmonary tuberculosis: a case–control study in Taiwan. *Clin Microbiol Infect* 2014; 20: 764–767.
- Lee P-H, Lin H-C, Huang A S-E, Wei S-H, Lai M-S, Lin H-H. 2014. Diabetes and Risk of Tuberculosis Relapse: Nationwide Nested Case-Control Study. *PLoS ONE* 9(3): e92623. doi:10.1371/journal.pone.0092623.
- Leung C C, Lam T H, Chan W M, Yew W W, Ho K S et al. 2008. Diabetic Control and Risk of Tuberculosis: A Cohort Study. *American Journal of Epidemiology* Vol. 167, No. 12 doi: 10.1093/aje/kwn075.
- Leung C C, Yew W W, Chan C K et al. 2003. Smoking and tuberculosis in Hong Kong. *INT J TUBERC LUNG DIS* 7(10):980–986.

- Lin H-H, Majid E, Murray M. 2007. Tobacco Smoke, Indoor Air Pollution and Tuberculosis: A Systematic Review and Meta-Analysis. *PLoS Med* 4(1): e20. doi:10.1371/journal.pmed.0040020.
- Ljubiaë S, Balachandran A, Pavliæ-Renar I, Barada A. 2004. Pulmonary infections in diabetes mellitus. *Diabetologia Croatica*. 2004;33 (4):115-24.
- Lönnroth K, Williams B G, Stadlin S, Jaramillo E, Dye C. 2008. Alcohol use as a risk factor for tuberculosis – a systematic review. *BMC Public Health* 2008, 8;289.
- Loönnroth, Knut, Williams B, Cegielski P, dan Dye C. 2009. A consistent Log-linear Relationship Between Tuberculosis Incidence and Body Mass Index. *International Journal of Epidemiology* 2010;39:149–155 [Accessed 9 Maret 2015].
- Mathur, Om Prakhas. 2013. *Urban Poverty in Asia, Study Prepared for the Asian Development Bank*. Metro Manila, Philippines: Asian Development Bank.
- Narasimhan P, Wood J, MacIntyre C R, Mathai D. Risk Factors for Tuberculosis: Review Article. Hindawi Publishing Corporation, *Pulmonary Medicine*. Vol. 2013: 11 pages. [Accessed 25 November 2015].
- Nhlema, B et al. 2003. A systematic analysis of TB and poverty: Executiv summary. WHO, Geneva, Switzerland (2003) 4 pp. Available: [http://r4d.dfid.gov.uk/PDF/Outputs/HTBLivexecutive\\_summary.pdf](http://r4d.dfid.gov.uk/PDF/Outputs/HTBLivexecutive_summary.pdf). [Accessed 39 Maret 2016].
- NWS-HEALTH. *The connection between TB and HIV*. Available: <http://www.health.nsw.gov.au/Infectious/tuberculosis/Documents/Languag e/indonesian-hiv-tb-connection.pdf>. [Accessed 19 Desember 2015].
- Ozturk A B, Kilicaslan Z, Issever H. 2014. Effect of Smoking and Indoor Air Pollution on the Risk of Tuberculosis: Smoking, Indoor Air Pollution and Tuberculosis. *Tuberk Toraks* 2014;62(1):1-6.
- Pakasi T A, Karyadi E, Dolmans W M V, Van der Meer J W M, Van der Velden K. 2009. Malnutrition and socio-demographic factors associated with pulmonary tuberculosis in Timor and Rote Islands, Indonesia. *INT J TUBERC LUNG DIS* 13(6):755–759.
- Patra J, Jha P, Rehm J, Suraweera W. 2014. Tobacco smoking, alcohol drinking, diabetes, low body mass index and risk of self-reported symptoms of active tuberculosis: Individual Participant Data (IPD) meta-analysis of 72,684 individuals in 14 high tuberculosis burden countries. *PLoS ONE* 9(5): e96433. doi:10.1371/journal.pone.0096433.

- Prakash UBS, King TE Jr. 2004. *Endocrine and metabolic disorders*. In: Crapo JD, Glassroth J, Karlinsky JB, editors. *Baum's textbook of pulmonary diseases*. 7th eds. Philadelphia: Lippincott Williams & Wilson.
- Phelamei, Salome. 2013. Tuberculosis: 70% of cases occur in age group of 15-54 years. Available: [http://zeenews.india.com/exclusive/tuberculosis-70-of-cases-occur-in-age-group-of-15-54-years\\_6186.html](http://zeenews.india.com/exclusive/tuberculosis-70-of-cases-occur-in-age-group-of-15-54-years_6186.html) [Accessed 19 Desember 2015].
- Ravallion M, Chen S, Sangraula P. *Dollar a Day Revisited World Bank Economic Review*. 2009;23(2):163–84. Available: <http://wber.oxfordjournals.org/content/early/2009/06/26/wber.lhp007.short>. [Accessed 11 Maret 2016].
- Rehm J, Samokhvalov A V, Neuman M G, et al. 2009. The association between alcohol use, alcohol use disorders and tuberculosis (TB). A sytematic review. *BMC Public Health* 2009, 9:450 doi:10.1186/1471-2458-9-450.
- Restrepo BI, Fisher-Hoch SP, Pino PA, Salinas A, Rahbar MH, Mora F, et al. 2008. Tuberculosis in poorly controlled type 2 diabetes: Altered cytokine expression in peripheral white blood cells. *Clin Infect Dis*. 2008; 47:634-41. [Accessed 10 Desember 2015].
- Roy A, Eisenhut M, Harris R J, et al. 2012. Effect of BCG vaccination against Mycobacterium tuberculosis infection in children: systematic review and meta-analysis. *BMJ* 2014;349:g4643 doi: 10.1136/bmj.g4643.
- Shetty N, Shemko M, Vaz M, D'Souza G. 2006. An epidemiological evaluation of risk factors for tuberculosis in South India: a matched case control study. *INT J TUBERC LUNG DIS* 10(1):80–86.
- Singh M, Mynak M L, Kumar L, Mathew J L, Jindal S K. 2005. Prevalence and risk factors for transmission of infection among children in household contact with adults having pulmonary tuberculosis. *Arch Dis Child* 2005;90:624–628. doi: 10.1136/adc.2003.044255.
- Soysal A, Millington K A, Bakir M, Dosanjh D, Aslan Y et al. 2005. Effect of BCG vaccination on risk of Mycobacterium tuberculosis infection in children with household tuberculosis contact: a prospective community-based study. *Lancet* 2005; 366: 1443–51.
- Stroup DF, Berlin JA, Morton SC, Olkin I, Williamson GD, Rennie D, et al. 2000. Meta-analysis of observational studies in epidemiology. *JAMA: the journal of the American Medical Association*. 2000;283(15):2008-12. [Accessed 10 November 2015].
- Tbalert.org. 2016. *TB and Poverty*. Available: <http://www.tbalert.org/about-tb/global-tb-challenges/tb-poverty/> [Accessed 11 Maret 2016].



- Thomas A, Gopi P G, Santha T et al. 2005. Predictors of relapse among pulmonary tuberculosis patients treated in a DOTS programme in South India. *INT J TUBERC LUNG DIS* 9(5):556–561.
- Tian P-W, Wang Y, Shen Y-C, Wan C C, Liao Z-L, Wen F-Q. 2014. Different risk factors of recurrent pulmonary tuberculosis between Tibetan and Han populations in Southwest China. *European Review for Medical and Pharmacological Sciences* 2014; 18: 1482-1486.
- Tipayamongkhogul M, Podhipak A, Chearskul S, Sunakorn P. 2005. Factors associated with the development of tuberculosis in BCG immunized children. *SOUTHEAST ASIAN J TROP MED PUBLIC HEALTH* Vol 36 No. 1 January 2005.
- UNAIDS. 2013. *HIV in Asia and Pacific: UNAIDS report 2013*. Bangkok, Thailand: Regional Support Team for Asia and the Pacific UNAIDS. Available: [http://www.unaids.org/sites/default/files/media\\_asset/2013\\_HIV-Asia-Pacific\\_en\\_0.pdf](http://www.unaids.org/sites/default/files/media_asset/2013_HIV-Asia-Pacific_en_0.pdf) [Accessed 2 Desember 2015].
- Wang J, Shen H. 2009. Review of cigarette smoking and tuberculosis in China: intervention is needed for smoking cessation among tuberculosis patients. *BMC Public Health* 2009, 9:292 doi:10.1186/1471-2458-9-292.
- Wang Q, Ma A, Han X, Zhao S, Chai J, Ma Y et al. 2013. Prevalence of Type 2 Diabetes among Newly Detected Pulmonary Tuberculosis Patients in China: A Community Based Cohort Study. *PLoS ONE* 8(12): e82660. doi:10.1371/journal.pone.0082660.
- Wingfield T, Schumacher S G, Sandhu G, Tovar M A, Zevallos K et.al The Seasonality of Tuberculosis, Sunlight, Vitamin D, and Household Crowding. *The Journal of Infectious Diseases*. 2014;210:774–83.
- WHO expert consultation. 2004. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *The Lancet* 2004; vol.363: 157–63.
- World-Bank. 2015. *Poverty:Overview*. Available: <http://www.worldbank.org/en/topic/poverty/overview> [Accessed 11 Maret 2016].
- World Health Organisation. *Overcrowding*. Available at [<http://cdrwww.who.int/ceh/indicators/overcrowding.pdf>]. [Accessed 11 Maret 2016].
- World Health Organization (WHO). 2011. *Non communicable disease report*. Geneva: World Health Organization. Available: [http://www.who.int/nmh/publications/ncd\\_report\\_chapter1.pdf](http://www.who.int/nmh/publications/ncd_report_chapter1.pdf) [Accessed 20 Desember 2015].
- World Health Organization (WHO). 2013. *Global Tuberculosis Report 2013*. Geneva: World Health Organization. Available: [http://www.who.int/tb/publications/global\\_report/archive/en/](http://www.who.int/tb/publications/global_report/archive/en/). [Accessed 3 November 2015].

- World Health Organization (WHO). 2014. Alcohol Consumption: Level and Patterns: Indonesia. Geneva: World Health Organization. Available: [http://www.who.int/substance\\_abuse/publications/global\\_alcohol\\_report/pofiles/idn.pdf](http://www.who.int/substance_abuse/publications/global_alcohol_report/pofiles/idn.pdf). [Accessed 31 Mei 2016].
- World Health Organization (WHO). 2014. *Defenitions and Reporting Framework for Tuberculosis*. Geneva: World Health Organization.
- World Health Organization (WHO). 2014. *Global Progress Report on Impletation of the WHO Framework Convention on Tobacco Control*. Geneva: World Health Organization.
- World Health Organization (WHO). 2014. *Global status report on alcohol and health 2014* Geneva: World Health Organization. Available: [http://www.who.int/substance\\_abuse/publications/global\\_alcohol\\_report/en/](http://www.who.int/substance_abuse/publications/global_alcohol_report/en/). [Accessed 31 Mei 2016].
- World Health Organization (WHO). 2014. *Global Tuberculosis Report 2014*. Geneva: World Health Organization. Available: [http://www.who.int/tb/publications/global\\_report/archive/en/](http://www.who.int/tb/publications/global_report/archive/en/). [Accessed 3 November 2015].
- World Health Organization (WHO). 2015. *Global Tuberculosis Report 2015*. Geneva: World Health Organization. Available: [http://www.who.int/tb/publications/global\\_report/en/](http://www.who.int/tb/publications/global_report/en/). [Accessed 3 November 2015].
- World Health Organization (WHO). 2015. *Tuberculosis Control in The South-East Asia Region, Annual TB Report 2015*. Geneva: World Health Organization. Available: [www.searo.who.int/tb/annual-tb-report-2015.pdf](http://www.searo.who.int/tb/annual-tb-report-2015.pdf) [Accessed 3 November 2015].
- World Health Organization (WHO). 2015. Fact File - 10 FACTS ABOUT TUBERCULOSIS. Available: [http://www.who.int/features/factfiles/tb\\_facts/en/](http://www.who.int/features/factfiles/tb_facts/en/) [Accessed 5 November 2015].
- World Health Organization (WHO). 2015. Factsheet No 104: Tuberculosis. Available: <http://www.who.int/mediacentre/factsheets/fs104/en/> [Accessed 5 November 2015].
- World Health Organization (WHO). 2016. *A healthy lifestyle*. Available: <http://www.euro.who.int/en/health-topics/disease-prevention/nutrition/a-healthy-lifestyle>. [Accessed 2 Juni 2016].
- World Health Organization (WHO). 2016. *BMI Classification*. Available: [http://apps.who.int/bmi/index.jsp?introPage=intro\\_3.html](http://apps.who.int/bmi/index.jsp?introPage=intro_3.html) [Accessed 11 Maret 2016].
- World Health Organization (WHO). 2016. Poverty. Available: <http://www.who.int/topics/poverty/en/> [Accessed 11 Maret 2016].



World-Poverty. 2015. *Poverty in Asia, Caste and Progress*. Available: <http://world-poverty.org/povertyinasia.htm> [Accessed 5 Desember 2015].

Yang Z, Kong Y, Wilson F, et al. 2004. Identification of Risk Factors for Extrapulmonary Tuberculosis. *Pubmed, Clin Infect Dis*. 2004 Jan 15;38(2):199-205. Epub 2003 Dec 19. Available: <http://www.ncbi.nlm.nih.gov/pubmed/-14699451> [Accessed 15 Desember 2015].

Zohar M, Moshe L, Daniel C, Noa C, Itamar G. 2014. HIV prevalence in the Israeli tuberculosis cohort, 1999-2011. *BMC Public Health* 2014, 14:1090.

Zodpey S P, Shirkhande S N, Kulkarni S W, Maldhure B R. 2007. Scar Size and Effectiveness of Bacillus Calmette Guerin (BCG) Vaccination in the Prevention of Tuberculosis and Leprosy: A Case-Control Study. *Indian Journal of Public Health* Vol.51 No.3 July-September, 2007.

