

DAFTAR PUSTAKA

- Agerbo, E., Nordentoft, M., & Mortensen, P.B. (2002). Familial, psychiatric, and socioeconomic risk factors for suicide in young people: Nested case-control study. *British Medical Journal*
- Altangerl, U, Liou, J. C, Pi-Ming Ye. (2014). Prevalence and Predictors of Suicidal Behavior Among Mongolian High School Students. *Community Ment Health J* .50:362-372 DOI 10.1007/s10597-013-9657-8
- Antony, M. M., Bieling, P. J., Cox, B. J., Enns, M. W., & Swinson, R. P. (1998). Psychometric properties of the 42-item and 21-item versions of the Depression anxiety stress scales in clinical groups and a community sample. *Psychological Assessment*, 10, 176-181
- Bagalkot, T.R., Park, J., Kim, H.T, Kim, H.M, Kim, S.M., Yoon, M.S., Hee Ko, S., Cho, H.C, and Chung, Y.C. (2014). Lifetime prevalence of and Risk Factors for Suicidal ideation and Suicide attempts in a Korean community Sample. *Psychiatry* 77
- Billiocta, Y, Sani, A, Jaya, G.D.(2015). Tragis, siswa-siswi ini bunuh diri karena masalah percintaan. Website: <http://www.merdeka.com/peristiwa/tragis-siswa-siswi-ini-bunuh-diri-karena-masalah-percintaan.html>
- Bertera, M. E, (2007). The Role of Positive and Negative Social Exchanges Between Adolescents, their Peers and Family as Predictors of Suicide Ideation. *Child Adolesc Soc Work J* 24:523-538 DOI 10.1007/s10560-007-0104-y
- Biddle, L., Gunnell, D., Sharp, D., & Donovan, J. (2004). Factors influencing help seeking in mentally distressed young adults: A cross-sectional survey. *British Journal of General Practice*
- Bridge, A.J, Goldstein, R.T, David, A.D. (2006). Adolescent suicide and suicidal behavior. *Journal of Child Psychology and Psychiatry* 47:3/4 doi:10.1111/j.1469-7610.2006.01615.x
- Caskey .(2007). Adolescent Adjustment to the Middle School Transition: The Intersection of Divorce and Gender in Review. *Nasional Middle Scholl Association*
- Centre For Disease Control and Prevention. (2016). Suicide. Website : www.cdc.gov/ViolencePrevention/suicide/index.html
- Cheng, C. C. J., Yen, W. J., Chang, W.T., Wu, K. K. C., Ko, M.C., Li, C.Y. (2014). Risk of adolescent offspring's completed suicide increases with prior history of their same-sex parents' death by suicide. *Psychological Medicine* 44, 1845-1854. Cambridge University Press 2013 doi:10.1017/S0033291713002298

- Chung, S, S& JoungH,K. (2012). Risk Factors Related to Suicidal Ideation and Attempted Suicide: Comparative Study of Korean and American Youth. *The Journal of School Nursing*
- Cho, Y., Haslam, N. (2010). Suicidal Ideation and Distress Among Immigrant Adolescents: The Role of Acculturation, Life Stress, and Social Support. *J Youth Adolescence* 39:370–379 DOI 10.1007/s10964-009-9415-y
- Christiansen, E, Goldney, R.,D,Beautrai, L., Agerbo, E. (2010). Youth suicide attempts and the dose-response relationship to parental risk factor: a population based study. *Psychological Medicine*. DOI: <http://dx.doi.org/10.1017/S0033291710000747>
- David C. R. Kerr, Lesli J. Preuss, and Cheryl A. King. (2006). Suicidal Adolescents' Social Support from Family and Peers: Gender-Specific Associations with Psychopathology. *Journal of Abnormal Child Psychology* DOI: 10.1007/s10802-005-9005-8
- Dharma, K. K. (2011). *Metodologi penelitian keperawatan : Panduan Melaksanakan dan Menerapkan Hasil Penelitian*. Jakarta : TIM
- De Leo, D., Cerin, E., Spathonis, K., & Burgis, S. (2005). Lifetime risk of suicide ideation and attempts in an Australian community: Prevalence, suicidal process, and help-seeking behaviour. *Journal of Affective Disorder*, 86(2–3), 215–224.
- Dewi, L.A.K & Hamidah. (2013). Hubungan antara Kesepian dengan Ide Bunuh Diri pada Remaja dengan Orangtua yang Bercerai. *Jurnal Psikologi Klinis dan Kesehatan Mental*
- Farhangdoost, Y. (2010). Determining Risk Factors and Demographic Patterns of Suicide in Tehran. *Polish Psychological Bulletin*, vol 41 (2), 52-57 DOI - 10.2478/v10059-010-0007-1
- Filippis, D.S, Erbuto, D. Gentili, F, Innamorati, M, Lester, D, Tatarelli, R, Martelletti P, Pompili, M. (2008). Mental turmoil, suicide risk, illness perception, and temperament, and their impact on quality of life in chronic daily headache. *J Headache Pain* 9:349–357 DOI 10.1007/s10194-008-0072-4
- Forintos, D. P, Sallai, J, Rózsa, S. (2010). Adaptation of the Beck Hopelessness Scale in Hungary. *Psychological Topics*
- Fortinash, & Worret, H. (2012). *Psychiatric Mental Health Nursing*. St. Louis : Elsevier
- Gomez, J, Miranda, G , Polanco, L. (2011). Acculturative Stress, Perceived Discrimination, and Vulnerability to Suicide Attempts Among Emerging Adults. *J Youth Adolescence* 40:1465–1476 DOI 10.1007/s10964-011-9688-9

- Gomez, F (n.d.) A Guide to the Depression, Anxiety and Stress Scale. Consultant Clinical Psychologist. Website: https://www.cesphn.org.au/images/mental_health/Frequently_Used/Outcome_Tools/Dass21.pdf
- Grunbaum, J.A., Kann, L., Kinchen, S., Ross, J., Hawkins, J., Lowry, R., et al. (2004). Youth risk behavior surveillance – United States, 2003. MMWR Surveillance Summaries: Morbidity and Mortality Weekly Report Surveillance Summaries/CDC
- Guzmdn, R.M.A., V. Nelly Salgado de Snyder; Romero, M. and Mora, M.E.M. (2004). Paternal Absence And International Migration: Stressors And Compensators Associated With ! e *Mental Health Of Mexican Teenagers Of Rural Origin. Adolescence*, 39 (156)
- Hastono, S, P. (2007). *Analisis Data Kesehatan*. Jakarta: Fakultas Kesehatan Masyarakat Universitas Indonesia
- Hawari, D. (2013). *Manajemen stres, cemas dan depresi*. Jakarta: Fakultas Kedokteran Universitas Indonesia
- Henry, D. J., R. Crawford. (2005). The short-form version of the Depression Anxiety Stress Scales (DASS-21): Construct validity and normative data in a large non-clinical sample. *British Journal of Clinical Psychology*. DOI:10.1348/014466505X29657
- Hogan, M., Przybylowicz, A.,T., Vacek, J. (2013). *Mental Health Nursing Reviews & Rationales Third Edition*. USA: Pearson Education
- Huang, Z.J., Wong, F.Y., Ronzio, C.R. and Yu, S.M. (2007). Depressive Symptomatology and Mental Health Help-Seeking Patterns of U.S.- and Foreign-Born Mothers. *Matern Child Health J*, 11: 257–267
- Huen, IP, Ho & Yip,. (2015). Hope and Hopelessness. The Role of Buffering the Impact of Hopelessness on suicidal Ideation. *Plos One*, 10(6)
- Ibrahim, N, Amit, N, Suen,W.Y.M (2014). Psychological Factors as Predictors of Suicidal Ideation among Adolescents in Malaysia. *PLoS ONE* 9(10): e110670. doi:10.1371/journal.pone.0110670
- Indarjo, S. (2009). Kesehatan Jiwa Remaja. *Jurnal Kesehatan Masyarakat* <http://journal.unnes.ac.id/index.php/kema>
- Jacobson, M. C, Marrocco, F, Kleinman, M, Gould, S. M,. (2011). Restrictive Emotionality, Depressive Symptoms, and Suicidal Thoughts and Behaviors Among High School Students. *J Youth Adolescence* 40:656–665 DOI 10.1007/s10964-010-9573-y

- Jonas JB, Nangia V, Rietschel M, Paul T, Behere P, et al. (2014) Prevalence of Depression, Suicidal Ideation, Alcohol Intake and Nicotine Consumption in Rural Central India. The Central India Eye and Medical Study. *PLoS ONE* 9(11): e113550. doi:10.1371/journal.pone.0113550
- Kaplan, I. H., Sadock, B. J., Grebb, J. A. (2010). *Sinopsis Psikiatri Ilmu Pengetahuan Perilaku Psikiatri Klinis*. Tangerang: Binarupa Aksara
- Keliat, et.al. (2010). *Keperawatan Kesehatan Jiwa Komunitas (CMHN) Basic Course*. Jakarta: EGC
- Kessler, R. C., Berglund, P., Borges, G., Nock, M., & Wang, P. S. (2005). Trends in suicide ideation, plans, gestures, and attempts in the United States, 1990–1992 to 2001–2003. *Journal of the American Medical Association*, 293(20), 2487–2495. Website : <http://jama.jamanetwork.com/article.aspx?articleid=200954&resultclick=1>
- Kovacs, M, Weissman, A. (2016). Assessment of suicidal ideation: The Scale for Suicide Ideation. *Journal of consulting and clinical psychology*. DOI: 10.1037/0022-006X.47.2.343 · Source: PubMed
- Liu, R, T., & Mustanski, B. (2012). Suicidal Ideation and Self-Harm in Lesbian, Gay, Bisexual, and Transgender Youth. *American Journal of Preventive Medicine*
- Low, N.L.P, Dugas,E., O’Loughlin, E. Roudrigues, D., Contreras,G., Calton, M. (2012). Common Stressfull Live Events and Difficulty are Associated with Mental Health Symptoms and Substance Uce in Young Adolescent. *BMC Psyciatric*
- Machfoedz. (2009). *Metodologi Penelitian (Bidang Kesehatan, Keperawatan, Kebidanandan Kedokteran*. Yogyakarta: Fitramaya
- Malik S, Kanwar A, Sim LA, Prokop LJ, Wang Z, et al. (2014) The association between sleep disturbances and suicidal behaviors in patients with psychiatric diagnoses: a systematic review and meta-analysis. *Syst Rev* 3: 18. *Systematic reviem journal*. doi: 10.1186/2046-4053-3-18
- Maniam, T., Marhani, M., Firdaus, M., Kadir, A.B., Mazni, M. J., A. Azizul, A., Salina, A., Fadzillah, A., R, Nurashikin, I Ang, K.T., Jasvindar, K, Noor, A. (2014). Risk factors for suicidal ideation, plans and attempts in Malaysia — Results of an epidemiological survey. *Comprehensive Psychiatry* 5. <http://dx.doi.org/10.1016/j.comppsy.2013.08.004>
- Maramis, W.F. (2004). *Ilmu Kedokteran Jiwa*. Surabaya: Airlangga University Press
- Meyer, H. I., Dietrich, J, Schwartz,S. (2008). Lifetime Prevalence of Mental Disorders and Suicide Attempts in Diverse Lesbian, Gay, and Bisexual Population. *American Journal of Public Health* , Vol 98, No. 6

- Muhith, A. (2015). *Pendidikan Keperawatan Jiwa (Teori dan Aplikasi)*. Yogyakarta: Penerbit Andi
- Nasution, K. I. (2007). Perilaku Merokok pada Remaja. *USU Repository*
- Nasional Geographic Indonesia. (2015). Bunuh diri diusia produktif. Website: <http://nationalgeographic.co.id/berita/2015/09/bunuh-diri-di-usia-produktif>
- Niederkrötenhaler, T., Rasmussen, F., Rutz, M.E. (2012). Perinatal conditions and parental age at birth as risk markers for subsequent suicide attempt and suicide: a population based case-control study. *Eur J Epidemiol* 27:729–738 DOI 10.1007/s10654-012-9724-4
- Notoatmodjo, S. (2010). *Metodologi Penelitian Kesehatan*. Jakarta : PT.Rineka Cipta
- O'Donnell, S, Meyer, H. I, and Schwartz, S. (2011). Increased Risk of Suicide Attempts Among Black and Latino Lesbians, Gay Men, and Bisexuals. *American Journal of Public Health* Vol 101, No. 6
- Osman, A., Bagge, C.L., Gutterez, P.M, Konick, L.C, Kooper, B. A, Barrios, F.X. (2001). The Suicidal Behaviour Questionnaire-Revised (SBQ-R): Validation with clinical and nonclinical sample, *Assesment* (5) 443-454
- Page, R. M., Yanagishita, J., Suwanteerangkul, J., Zarco, E. P., Mei-Lee, C., & Miao, N. F. (2006). Hopelessness and loneliness among suicide attempters in school-based samples of Taiwanese, Philippine and Thai adolescents. *School Psychology International*, 27(5), 583-598
- Patel, S.C & Jakopac, K. A. (2012). *Manual of Psychiatric Nursing Skills*. USA: Jones & Barlet Learning
- Perlis R, et al. (2010) Genome-wide association study of suicide attempters admitted to the emergency department. *Am J Psychiatry*
- Pisani, A.R., Cone K.S., Gunzler, D., Petrova, M., Goldston, D. B., Tu, X., Wyman, P. A. (2012). Associations Between Suicidal High School Students' Help-Seeking and Their Attitudes and Perceptions of Social Environment. *J Youth Adolescence* 41:1312–1324 DOI 10.1007/s10964-012-9766-7
- Pompili, M, Cosimo, D, C, Innamorati, M, Lester, Tatarelli, R, Martelletti. (2009). Psychiatric comorbidity in patients with chronic daily headache and migraine: a selective overview including personality traits and suicide risk. *P J Headache Pain* 10:283–290 DOI 10.1007/s10194-009-0134-2
- Polit, D. F., & Beck, C.T. (2010) *Nursing research: Generating and assesing evidence for nursing practice. 9th ed.* Philadelphia: Lippincott Williams & Wilkins

- Reynolds, W. M., Mazza, J.J (1999). Assesment of suicidal ideation in inner-sity shildrenand young adolescent: reliabilityand validityof the suicidal ideation questionnaire-JR. *School Psychology Review*,28,17-30. Didapatkan kembali dari <http://search.proquest.com/>
- Reinherz, H. Z., Tanner, J. L., Berger, R. S., Beardsle, W.R.(2006). Adolescent Suicidal Ideation as Predictive of Psychopathology, Suicidal Behavior, and Compromised Functioning at Age 30. *Am Journal Psychiatric*.
- Mallo, H.& Ronda, D.(2006). Analisis Faktor Penyebab UtamaKecendrungan Bunuh Diri Kalangan Remaja yang Berusia 15-17 tahun di Makassar.
- Ribeiro, D. J., Franklin, C.,J., Fox, K., R., Bentley, K., H., Kleiman,M., E., Chann, B.,P., Nock, K., M.(2015). Self-injurious thoughts and behaviors as risk factors for future suicide ideation, attempts, and death: a meta-analysis of longitudinal studies.*Psychological Medicine*. DOI: <http://dx.doi.org/10.1017/S0033291715001804>
- Sastroasmoro, S (2011). *Dasar-Dasar MetodologiKlinis. Edisi 4*. Jakarta: Sagung Seto
- Scanlan, F.,Purcell, R., (2009). *MythBuster:Suicidal Ideation*. National Youth Mental Health Foundation. Orygen Youth Health Research Centre. info@headspace.org.au
- Scott, N.L, Pilkonis,A.P, Hipwell, E.a, Keenan, K, Stepp, D. S. (2015). Non-suicidal self-injury and suicidal ideation as predictors of suicide attempts in adolescent girls: A multi-wave prospective study *Comprehensive Psychiatry* 58 1 –10
- Shahar, G., Bareket, L., Rudd, D.M. (2006). In severely suicidal young adults, hopelessness, depressive symptoms, and suicidal ideation constitute a single syndrome. *Psychological J A J A Medicine*, 36, 913–922. doi:10.1017/S0033291706007586
- Stone, D.M, Luo, F., Ouyang, L., Lippy, C., Hertz, M.F.,Crosby, A.E. (2014). Sexual Orientation and Suicide Ideation, Plans, Attempts, and Medically Serious Attempts: Evidence From Local Youth Risk Behavior Surveys, 2001–2009. *American Journal of Public Health Vol.104 No.2*
- Stone, Deborah M.; Luo, Feijun; Lippy, Caroline; and McIntosh, Wendy LiKamWa. (2015). The Role of Social Connectedness and Sexual Orientation in the Prevention of Youth Suicide Ideation and Attempts Among Sexually Active Adolescents. *Public Health Resourc*
- Stuart, W. G. (2013). *Prinsip dan Praktik Keperawatan Kesehatan Jiwa Stuart Vol 1&2*. Singapore : Elsevier

- Stuart, W. G. (2007). *Buku saku Keperawatn Jiwa edisi 5*. Jakarta: EGC
- Sugiyono. (2011). *Metodologi penelitian kuantitatif, kualitatifdan r&d*. Bandung : Alfabeta
- Tim Penulis Poltekkes Depkes Jakarta I. (2012). *Kesehatan Remaja Problem dan Solusinya*. Jakarta : Salemba Medika
- Townsend, M.C. (2011). *Essentials of Psychiatric Mental Haelth Nursing*. Philadelphia : Davis Company
- Videbeck, L. S. (2008). *Buku Ajar Keperawatan Jiwa*. Jakarta : EGC
- Wade, C & Tavis, C. (2007). *Psikologi*. Surabaya : Erlangga
- Wilcox, H.C, Kuramoto, S. J, Lichtenstein, P., Långström, N., Brent, M.D., Bo Runeson (2010) Psychiatric Morbidity, Violent Crime, and Suicide Among Children and Adolescents Exposed to Parental Death. *Journal of the american academy of child & adolescent psychiatry*
- Wong, D.L (2006) *Buku Ajar Keperawatan Anak*. Jakarta : EGC
- WHO. (2015). Mental Health. Quality of suicide mortality data Website : http://www.who.int/mental_health/prevention/suicide/wspd/en/
- Yasril, Kasjono, H.S. (2009). *Analisis Multivariat untuk peneliti kesehatan*. Yogyakarta: Mitra Cendikia
- Zhang, J., Zhou, L. (2011). Suicidal Ideation, Plans, and Attempts Among Rural Young Chinese: The Effect of Suicide Death by a Family Member or Friend. *Community Ment Health J* 47:506–512
DOI 10.1007/s10597-010-9332-2
- Zhang XY, Wang HP, Xia Y, Liu XH, Jung EJ (2011) Stress, coping and suicide ideation in Chinese college students. *J Adolesc* 35: 1–8
- Zhang W-C, Jia C-X, Zhang J-Y, Wang L-L, Liu X-C (2015) Negative Life Events and Attempted Suicide in Rural China. *PLoS ONE* 10(1): e0116634. doi:10.1371/journal.pone.0116634
- Zhao Y, Montoro R, Igartua K, Thombs BD. (2010). Suicidal ideation and attempt among adolescents reporting “unsure” sexual identity or heterosexual identity plus samegender attraction or behavior: forgotten groups? *J Am Acad Child Adolesc Psychiatry*
- Zimet, G.D., Powell, S.S., Farley, G.K., Werkman, S. & Berkoff, K.A. (2016). Psychometric characteristics of the Multidimensional Scale of Perceived Social Support. *Journal of Personality Assessment*, 55, 610-17