

DAFTAR PUSTAKA

1. _____. 2013. *Laporan Kasus Preeklampsia dari Tahun 2010-2013*. Padang: Medical Record RS. Dr. M. Djamil.
2. Carty DM, Delles C, Dominick et al. 2008. *Biomarkers for Predicting Preeclampsia*. Trends Cardiovasc Med, 18:5-24
3. Cuckle H, Sehmi I, Jones R. 1998. *Maternal Serum Inhibin A Can Predict Preeclampsia*. BJOG, 105(10):1101-1103
4. Cunningham, Gant, Leveno, Gilstrap, Hauth, & Wenstrom. 2014. *Williams Obstetrics 24th Edition*. Jakarta: EGC.
5. Dahlan, S. 2006. *Besar Sampel dalam Penelitian Kedokteran Kesehatan Edisi 2*. Jakarta: Arkans.
6. Emma J, Simon C, Stephen A, Catherine H, Nigel P, Cameron W. 2003. *Maternal Serum Inhibin, Activin, Human Chorionic Gonadotropin and α -fetoprotein as Second Trimester Predictor of Preeclampsia*. BJOG, 110:46-52
7. Hernandez-Diaz, S., Toh, S., & Cnattingius, S. (2009). *Risk of preeclampsia in first and subsequent pregnancies: prospective cohort study*. BMJ, 338:b2255.
8. Hjartardottir, S., Leifsson, B., Geirsson, R., & al., e. (2006). *Recurrence of hypertensive disorder in second pregnancy*. Am J Obstet Gynecol. 194:916–920.
9. Hnat, M., Sibai, B. M., Caritis, S., Hauth, J., Lindheimer, M. D., MacPherson, C., et al. (2002). *Perinatal outcome in women with recurrent preeclampsia compared with women who develop preeclampsia as nulliparas*. AJOG, 422–426
10. Hunkapiller, NM and Fisher, SJ. 2008. Chapter 12. *Placental Remodelling of The Uterine Vasculature*. Methods Enzymol. 445, 281-302

11. James JL, Stone PR, Chamley LW. 2006. *The Regulation of Trophoblast Differentiation by Oxygen in The First Trimester of Pregnanc.* Hum Reprod Update, 12:137-144
12. Jones R, Salamonsen L, Findlay J. 2002. *Potential Roles for Endometrial Inhibin, Activin and Follistatin during Human Embryo Implantation and Early Pregnancy Trends in Embriology and Metabolisme.* Elsevier Science Ltd
13. Jones R, Stoikos C, Findlay J, Salamonsen L. 2006. *TGF- β Superfamily Expression and Action in The Endometrium and Placenta.* Reproduction, 132(2):217-32
14. Karumanchi SA, Stillman IE, Lindheimer MD. 2009. *Angiogenesis and Preeclampsia.* Semin Nephrol, 31(1): 33-46
15. Kaufmann et al. 2003. *Endovascular Trophoblast Invasion: Implication for The Phatogenesis of Intrauterine Growth Retardation and Preeclampsia.* Biol. Reprod, 69. 1-7
16. Kemenkes. 2014. *Profil Kesehatan Tahun 2013.* Sekretariat Jendral Kemenkes RI. Jakarta: ISBN 978-602-235-645-5
17. Kim S, Ryu h, Yang J, Kim M, shin J. 2006 *Amniotic Fluid and Maternal Serum Inhibin A Level in Woman With Subsequently Serve Preeclampsia.* Korean Med Sci, 21(3):452-6
18. Kristen D and Harrington D. 2005. *Risk Factors for Preeclampsia at Antenatal Booking.* BMJ, 330(7491):565
19. Makkonen, N., Heinonen, S., & Kirkinen, P. (2000). *Obstetric prognosis in second pregnancy after preeclampsia in first pregnancy.* Hypertens Pregnancy , 19:173-81.
20. Manjula K. Gupta, Suynn Chia. 2015. *Ovarian Hormones: Structure, Biosynthesis, Function, Mechanism of Action, and Laboratory Diagnosis.* Clinicalgate
21. Manuaba, Ida Bagus Gde. 2007. *Pengantar Kuliah Obstetri.* Jakarta:EGC
22. Maynard SE et al. 2003. *Excess Placental Soluble fms-like Tyrosine Kinase-1 sFlt-1 May Contribute to Endotelial Dysfunction, Hypertension and Proteinuria in Preeclampsia.* J Clin Invest, 111:649-58

23. McDonald, S., Best, C., & Lam, K. (2009). *The Recurrence Risk Of Severe De Novo Pre Eclampsia In Singleton Pregnancies : A Population-Based Cohort* . BJOG, 116:1578-1584
24. Muttukhrisna S. 2008. *Role of Inhibin in Normal and High Risk Pregnancy*. Semin Reprod Med, 22:227-34
25. Muttukhrisna S, Knight P, Groome N, redman C, Ledger W. 2007. *Activin A and Inhibin A as Possible Endocrine Marker for Preeclampsia*. Lancet, 249:1285-8
26. Ness, R., & Roberts, J. (2009). *Epidemiology of Pregnancy-Related Hypertension*. In: Lindheimer MD, Roberts JM, Cunningham FG, eds. *Chesley's Hypertensive Disorders in Pregnancy*. 3rd ed. . San Diego, : CA: Elsevier (Academic Press);.
27. Palwattananupant K, Phupong V. 2008. *Serum Inhibin A level in Preeclampsia and Normotensive Pregnancy*. Hypertens Pregnancy, 27(4):337-43
28. Petraglia F. 1997. *Inhibin, Activin and Follistatin in The Human Placenta- a New Familly of Regulatory Proteins*. Placenta, 18(1):3-8
29. Pijnenborg R, Vercruysse I, Hanssens M. 2006. *The Uterine Spiral Arteries in Human Pregnancy: Facts and Cintroversies*. Plasenta, 27:939-58
30. Phupong V, Paiwattananupant K, Honsawek S. 2008. *Inhibin A Levels and Severity of Preeclampsia*. Arch Gynecol Obstet, 280:183-6
31. Punyatota B, Chhabra P, Sharma AK, Guleria K. 2013. *Determination of Risk Factor for Preeclampsia and Eclampsia in a Tertiary Hospital of India*. Journal of Family Medicine and Primary Care, 2(4):371-375
32. Ramesh K, Sangeetha Gandhi, Vishwas Rao. 2014. *Socio-Demographic and Other Risk Factors of Pre Eclampsia at a Tertiary Care Hospital*. Journal of Clinical & Diagnostic Research 8(9): JC01–JC04

33. Raty R, Koskinen P, Alanen A, Irjala K, Matinlauri I, Ekblad U. 1999. *Prediction of Preeclampsia with Maternal mid-Trimester Total Inhibin A, Renin, SFP and Free β -hCG Levels*. Prenat Diagn, 19(2):122-7
34. Reddy A, Suri S, Sargent IL, Redman CW, Muttukrisna S. 2009. *Maternal Circulating Levels of Inhibin A, Activin A, sFlt-1 and Endoglin at Parturition in normal Pregnancy and Preeclampsia*. PLOS One, 4(2):e4453
35. Redman CW, Sargent IL. 2005. *Latest Advances in Understanding Preeclampsia*. Science, 308:1592-1594
36. Reslan and Khalil. 2010. *Molecular and Vascular Targets in The Pathogenesis and Management of The Hypertension Associated with Preeclampsia*. Cardiovasc Hematol Agents Med Chem. NIH Public Access. Author manuscript, 8(4):204-226
37. Roberts JM and Hubel CA. 2009. *The Two Stage model of Preeclampsia: Variations on The Theme*. Placenta: 30 Suppl. A, S32-S37
38. Rohra DK, Qidwai N. 2005. *Biochemical Screening for The Prediction of Preeclampsia*. J Pak Med Assoc, 55(2):79-82
39. Roeshadi. (2006). *Upaya Menurunkan Angka Kesakitan dan Angka Kematian Ibu pada Penderita Preeklampsia dan Eklampsia*. Universitas Sumatera Utara Medan.: Pidato pengukuhan jabatan guru besar tetap fakultas kedokteran.
40. Saifuddin. 2014. *Ilmu Kebidanan*. PT. Bina Pustaka Sarwono Prawirohardjo, Jakarta
41. Salomon L, Benattar C, Audibert F, Fernandez H, M MD, Taich. 2003. *Severe Preeclampsia is Associated with High Inhibin A Levels and Normal Leptin Levels at 7 to 13 Weeks Into Pregnancy*. Am J Obstet Gynecol. 189:1517-22
42. Sartori MT, Serena A, Saggiorato G, Cample S, Faggian G. 2009. *Variations in Fibrinolytic Parameters and Inhibin A in Pregnancy: Related Hypertensive Disorders*. Journal of Thrombosis and Haemostasis, 6:352-358

43. Silva LM, Collman M, Steegers EA, Jaddoe VW, Moll HA, Hofman A, Mackenbach JP, Raat H. 2008. *Low Sosioeconomic Status is a Risk for Preeclampsia*. J Hypertens, 26(6):1200-8
44. Vaisbuch E, Whutty JE, Hassan SS, Roberto R, Kusanovic JP, Cotton DB, Sorokin Y, Karumanchi A. 2011. *Circulating Angiogenic and Antiangiogenic Factor in Pregnant Women with Preeclampsia*. Am J Obstet Gynecol, 204(2)
45. Wang A, Rana S, Karumachi SA. 2009. *Preeclampsia: The Role of Angiogenic Factor in Its Pathogenesis*. Physiology, 24:147-158
46. Yamaguchi M, Mizunuma H, Miyamoto Y, Ibuki Y, Igarashi M. 2009. *Immunoreactive Inhibin Concentrations In Adult Men: Presence Of A Circadian Rhythm*. [J Clin Endocrinol Metab](#). 72(3):554-9.
47. Yousefi Z, Zafarnezhad F, Nasrollahi S, Esmaelli H. 2006. *Assesment of Collaboration between Unprotected Coitus and Preeclampsia*. Medical sciences 11
48. Zeeman G, Alexander J, McIntire D, Byrd W, Leveno K. 2002. *Inhibin A Levels and Severity of Hypertensive Disorders Due To Pregnancy*. Obstet Gynecol, 100(1):140-4

