

DAFTAR PUSTAKA

- [1] Wulf M, Wehling A, Reis O: Coatings with Self-Cleaning Properties. *Macromol. Symp.* 2002, 187:459-467.
- [2] Feng X, Zhai J, Jiang L: The fabrication and switchable superhydrophobicity of TiO₂ nanorods film. *Chem., Int Ed.*, 2005, 44:5115.
- [3] Mohamed M. A., Jaafar J, Salleh W. N. W., Ismail A. F: Structural Characterization of N-doped Anatase–Rutile Mixed Phase TiO Nanorods Assembled Microspheres Synthesized by Simple Sol–gel Method". *J Sol-Gel Sci Technol* 2015, 74:513-520.
- [4] Klosek S, Raftery D: Visible light driven V-doped TiO₂ photocatalyst and its photooxidation of ethanol. *J. Phys. Chem. B.* 2002, 105:2815-2819.
- [5] Anpo M, Takeuchi M, Catal J: The design and development of highly reactive titanium oxide photocatalysts operating under visible light irradiation. *Journal of Catalysis* 2003, 216:505-516.
- [6] Ghosh A. K., Maruska H. P: Photoelectrolysis of water in sunlight with sensitized semiconductor electrodes. *J. Electrochem. Soc.* 1997, 124:1516-1522.
- [7] Choi W. Y., Termin A, Hoffmann M. R: Role of metal-ion dopants in quantum-sized TiO₂—corellation between photoreactivity and charge-carrier recombination dynamics. *J. Phys. Chem.* 1994, 98:13669-13679.
- [8] Asahi R, Morikawa T, Ohwaki T, Aoki K, Taga Y: Visible-light photocatalysis in nitrogen-doped titanium oxides. *Science* 2001, 293:269-271.
- [9] Xu Q.C., Wellia D.V., Amal R, Liao D.W., Loo SJC, Tan TTY: Superhydrophilicity-assisted preparation of transparent and visible light activated N-doped titania film. *Nanoscale* 2010, 2:1122-1127.
- [10] Khan S. U. M., Al-shahry M, Ingler Jr W. B: Efficient photochemical water splitting by a chemically modified n-TiO₂. *Science* 2002, 297:2243-2245.
- [11] Umebayashi T, Yamaki T, Itoh H, Asai K: Band gap narrowing of titanium dioxide by sulfur doping. *Appl. Phys. Lett.* 2002, 81:454-456.
- [12] Guillot J, Fabreguette F, Imhoff L, Heintz O, Marco de Lucas M. C., Sacilotti M, Domenichini B, Bourgeois S: Amorphous TiO₂ in LP-OMCVD TiN_xO_y thin films revealed by XPS. *Appl. Surf. Sci.* 2001, 177, 268.

- [13] Mwabora J.M., Lindgren T, Lu J, Garanqvist C. G, Lindquist S.-E:Structure, composition, and morphology of photoelectrochemically active $TiO_{2-x}N_x$ thin film deposite by reactive DC magnetron sputtering. *J. Phys. Che. B* 2004, 108. 20193-20198.
- [14] Sato N, Matsuda M, Yoshinaga M, Nakamura T, Sato S, Muramatsu A:The synthesis and photocatalytic properties of nitrogen doped TiO_2 films prepared using the AC-PLD method. *Top. Catal.* 2009, 52. 1592.
- [15] Sakai Y. W., Obata K, Hashimoto K, Irie H:Enhancement on nitrogen and sulfur-doped TiO_2 thin film. *Vacuum* 2008, 83. 683-687.
- [16] Mi L, Xu P, Wang P.-N:Experimental Study on the Bandgap Narrowings of TiO_2 Films Calcined under N_2 or NH_3 Atmosphere. *Appl. Surf. Sci.* 2008, 255. 2574.
- [17] Chen H. E., Lee W.-J, Hsu C.-M, Hon M.-H, Huang C.-L:Visible light activity of nitrogeN-doped TiO_2 thin films grown by atomic layer deposition. *Electrochim. Solid State Lett.* 2008, 11, D81.
- [18] Zhao L, Jiang Q, Lian J:Visible-light photocatalytic activity of nitrogeN-doped TiO_2 . *Appl. Surf. Sci.* 2008, 254. 4620.
- [19] Ananpattarachai J, Kajitvichyanukul P, Seraphin S:Visible light absorption ability and photocatalytic oxidation activity of various interstitial N-doped TiO_2 prepared from different nitrogen dopants. *J Hazard Mater* 2009, 168:253-261.
- [20] Xu Q. C., Wellia D.V., Yan S, Liao D.W., Lim T.M., Tan T.T.Y:Enhanced Photocatalytic of C-N-codoped TiO_2 Films Prepared Via an Organic-free Approach. *Journal Of Hazardous Materials* 2011, 188.172-180.
- [21] Shaojing B, Zhengguo J, Xiaoxin L, Lirong Y, Zhijie C:Fabrication of TiO_2 porous thin film using peg tempaltes and chemistry of the process. *Material Chemistry and Physics* 2004, 273-279.
- [22] Nadiroh:Sintesa N-doped TiO_2 /zeolit dan uji aktivitas fotokatalisis terhadap degradasi Congo Red. *Skripsi*, Karya Utama Sarjana Kimia FMIPA UI, Depok, 2011.
- [23] Jiang D:Studies of photocatalytic processes at nanoporous TiO_2 film electrodes by photoelectrochemical techniques and development of novel methodology for rapid determination of chemical oxygen demand. *Thesis*.Griffith University, 2004.

- [24] Sasti, H.T:Studi preparasi dan karakterisasi titanium dioksida mesopori. *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Depok, 2011.
- [25] Lisenbigler, Guangquan A.L,Yates J.T: Photocatalysis on TiO₂ surface: principles, mechanism and selected result. *Chem. Rev.* 1995, 95:735-758.
- [26] Satterfield, C. N:Heterogenous catalyst in industrial practice. New York: *Mc graw-Hill, Inc*, 1991, (2).
- [27] Lestari DN:Studi preprasi dan karakterisasi N-doped TiO₂ dengan metode sol-gel menggunakan prekursor titanium propoksida (TTIP) dan diethylamine (DEA). *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Depok, 2009.
- [28] Wellia DV:Green preparation of visible ight active titanium dioxide films. *Thesis*, School of Chemical and Biomedical Engineering, Nanyang Technological University, Singapore, 2012.
- [29] Cullity B. D:Elements of X-Ray diffraction. Massachusetttd: *Addison-Wesley Publishing Company, Inc*. 1956.
- [30] Hui-Lei W, Xiao-Heng L:Synthesis of N-doped mesoporous titania with high visible-light photocatalytic activity. *Journal of Inorganic Materials* 2014, Vol.29, No. 9:997-1002.
- [31] Abdullah, Mikrajuddin, Khairurrijal:Karakterisasi nanomaterial: teori, penerapan, dan pengolahan data. Bandung: *CV Rezeki Putera Bandung*. 2010.
- [32] Barkul R.P., Koli V.B., Shewale V.B., Patil M.K., Delekar S.D:Visible active nancrystalline N-doped anatase TiO₂ particles for photocatalytic mineralization studies. *Materials Chemistry and Physics* 2016, xxx:1-10.
- [33] Chen X, Kuo DH, Lu D:N-doped mesoporous TiO₂ nanoparticles synthesized by using biological renewable nanocrystalline cellulose as template fr degradation of pollutants under visible and sun light. *Chemical Engineering Journal* 2016.
- [34] Bu S, Jin Z, Liu X, Yang L, Cheng Z:Fabrication of TiO₂ porous thin film using peg template and chemistry of the process. *Materials Chemistry and Physics* 2004, 88:273-279.
- [35] Gan WY, Lam SW, Chiang K, Amal R, Zhao H, Brungs MP:Novel TiO₂ thin film with non-UV activated superwetting and antifogging behaviours. *Journal of Materials Chemistry* 2007, 17:952-954.

- [36] Guo X, Wang X, He F:Sol-gel synthesis of N-doped mesoporous TiO₂ with high crystallinity and high visible light photocatalytic activity. *Applied Mechanics and Materials* 2012, Vol.217-219:857-861.

