

DAFTAR PUSTAKA

- American Cancer Society. (2014). Guide to Controlling Cancer Pain, <http://www.cancer.org/acs/groups/cid/documents/webcontent/002906-pdf.pdf>. Diakses tanggal 20 Oktober 2015
- American Cancer Society. (2015). Breast Cancer Overview, <http://www.cancer.org/acs/groups/cid/documents/webcontent/003037-pdf>. Diakses pada tanggal 20 oktober 2015
- American Cancer Society. (2015). Breast cancer, <http://www.cancer.org/acs/groups/cid/documents/-webcontent/003090-pdf.pdf>. Diakses pada 22 november 2015
- American Joint Committee on Cancer. (2010). Breast. In: *AJCC Cancer Staging Manual*, 7th ed. New York: Springer
- American Pain Society (APS). (2008). *Principles of analgesic use in acute and cancer pain*. Glenview, IL: Author
- Apolone, G., Corli, O., Caraceni, A., Negri, E., Deandrea, S., Montanari, M., & Greco, M. T. (2009). Pattern and quality of care of cancer pain managemen. Results from the Cancer Pain Outcome Research Study Group. *British journal of cancer*, 100(10), 1566-1574.
- Baumann, T. J., & Strickland, J. (2008). *Pain Manajement*. in J. T. DiPiro, R. L. Talbert, G. C. Yee, G. R. Matzke, B. G. Wells, & L. M. Posey. *Pharmacotherapy : A Pathophysiological Approach*. New York: Mc Graw Hill Companies, pp.989-1003
- Baxter, K. (2008). *Stockley's Drug Interactions*. Eighth Edition. UK: Pharmaceutical Press.
- Beck, S. L., & Falkson, G. (2001). Prevalence and managemen of cancer pain in South Africa. *Pain*, 94(1), 75-84.
- Bieger, D., Hein, L., Lullman, H. & Mohr, K., (2005). *Color Atlas of Pharmacology*. 3th ed. s.l.:Thieme.
- Breivik H., Borchgrevink P.C., Allen S.M., Rosseland L.A., Romundstad L., Hals Breivik E.K., Kvarstein G., and Stubhaug A. (2008). Assessment of Pain. *British Journal of Anaesthesia*. 101(1):17-24

- Carr, D., Goudas, L., Lawrence, D., Pirl, W., Lau, J., DeVine, D., ... & Miller, K. (2002). Management of cancer symptoms: pain, depression, and fatigue: summary.
- Choi, S. H., Terrell, J. E., Fowler, K. E., McLean, S. A., Ghanem, T., Wolf, G. T., ... & Duffy, S. A. (2016). Socioeconomic and Other Demographic Disparities Predicting Survival among Head and Neck Cancer Patients. *PloS one*, 11(3), e0149886.
- Cipta A.M., Pietras C.J., Weiss T.E., Strouse T.B. (2015). Cancer-related Pain Manajement in Clinical Oncology. *The Journal of Community and Supportive Oncology*.13(10):347-355
- Clegg, L. X., Reichman, M. E., Miller, B. A., Hankey, B. F., Singh, G. K., Lin, Y. D., ... & Bernstein, L. (2010). Impact of socioeconomic status on cancer incidence and stage at diagnosis: selected findings from the surveillance, epidemiology, and end results: National Longitudinal Mortality Study. *Cancer causes & control*, 20(4), 417-435
- Cleeland, C. S., Gonin, R., Hatfield, A. K., Edmonson, J. H., Blum, R. H., Stewart, J. A., & Pandya, K. J. (1994). Pain and its treatment in outpatients with metastatic cancer. *New England Journal of Medicine*, 330(9), 592-596.
- Craig, C.R., & Stizel, R.E. (2005). *Modern Pharmacology with Clinical Applications*. 5th Edition. New York:Lippincott Williams & Wilkins
- Czarnecki, M. L., Turner, H. N., Collins, P. M., Doellman, D., Wrona, S., & Reynolds, J. (2011). Procedural pain manajement: A position statement with clinical practice recommendations. *Pain Manajement Nursing*, 12(2), 95-111.
- D'Arcy, Y. (2013). Compact Clinical Guide to Cancer Pain Manajement an Evidence-based Approach for Nurses. New York, NY:Springer.
- Deandrea S., Montanari M., Moja L., Apolone G. (2008). Prevalence of undertreatment in cancer pain. A review of published literature. *Annals of Oncology*. 19:1985-1991
- Departemen Kesehatan Republik Indonesia. (2013). *Riset Kesehatan Dasar Tahun 2013*. Jakarta: Depkes RI.
- Dipiro, J., Talbert, R., Yee, G., Matzke, G., Wells, B., & Posey, L. (2008). *Pharmacotherapy: A Pathophysiologic Approach*, 7th Ed. New York: McGraw-Hill Medical Publishing

Dy, S. M., Asch, S. M., Naeim, A., Sanati, H., Walling, A., & Lorenz, K. A. (2008). Evidence-based standards for cancer pain management. *Journal of Clinical Oncology*, 26(23), 3879-3885.

Fisch M.J., Medoza T.R., Cleeland C.S., Lee J.W., Manola J.B., Wagne L.I., Cella D., Cahng V.T., Newark N.J., Minasian L.M., Stevens W.M. (2012). Prospective, observational study of pain and analgesic prescribing in medical oncology outpatients with breast, colorectal, lung, or prostate cancer. *Journal of Clinical Oncology*.30:1980-1988

Furstenberg, C. T., Ahles, T. A., Whedon, M. B., Pierce, K. L., Dolan, M., Roberts, L., & Silberfarb, P. M. (1998). Knowledge and attitudes of health-care providers toward cancer pain management: a comparison of physicians, nurses, and pharmacists in the state of New Hampshire. *Journal of pain and symptom management*, 15(6), 335-349.

Glowacki, D. (2015). Effective pain management and improvements in patients' outcomes and satisfaction. *Critical care nurse*, 35(3), 33-41.

Haanpää M, Treede F-D. (2010). Diagnosis and classification of neuropathic pain. *IASP Clinical Updates*, 18:1–6.

Hjermstad M.J., Fayers P.M., Haugen D.F. (2011). Studies comparing numerical rating scales, verbal rating scales, and visual analogue scales for assessment of pain intensity in adults: a systematic literature review. *J Pain Symptom Manage*,41:1073–93.

Howlader N, Noone AM, Krapcho M, Miller D, Bishop K, Altekruse SF, Kosary CL, Yu M, Ruhl J, Tatalovich Z, Mariotto A, Lewis DR, Chen HS, Feuer EJ, Cronin KA (eds). SEER Cancer Statistics Review, 1975-2013, National Cancer Institute. Bethesda, MD, http://seer.cancer.gov/csr/1975_2013/, based on November 2015 SEER data submission, posted to the SEER web site, April 2016

IASP. (2011). IASP Taxonomy. Diakses dari International Association for the Study of Pain IASP Taxonomy.htm: www.iasp-pain.org

IONI. (2014). Informatorium Obat Nasional Indonesia. Jakarta: BPOM RI

Ismail, M., Iqbal, Z., Khan, M. I., Javaid, A., Arsalan, H., Farhadullah, H., ... & Khan, J. A. (2013). Frequency, levels and predictors of potential drug-drug interactions in a pediatrics ward of a teaching hospital in Pakistan. *Tropical Journal of Pharmaceutical Research*, 12(3), 401-406

- Irvin, W., Muss, H. B., & Mayer, D. K. (2011). Symptom management in metastatic breast cancer. *The oncologist*, 16(9), 1203-1214.
- Jho, H. J., Kim, Y., Kong, K. A., Kim, D. H., Choi, J. Y., Nam, E. J., ... & Park, E. J. (2014). Knowledge, practices, and perceived barriers regarding cancer pain management among physicians and nurses in Korea: a nationwide multicenter survey. *PloS one*, 9(8), e105900.
- Jung, B. F., Ahrendt, G. M., Oaklander, A. L., & Dworkin, R. H. (2003). Neuropathic pain following breast cancer surgery: proposed classification and research update. *Pain*, 104(1-2), 1-13.
- Jost L., & Roila F., (2010). Management of Cancer Pain: ESMO Clinical Practice Guidelines. *Annals of Oncology*, 21 (5): v257-v260.
- Kalkman, C. J., Visser, K., Moen, J., Bonsel, G. J., Grobbee, D. E., & Moons, K. G. M. (2003). Preoperative prediction of severe postoperative pain. *Pain*, 105(3), 415-423.
- Katzung, B. G., (2004). Farmakologi Dasar dan Klinik. Edisi XIII. Buku 3. Translation of Basic and Clinical Pharmacology Eighth Edition Alih bahasa oleh Bagian Farmakologi Fakultas kedokteran Universitas Airlangga. Jakarta: Salemba Medika
- Katzung. (2014). *Basic & Clinical Pharmacology*, 13e. McGraw-Hill.
- Kementrian Kesehatan, R. I. (2015). Pusat data dan Informasi. *Situasi Penyakit Kanker*. Jakarta: Kemenkes RI
- Kurniasari, K., H., F., & Weidyaningsih C., (2012). Evaluasi Penggunaan Obat Analgetik terhadap Manajemen Nyeri Kanker di RSUP Dr. Sardjito periode bulan Oktober 2008-Juni 2009. Majalah farmasetik, Vol. 8 No. 1
- Khokher, S., Qureshi, W., Mahmood, S., Saleem, A., & Mahmud, S. (2011). Knowledge, attitude and preventive practices of women for breast cancer in the educational institutions of Lahore, Pakistan. *Asian Pac J Cancer Prev*, 12, 2419-24.
- Kennecke, H., Yerushalmi, R., Woods, R., Cheang, M. C. U., Voduc, D., Speers, C. H., ... & Gelmon, K. (2010). Metastatic behavior of breast cancer subtypes. *Journal of clinical oncology*, 28(20), 3271-3277.
- Leon, S., & Andrew, Y. (2005). Applied biopharmaceutics & pharmacokinetics. New YorkMcGraw-Hill.
- Limdi, J. K., & Hyde, G. M. (2003). Evaluation of abnormal liver function tests. *Postgraduate medical journal*, 79(932), 307-312.

- Lorenz, K. A., Lynn, J., Dy, S., Wilkinson, A., Mularski, R. A., Shugarman, L. R., ... & Shekelle, P. G. (2006). Quality measures for symptoms and advance care planning in cancer: a systematic review. *Journal of clinical oncology*, 24(30), 4933-4938.
- Lukwago, S. N., Kreuter, M. W., Holt, C. L., Steger-May, K., Bucholtz, D. C., & Skinner, C. S. (2003). Sociocultural correlates of breast cancer knowledge and screening in urban African American women. *American Journal of Public Health*, 93(8), 1271-1274
- McEvoy, G. K., Snow, E. K., Kester, L., Litvak, K., Miller, J., & Welsh, O. H. (2011). AHFS 2011 Drug Information. *Bethesda, MD: American Society of Health-System Pharmacists*.
- McGrath, B., Elgendi, H., Chung, F., Kamming, D., Curti, B., & King, S. (2004). Thirty percent of patients have moderate to severe pain 24 hr after ambulatory surgery: a survey of 5,703 patients. *Canadian Journal of Anesthesia*, 51(9), 886-891.
- McNicol, E. D., Strassels, S., Goudas, L., Lau, J., & Carr, D. B. (2005). NSAIDS or paracetamol, alone or combined with opioids, for cancer pain. *The Cochrane Library*.
- MedCalc.Inter-rateragreement(kappa).<http://www.medcalc.org/manual/kappa.php>. Accessed Juni, 2016
- Morrison, R. S., Meier, D. E., Fischberg, D., Moore, C., Degenholtz, H., Litke, A., ... & Siu, A. L. (2006). Improving the management of pain in hospitalized adults. *Archives of internal medicine*, 166(9), 1033-1039.
- Mwaka, G., Thikra, S., & Mung'ayi, V. (2013). The prevalence of postoperative pain in the first 48 hours following day surgery at a tertiary hospital in Nairobi. *African health sciences*, 13(3), 768-776.
- National Cancer Institute.(2015).what is cancer?, <http://www.cancer.gov/about-cancer/what-is-cancer>. Diakses pada 20 november 2015
- National Pharmaceutical Council, (2001). Pain: Current Understanding of Assessment, Management, and Treatments.
- NIH. (2002). Symptom management in cancer: pain, depression, and fatigue. NIH Consens State Sci Statements, 19(4) 1—29.

Nowara, E., & Suwinski, R. (2012). Impact of educational differences as measure of socioeconomic status on survival for breast cancer patients. *Współczesna Onkologia*, 16(4), 345

Okuyama, T., Wang, X. S., Akechi, T., Mendoza, T. R., Hosaka, T., Cleeland, C. S., & Uchitomi, Y. (2004). Adequacy of cancer pain management in a Japanese Cancer Hospital. *Japanese journal of clinical oncology*, 34(1), 37-42.

Palalagos, R., Moncanu, A., Balacescu, L., Nemes, A., Rasjcsanyi, R., Jozsel, T., Cainap, c., Bruz, C. (2012). The Assessment of Cancer Pain Treatment Using the Pain Management Index in Hospitalized Patients with Cancer. A Pilot Study. *Journal of radiotherapy & medical oncology*, 17(2), 64-68

Raphael, J., Hester, J., Ahmedzai, S., Barrie, J., Farquhar-Smith, P., Williams, J., ...Sparkes, E. (2010). Cancer pain: Part 2: Physical, interventional and complimentary therapies; management in the community; acute, treatmentrelated and complex cancer pain: A perspective from the British Pain Society Endorsed by the UK Association of Palliative Medicine and the Royal College of General Practitioners. *Pain Medicine*, 11(6), 872-896. doi: 10.1111/j.1526-4637.2010.0084

Raylene M.R. 2008; terj. D. Lyrawati, (2009). Penilaian Nyeri. Cited. AHRQ Publication No. 02-E032. Rockville: Agency for Healthcare Research and Quality, July 2002.

Raymond Sinatra. (2009). *Acute pain management*. Cambridge University Press

Richard A.Powell. (2010) .Pain History and Pain Assessment in Kopf A et al.IASP:Guide to Pain Management in Low-Resource Settings. Seattle.

Ripamonti, C.I., Bandieri, E., Roila. (2011). Management of Cancer Pain: ESMO Clinical Practice Guidelines. *Annals of Oncology*, 22(6):vi69-vi77.

Rhodes, D. J., Koshy, R. C., Waterfield, W. C., Wu, A. W., & Grossman, S. A. (2001). Feasibility of quantitative pain assessment in outpatient oncology practice. *Journal of clinical oncology*, 19(2), 501-508.

Royal Pharmaceutical Society of Great Britain. (2014). *British national formulary* 67. Royal Pharmaceutical Society

Satija, A., Ahmed, S.M., Gupta, R., Ahmed, A., Rana, S.P.S., Singh, S.P., Bhatnagar, S. (2014). Breast cancer pain management - A review of

current & novel therapies. *The Indian journal of Medical Research.*,139(2) :216-225.

Shvartzman, P., Friger, M., Shani, A., Barak, F., Yoram, C., & Singer, Y. (2003). Pain control in ambulatory cancer patients—can we do better?. *Journal of pain and symptom management*, 26(2), 716-722.

Sweetman, S. C. (2009). *Martindale: the complete drug reference*. Pharmaceutical press

Sichetti, D., Bandieri, E., Romero, M., Di Biagio, K., Luppi, M., Belfiglio, M., ... & ECAD Working Group. (2010). Impact of setting of care on pain manajement in patients with cancer: a multicentre cross-sectional study. *Annals of oncology*, 21(10), 2088-2093.

Sidoretno, W. M. (2012). Evaluasi Penggunaan Analgetik Pada Penanganan Nyeri Kanker Payudara di Rawat Inap Bedah Wanita RSUP DR. M. Djamil Padang Periode Bulan November 2011-Februari 2012. *Thesis Fakultas Farmasi*. Padang: Universitas Andalas.

Siegel R., Miller K., Jemal A. (2015). Cancer Statistics, 2015. CA CANCER J CLIN.65:5-29

Singh, V. A., Haseeb, A., & Alkubaisi, A. A. H. A. (2014). Incidence and outcome of bone metastatic disease at University Malaya Medical Centre. *Singapore medical journal*, 55(10), 539.

Sommer, M., de Rijke, J. M., van Kleef, M., Kessels, A. G., Peters, M. L., Geurts, J. W., ... & Marcus, M. A. (2010). Predictors of acute postoperative pain after elective surgery. *The Clinical journal of pain*, 26(2), 87-94.

Sukadja, I. Dewa Gede. (2000). Onkologi klinik. Surabaya: Airlangga University Press

Sun, V., Borneman, T., Piper, B., Koczywas, M., & Ferrell, B. (2008). Barriers to pain assessment and manajement in cancer survivorship. *Journal of Cancer Survivorship*, 2(1), 65-71

Sweetman, S. C. (2009). *Martindale: the complete drug reference*. Pharmaceutical press

Tsao, S. L., & Hsieh, Y. J. (2015). Pain manajement experience at a central Taiwan medical center. *Acta Anaesthesiologica Taiwanica*, 53(2), 66-70

Tjay, T.H., Rahardja, K. (2002). *Obat-obat Penting : Khasiat, Penggunaan, dan Efek-Efek Sampingnya*.Edisi VI. Jakarta: Penerbit PT. Elex Media Komputindo. Halaman 540-541

- Tjay, Tan Hoan dan Kirana Rahardja. (2007). *Obat-obat Penting Khasiat, Penggunaan dan Efek-efek Sampingnya* Edisi Keenam. Jakarta: Elex Media Komputindo
- Torre L., (2012). Global Cancer Statistics, 2012. CA CANCER J CLIN. 65:87-108
- Vadalouca, A., Raptis, E., Moka, E., Zis, P., Sykoti, P., & Siafaka, I. (2012). Pharmacological treatment of neuropathic cancer pain: a comprehensive review of the current literature. *Pain Practice*, 12(3), 219-251.
- Van den Beuken-van Everdingen M.H., de Rijke J.M., Kessels A.G., Schouten H.C., van Kleef M., Patijn J. (2007). Prevalence of pain in patients with cancer: a systematic review of the past 40 years. *Annals of Oncology*, 18:1437–1449.
- Vona-Davis, L., Rose, D. P., Gadiyaram, V., Ducatman, B., Hobbs, G., Hazard, H., ... & Abraham, J. (2014). Breast cancer pathology, receptor status, and patterns of metastasis in a rural appalachian population. *Journal of cancer epidemiology*, 2014.
- Wandner, L. D., Scipio, C. D., Hirsh, A. T., Torres, C. A., & Robinson, M. E. (2012). The perception of pain in others: how gender, race, and age influence pain expectations. *The Journal of Pain*, 13(3), 220-227.
- Wargo BW, Burton A, (2005). *Cancer Pain. Pain Medicine & Management, Just The fact* 1st ed. McGraw-Hill.
- Wong-Baker FACES Foundation (2016). Wong-Baker FACES® Pain Rating Scale. Retrieved [Date] with permission from <http://www.WongBakerFACES.org>
- World Health Organization. (1996). *Cancer pain relief: with a guide to opioid availability*. World Health Organization.
- World Health Organization. (2015). Cancer, <http://www.who.int/mediacentre/factsheets/fs297/en/>. Diakses pada 20 november 2015
- World Health Organization. (2012). Guidelines on the Pharmacological Treatment of Persisting Pain in Children with Medical Illness. World Health Organization. Pp 20-22.