

DAFTAR PUSTAKA

1. World Heart Organization. Future Trends in Global Mortality. 2008;29-31.
2. Departemen Kesehatan Republik Indonesia. Riset Kesehatan Dasar. *laporan Nasional 2007*. 2008.
3. Luca GD, Paradigo G, Sciagra R, Bellandi B, Comito, Vergera B, et al. Impact of multivessel disease on infarct size among STEMI patients undergoing primary angioplasty. *Atherosclerosis*. 2014;23:244-8.
4. Kelley E, Boura J, Grinnes C. Primary angioplasty versus intravenous thrombolytic therapy for acute myocardial infarction: a quantitative review of 23 randomised trials. *Lancet*. 2003;361:13-20.
5. Gallegos K, Swingen C, Xuxi, X W, Bianco R. Infarct extent by MRI correlates with peak serum troponin level in the cannie model. *Journal of Surgical Research*. 2004;120:266-71.
6. Roar S, Ideker, Wagner G, Alonso D, Bishop S, Bloor C, et al. Evaluation of a QRS scoring system for estimating myocardial infarct size III. Correlation with quantitative anatomic findings for inferior infarct *American Journal of Cardiology*. 1983;51:382-9.
7. Drew B, Birnbaum Y. The electrocardiogram in ST elevation acute myocardial infarction : correlation with coornary anatomy and prognostic. *Postgraduate Medical Journal*. 2003;79:490-504.
8. Susiyanti. Korelasi antara nilai troponin I dengan modifikasi sistim skor QRS Selvester dalam evaluasi luas infark pada pasien infark miokard akut dengan elevasi segmen ST (tesis). Padang: *Departemen Kardiologi dan Kedokteran Vaskular Fakultas Kedokteran Universitas Andalas*. 2014.
9. Jones M, Anderson K, wilson P, Kannel W, Wagner N, Wagner G. Prognostic use of a QRS scoring system after hospital discharge for initial acute myocardial infarction in the Framingham cohort. *American Journal of Cardiology*. 1990;66:546-50.
10. Tjandrawidjaja M, Fu Y, Westerhout C, Wagner G, Granger C, Armstrong P, et al. Usefullness of the QRS score as a strong prognostic marker in patients discharged after undergoing primary percutaneous coronary intervention for ST segment elevation myocardial infarction *American Journal of Cardiology*. 2010;106:630-4.
11. Antman E, Braunwald E. ST elevation myocardial infarction. In: Braunwald. E, ed. *Braunwald's Heart Disease* Philadelphia: Saunders Elsevier; 2008(8): 1207-31.
12. Rosen A, Gelfand E. Pathophysiology of acute coronary syndromes. In: E. Gelfand and C. Cannon, eds. *Management of acute coronary syndromes*: Wiley Blackwell; 2009: 1-11.
13. Kleinschmidt K. Epidemiology and pathophysiology of acute coronary syndrome. *Adv Stud Med*. 2006;6:477-82.
14. Kumar A, Cannon C. Acute coronary syndrome part I. *Mayo Clinic Proceeding*. 2009;84:917.
15. Char D. Pathophysiology of acute coronary syndromes. *Adv Stud Med*. 2008;79:234.

16. Yellon M, Hausenloy D. Myocardial reperfusion injury. *New England Journal of Medicine*. 2007;357:1121-35.
17. Porto I, Craig C, Brancati M, Burzotta F, Galiuto L, Crea F. Angiographic assessment of microvascular perfusion - myocardial blush in clinical practice *American Heart Journal*. 2010;160:1015-22.
18. Sorin J, Akiko M, Jose M, Martin F, Berharn W, Helen P, et al. Relationship between myocardial reperfusion, infarct size and mortality. *Journal of American College of Cardiology*. 2013;6:718-24.
19. Webb I, Redwood S. Measuring reperfusion in the catheter laboratory. *Heart Metabolic*. 2007;37:9-13.
20. Hof AV, Liem A, Suryapranata H, Hoornje J, Boer MD, Zijlstra F. Angiographic assessment of myocardial reperfusion in patients treated with primary angioplasty for acute myocardial infarction: myocardial blush grade. *Circulation*. 1998;97:2302-06.
21. Flameng W, Lesaffre E, Vanhaecke J. Determinants of infarct size in non human primates. *Basic Research in Cardiology*. 1990;85:392-403.
22. Reimer K, Vander H, Richard V. Reperfusion in acute myocardial infarction : effects of timing and modulating factors in experimental models *American Journal of Cardiology*. 1993;72:13G-21G.
23. Brad G, Mardhavi G, Sabina A, Murphy, Burthon E, Sobel, et al. TIMI myocardial perfusion grade and ST resolution : association with infarct size as assessed by single photon emission computed tomography imaging. *Circulation*. 2002;105:282-85.
24. Pier M, Javier G, Marco F, Alters D, Valentino L. Relationship between location and size of myocardial infarction and their reciprocal influences on post infarction LV remodeling. *European Heart Journal*. 2011;1-9.
25. Prince A, Cheung K, Lim S, Yellon D, Haunseloy D, Lytgoe M. Rapid assessment of myocardial infarct size in rodents using multislice inversion recovery late gadolinium enhancement CMR. *Journal Cardiovascular Magnetic Resonance*. 2011;13:44.
26. Gavaghan M. Biochemical markers in myocardial injury. *Aorn Journal*. 1999;70:840-50.
27. Kwong T, Pomerantz R, Eichelberger J, New troponin assay. *Clinical Laboratory Newsletter*. 2001;26:2.
28. Giannitsis E, Steen H, Kurz K, Ivandic B, Simon A, Futerer S, et al. Cardiac magnetic resonance imaging study for quantification of infarct size comparing directly serial versus single time point measurements of cardiac troponin T. *American College of Cardiology*. 2008;51:307-14.
29. Thygesen K, Mair J, Katus H, Plebani M, Venge P, Collinson P, et al. Recommendations for the use of cardiac troponin measurement in acute cardiac care. *European Heart Journal*. 2010;31:2197-206.
30. Younger J, Plein S, Barth J, Ridgway J, Ball S, Greenwood J. Troponin I concentration 72 h after myocardial infarction correlates with infarct size and presence of microvascular obstruction. *Heart* 2007;93:1547-1551.
31. Chia S, Senatore F, Raffel O, Lee H, Wackers F, Jang I. Utility of cardiac biomarkers in predicting infarct size, left ventricular function, and clinical outcome after primary percutaneous coronary intervention for ST segment

- elevation myocardial infarction. *Journal of the American College of Cardiology Intervention*. 2008;1:415-23.
- 32. Selvester R, Wagner G, Hindman N. The Selvester QRS scoring system for estimating myocardial infarct size. The development and application of the system. *Archives of Internal Medicine*. 1985;145:1877-81.
 - 33. Wagner G, Freye C, Palmeri S, Roark S, Stack N, Ideker R, et al. Evaluation of a QRS scoring system for estimating myocardial infarct size. Specificity and observer agreement. *Circulation*. 1982;65:342-47.
 - 34. Sztajsel J, Urban P. Early and late Q wave regression in the setting of acute myocardial infarction. *Heart*. 2000;83:708-10.
 - 35. Canty J. Coronary blood flow and myocardial ischemia. In: R. Bonow, D. Mann, D. Zipes and P. Libby, eds. *Braunwald's Heart Disease A Textbook of cardiovascular medicine, Ninth edition* Philadelphia: Elsevier Saunders; 2012: 1049-75.
 - 36. Anderson C, Harrison D, Stack N, Hindman N, Ideker R, Palmeri S, et al. Evaluation of serial QRS changes during acute inferior myocardial infarction using a QRS scoring system *American Journal of Cardiology*. 1983;52:252-56.
 - 37. Bergovec M, Prpic H, Zigman M, Vukosavic D, Birtic K, Mihatov S, et al. Regression of ECG signs of myocardial related to infarct size and left ventricular function *Journal of Electrocardiology*. 1993;26:1-8.
 - 38. Uyarel H, Cam N, Okmen E, Kasikaoglu H, Tartan Z, Akgul O, et al. Level of Selvester QRS score is predictive of ST segment resolution and 30-outcomes in patients with acute myocardial infarction undergoing primary coronary intervention *American Heart Journal*. 2006;151:1239.e1-7.
 - 39. Geerse D, Wu K, Gorgels A, Zimmet J, Wagner G, Miller J. Comparison between contrast enhancement magnetic resonance imaging and selvester QRS scoring system in estimating changes in infarct size between the acute and chronic phase of myocardial infarction. *Annals of Non-Invasive Electrocardiology*. 2009;14:360-65.
 - 40. Wagner G, Macfarlane P, Wellens H, Josephson M, Gorgels A, Mirvis D, et al. AHA/ACCF/HRS recommendation for the standardization and interpretation of the electrocardiogram: part IV: acute ischemia/infarction : a scientific statement from American Heart Association Electrocardiography and Arrhythmias Committee, Council on Clinical Cardiology: the American College of Cardiology Foundation ; and the Heart Rhythm Society : endorsed by the International Society for Computerized Electrocardiography *Circulation*. 2009;119:e262-e270.
 - 41. Al-Daydamony MM, Kandeel NT. Value of modified selvester QRS score in prediction of successful reperfusion in patients with acute myocardial infarction. *The Egyptian Heart Journal* 2014;66:28.
 - 42. Birnbaum Y, Drew B. The electrocardiogram in ST elevation acute myocardial infarction : correlation with coronary anatomy and prognosis. *Postgraduate Medical Journal*. 2003;79:490-504.
 - 43. Florian A, Slavich M, Masci P, Janssens S, Bogaert J. Electrocardiographic Q wave "remodelling" inreperfused ST segment elevation myocardial infarction. *Journal of the American College of Cardiology*. 2012;5:1003-13.

44. Hellemond IV, Bouwmeester S, Olson C, Botker H, Kaltoft A, Nielsen S, et al. Consideration of QRS complex in addition to ST-segment abnormalities in the estimated "risk region" during acute anterior myocardial infarction. *Journal of Electrocardiology*. 2011;44:370-376.
45. Ilhami YR. Perubahan Durasi QRS Dan Skor QRS Selvester Pada Pasien Infark Miokard Akut Dengan Elevasi Segmen ST Yang Menjalani Intervensi Koroner Perkutan Primer (tesis). Padang : Departemen Kardiologi dan Kedokteran vaskular Fakultas Kedokteran Universitas Andalas. 2014.
46. Kip K, Hollabaugh K, Oscar C, Marroquin, Williams D. The problem with composite end points in cardiovascular studies the story of major adverse cardiac events and percutaneous coronary intervention. *Journal of the American College of Cardiology*. 2008;51:701-707.
47. Moreno R, Garcia E, Soriano J, Abeytua M, Sa E, Acosta J, et al. Early coronary angioplasty for acute myocardial infarction : predictors of a poor outcome non selected population. *Journal of Invasive Cardiology*. 2001;13:202-210.
48. Cowie M. Aetiology. In: M. Cowie, ed. *Essential of Heart Failure*. 1 ed. London: John Wiley and Sons; 2013: 13-15.
49. Shaikh A, Siddiqui M, Hanif B, Malik F, Hasan K, Adhi F. Outcomes of primary percutaneous coronary intervention (PCI) in a tertiary care cardiac centre. *J Pak Med Assoc*. 2009;59:426-29.
50. Chobanian A, Bakris G, Black H, Cushman W, Green L, Izzo J, et al. The Seventh Report of the Joint National Committee on prevention, detection, evaluation, and treatment of high blood pressure The JNC 7 Report. *Journal of American Medicine Association*. 2003;2560-72
51. American Diabetes Association. AD. Standards of medical care in diabetes – 2012 position statement. *Diabetes Care*. 2012;35:S11-63.
52. National Cholesterol Education Program Expert Panel on Detection E, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III) 2002;5-11.
53. Dharma S, Juzar D, Firdaus I, Soerianata S, Wardeh A, Jukema J. Acute myocardial infarction system of care in the third world. *Neth Heart Journal*. 2012;20:254-59.
54. Kosuge M, Ebina T, Hibi K, Iwahashi N, Tsukahara K, Endo M et al. High QRS Score on admission strongly predicts impaired myocardial reperfusion in patients with a first anterior acute myocardial infarction. *Circulation*. 2010;75:626-32.
55. Lemos JD, Braunwald E. ST segment resolution as a tool for assessing the efficacy of reperfusion therapy. *Journal of American College of Cardiology*. 2001;38:1283-94.
56. Wita K, Artur F, Szydlo K, Turski M, Tabor Z, Wrobel W et al. Prediction of longterm outcome after primary percutaneous coronary intervention for acute anterior myocardial infarction. *Kardiologia Polska*. 2010;68:393-400.
57. Tödt T, Maret E, Alfredsson J, Janzon M, Engvall J, Swahn E. Relationship between treatment delay and final infarct size in STEMI patients treated with abciximab and primary PCI. *BMC Cardiovascular Disorders*. 2012;12:1-9

58. Birnbaum Y, Chetrit A, Sclarovsky S et al. Abnormal Q waves on the admission electrocardiogram of patients with first acute myocardial infarction: prognostic implications. *Clinical Cardiology*. 1997;20:477-481.
59. Kloner R, Ganote C and Jennings R. The "no-reflow" phenomenon after temporary coronary occlusion in the dog. *Journal of Clinical Investigation*. 1974;54:1496-1508.
60. Malinrungi TTW. Hubungan antara luas infark miokard akut (berdasarkan skor selvester) dengan ketahanan hidup selama 6 bulan (tesis). *Bagian Ilmu Penyakit Dalam FK UNDIP*. 2003.
61. Bounous J, Califf R, Palmeri S, Roark S, Stack N, Ideker R. Prognostic value of the simplified Selvester QRS Score infarct patients with coronary artery disease. *Journal of American College of Cardiology* 1988;11:35-41.

