

## DAFTAR PUSTAKA

- Abdou, H.M. 1989. *Dissolution, bioavailability and bioequivalence*. Pennsylvania: Mark Publishing Company Easton.
- Ankit, M., Manish, Y., & Dinesh, C. 2014. Solid dispersion: A technique to improve solubility of poorly water soluble drug. *Indo Am J Pharm Res*, 4(6), 2855-66.
- Ansel, C. H. 1989. *Pengantar Bentuk Sediaan Farmasi*. Jakarta: UI Press
- Banakar, U. V. 1991. *Pharmaceutical dissolution testing*. New York: Marcel Dekker.
- Barzegar, J, M., Valizadeh, H., & Adibkia, K. 2007. Enhancing dissolution rate of carbamazepine via co-grinding with croscopolidone and hydroxypropylmethylcellulose. *Iranian Journal of Pharmaceutical Research*, 6(3), 159-165.
- Barzegar, J, M., Valizadeh, H., Shadbad, M. R. S., Adibkia, K., Mohammadi, G., Farahani, A., & Nokhodchi, A. 2010. Cogrinding as an approach to enhance dissolution rate of a poorly water-soluble drug (gliclazide). *Powder Technology*, 197(3), 150-158.
- Carstensen J. T. 2001. *Advanced pharmaceutical solids*. New York: Marcel Dekker.
- Chiou, W. L., & Riegelman, S. 1971. Pharmaceutical Applications of Solid Dispersion System. *Journal of Pharmaceutical Science*, 60 (9), 1281-1302.
- Chowdary, K. P. R., & Rao, K. S. P. 2011. A Factorial Study on the Effects of - Cyclodextrin and Poloxamer 407 on the Dissolution Rate of Valsartan from CD Complexes and their Tablets. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 2(3), 438-444.
- Dachriyanus. 2004. *Analisis Struktur Senyawa Organik secara Spektroskopi*. Padang: Universitas Andalas.
- Depkes RI. 1979. *Farmakope Indonesia Edisi III*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Dixit, R. P. S., Stuti. S. 2012. Solid Dispersions: a Strategy for Improving the Solubility of Poorly Soluble Drugs. *IJRPBS*, 3(2), 960-966.
- Fessenden, R.J. dan Fessenden, J.S. 1986. *Organic Chemistry, Third Edition*. California: Wadsworth, Inc.
- Friedrich, H., Nada, A., & Bodmeir, R. 2005. Solid state and dissolution rate characterization of co-ground mixture of nifedipine and hydrophilic carriers. *Drug Development Industrial Pharmacy*, 31, 719-728.

- Garg, A., Singh, S., Rao, V. U., Bindu, K., & Balasubramaniam, J. 2009. Solid state interaction of raloxifene HCL with different hydrophilic carriers during co-grinding and its effect on dissolution rate. *Drug Development Industrial Pharmacy*, 35, 455-470.
- Haqi, A. 2015. *Pembentukan Sistem Dispersi Padat Efavirenz- PVP K-30 dengan Teknik Freeze Drying*. Padang: Universitas Andalas.
- Horter, D., Dressman, J.B. 2001. Influence of physicochemical properties on dissolution of drugs in the gastrointestinal tract. *Advanced Drug Delivery Reviews*, 46, 75–87.
- Jensen, C. E. M., Santos, R. A. S., Denadai, A. M. L., & Sinisterra, R. D. 2010. Pharmaceutical Composition of Valsartan:  $\beta$ -cyclodextrin: Physico-Chemical Characterization and Anti-Hypertensive Evaluation. *Molecules*. 15, 4067-4084.
- Kalia, A., & Poddar, M. 2011. Solid dispersions: an approach towards enhancing dissolution rate. *Int J Pharm Pharm Sci*, 3(4), 9-19.
- Kawabata, Y., Wada, K., Nakatani, M., Yamada, S., & Onoue, S. 2011. Formulation Design for Poorly Water-Soluble Drugs Based on Biopharmaceutics Classification System: Basic Approaches and Practical Applications. *Int J Pharm*, 420, 1-10.
- Kumar, K, V., Arunkumar, N., Verma, P, R, P., Rani, C. 2009. Preparation And In Vitro Characterization of Valsartan Solid Dispersions Using Skimmed Milk Powder as Carrier. *International Journal of PharmTech Research*, 1(3), 431-437.
- Kapoor, B., Kaut, R., Kour, S., Behl, H., & Kour, S. 2012. Solid Dispersion: An Evolutionary Approach for Solubility Enhancement of Poorly Water Soluble Drugs. *International Journal of Recent Advances in Pharmaceutical Research*, 2(2), 1-16
- Lachman, L., Lieberman, H.A. & Kanig, J.L. 1994. *Teori dan Praktek Farmasi Industri II*. Penerjemah: Siti Suyatmi. Jakarta: Universitas Indonesia Press.
- Leuner, C., & Dressman, J. 2000. Improving drug solubility for oral delivery using solid dispersions. *European journal of Pharmaceutics and Biopharmaceutics*. 50(1), 47-60.
- Maheswari, P, D., Rambhau, D., & Narasu, M, L. 2014. Development of Valsartan Controlled Release Formulations from Spray Dried Powder by Micellar Solubilization Technique. *International Journal of Advances in Pharmaceutical Research*. 5(3), 157-168
- Martin, A., Swarbrick, J., & Cammarta, A., 1983. *Physical Pharmacy (Edisi 3)*. Philadelphia: Lea & Febiger.

- McEvoy, Gerald K. 2011. *AHFS Drug Information*. Amerika: American Society of Health-System Pharmacists.
- Nalluri, B. N., Rao, T. P., & Crooks, P, A. 2012. Effect of recrystallization on the pharmaceutical properties of valsartan for improved therapeutic efficacy. *Journal of Applied Pharmaceutical Science*, 2(10), 126-132.
- Nikghalb, L. A., Singh, G., Singh, G., & Kahkeshan, K. F. 2012. Solid dispersion: methods and polymers to increase the solubility of poorly soluble drugs. *Journal of Applied Pharmaceutical Science*, 2(10), 170-175.
- Rowe, R.C., Sheskey, P.J., & Quinn, M.E. 2009. *Handbook of pharmaceutical excipient*, (6<sup>nd</sup> Ed). London: The Pharmaceutical Press.
- Shargel, L., & Yu, A.B.C. 1999. *Applied Biopharmaceutics and Pharmacokinetics 4<sup>th</sup> edition*. New York: Appleton & Lange.
- Sharma, A., Jain, C. P., 2010. Preparation and characterization of solid dispersion of Valsartan with Poloxamer 188. *Der Pharmacia Lettre*, 2(2), 54-63.
- Sweetman, Sean C. 2009. *Martindale*. London: Pharmaceutical Press.
- Syukri, Y., & Mulyanti, E. 2007. Pengembangan formulasi tablet prednisone secara kempa langsung dengan teknik dispersi padat. *Jurnal Farmasi Indonesia*, 3(3), 149-154.
- Takagi, T., Ramachandran, C., Bermejo, M., Yamashita, S., Yu, L.X., Amidon, G.L. 2006. A provisional biopharmaceutical classification of the top 200 oral drug products in the United States, Great Britain, Spain, and Japan. *Molecular Pharmaceutics*, 3, 631–643.
- United States Pharmacopoeia. 2007. *The Official Compendia of Standards United States Pharmacopeia (30<sup>th</sup>)–National Formulary (25<sup>th</sup> ed)*. New York: USP Convention.
- U.S National Library of Medicine. *Valsartan*, Diakses pada tanggal 20 Februari 2016 dari <https://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~wz7dUd:1>
- Vadher, A. H., Parikh, J. R., & Solanki, A. B. 2009. Preparation and characterization og co-grinded mixture of aceclofenac and neusilin us2 for engancement of aceclofenac, *AAPS Pharmaceutical Sciences and Technology*, 10(2), 606-614.
- Varalakshmi, T. S. N. S., Ramesh, C. S., Jyothi, Y., Bharathi, G., Babu, P. C. 2015. Formulation and Evaluation of Solid Dispersions of Valsartan for Disolution rate Enhancement. *Journal of Pharmacy Research*, 9(2), 139-144.

- Verma, S., Rawat, A., Kaul, M., & Saini, S. 2011. Solid dispersion: a strategy for solubility enhancement. *International Journal of Pharmacy and Technology*, 3(2), 1062-1099.
- Vogt M, Kunanth, Dressman J. B. 2008. Cogrinding enhances the oral bioavailability of EMD 57033, a poorly water soluble drug in dogs. *Eur J Pharm Biopharm*, 68, 338-45.
- Xu, W. J., Liu, Y., Shi, L., Cui, J., & Cao Q. 2014. In Vitro Dissolution and Physicochemical Characterizations of Novel PVP-Based Solid Dispersions Containing Valsartan Prepared by a Freeze-Drying Method. *J. Pharm. Sci*, 27(6), 1799-1804.
- Zaini, E., Yeyet, C.S., Soewandhi, S.N., & Halim, A. 2010. Identifikasi interaksi fisika antara trimetoprim dan sulfametoksazol dengan metode kontak Kofler dan reaksi kristalisasi. *Majalah Farmasi Indonesia*, 211, 32-39.
- Zaini, E., Witarsah, A, S., & Agustin, R. 2014. Enhancement of dissolution rate of Meloxicam by co-grinding technique using Hydroxypropyl methylcellulose. *J. Chem. Parm. Res*, 6(11), 263-267.
- Zhong, L., Zhu, X., Luo, X., & Su, W. 2013. Dissolution properties and physical characterization of telmisartan–chitosan solid dispersions prepared by mechanochemical activation. *AAPS PharmSciTech*, 14(2), 541-550.

