

## DAFTAR PUSTAKA

- Adisa, R., Fakeye, T. O., & Fasanmade, A. (2011). Medication adherence among ambulatory patients with type 2 diabetes in a tertiary healthcare setting in Southwestern Nigeria. *Pharm Pract (Granada)*, 9(2), 72-81.
- American Diabetes Association (ADA). (2010). Diagnosis and Classification of Diabetes Mellitus. Position Statement. *Diabetes Care*, 29, S43-8.
- Anas, Y., Rahayu, W. A., & Andayani, T. M. (2008). Kualitas Hidup Pada Pasien Diabetes Melitus Tipe 2 Rawat Jalan Di Rumah Sakit Umum Tidar Magelang. *Jurnal Ilmu Farmasi dan Farmasi Klinik Vol*, 5(1), 11.
- Atika, W.P. (2012). Efektevitias pemberian Booklet Obat terhadap Tingkat Kepatuhan Ditinjau dari Kadar Hemoglobin Terглиkasi (HbA1c) dan Morisky Medication Adherence Scale (MMAS-8) Pada Pasien Diabetes Melitus Di Puskesmas Bakti Jaya Kota Depok
- Centre of Disease Control. (2012). *Diabetes Report Card 2012*. National Centre for Chronic Disease Prevention and Health Promotion: Division of Diabetes Translation.
- Cheng, A. Y., & Fantus, I. G. (2005). Oral antihyperglycemic therapy for type 2 diabetes mellitus. *Canadian Medical Association Journal*, 172(2), 213-226.
- Coppell, K., Mann, J., Chisholm, A., Williams, S., Vorgers, S., & Kataoka, M. (2008). P-47 Medication adherence amongst people with less than ideal glycaemic control—the lifestyle over and above drugs in diabetes (LOADD) study. *Diabetes Research and Clinical Practice*, 79, S72.
- Corwin, E. J. (2008). *Handbook of Pathophysiology Third Edition*. Jakarta: Penerbit Buku Kedokteran EGC.
- Dahlan, M. S. (2013). *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat dan Multivariat Dilengkapi dengan menggunakan SPSS Edisi 5*. Jakarta: Salemba Medika.
- Dawood, O. T., Izham, M., Ibrahim, M., & Palaian, S. (2010). Medication compliance among children. *World Journal of Pediatrics*, 6(3), 200-202.
- DeFronzo, R. A. (1999). Pharmacologic therapy for type 2 diabetes mellitus. *Annals of internal medicine*, 131(4), 281-303.

- Degoulet, P., Menard, J., Vu, H. A., Golmard, J. L., Devries, C., Chatellier, G., & Plouin, P. F. (1983). Factors predictive of attendance at clinic and blood pressure control in hypertensive patients. *Br Med J (Clin Res Ed)*, 287(6385), 88-93.
- Dipiro, J. T., R.L., T., Yee, G. C., Matzke, G. R., Wells, B. G., & Posey, L. M. (2005). *Pharmacotherapy A Pathophysiologic Approach Sixth Edition*. United States of America: McGraw-Hill Companies Inc.
- Fong D.S., Aiello L.P., & Ferris F.L. (2004). Diabetic retinopathy. *Diabetes Care*, 27, 2540–2553.
- Fowler, M. J. (2008). Microvascular and macrovascular complications of diabetes. *Clinical diabetes*, 26(2), 77-82.
- Gimenes, H. T., Zanetti, M. L., & Haas, V. J. (2009). Factors related to patient adherence to antidiabetic drug therapy. *Revista latino-americana de Enfermagem*, 17(1), 46-51.
- Grigsby, A. B., Anderson, R. J., Freedland, K. E., Clouse, R. E., & Lustman, P. J. (2002). Prevalence of anxiety in adults with diabetes: a systematic review. *Journal of psychosomatic research*, 53(6), 1053-1060.
- Gunawan, Gan, S., Setiabudi, R., & Elysabeth, N. (2007). *Farmakologi dan Terapi Ed. 5*. Jakarta: Departemen Farmakologi dan Terapi Fakultas Kedokteran Universitas Indonesia.
- Hayati, A. (2011). *Evaluasi Kepatuhan Berobat Penderita Tuberkulosis Paru Tahun 2010-2011 di Puskesmas Kecamatan Pancoran Mas Depok*. (Skripsi). Depok.
- Ho, P. M., Bryson, C. L., & Rumsfeld, J. S. (2009). Medication adherence its importance in cardiovascular outcomes. *Circulation*, 119(23), 3028-3035.
- Horne, R., & Weinman, J. (1999). Patients' beliefs about prescribed medicines and their role in adherence to treatment in chronic physical illness. *Journal of psychosomatic research*, 47(6), 555-567.
- Indraswari, W. (2010). *Hubungan Indeks Glikemik Asupan Makanan dengan Kadar Glukosa Darah pada Pasien Rawat Jalan Diabetes Melitus Tipe 2 di RSUP Dr. Wahidin Sudirohusodo*. (Skripsi). Program Studi Ilmu Gizi, Fakultas Kesehatan Masyarakat, Universitas Hasanudin. Makasar.
- Jin, J., Sklar, G. E., Oh, V. M. S., & Li, S. C. (2008). Factors affecting therapeutic compliance: A review from the patient's perspective. *Therapeutics and clinical risk management*, 4(1), 269.

- Jones, H., Edwards, L., Vallis, T. M., Ruggiero, L., Rossi, S. R., Rossi, J. S., ... & Zinman, B. (2003). Changes in diabetes self-care behaviors make a difference in glycemic control the diabetes stages of change (DiSC) study. *Diabetes care*, 26(3), 732-737.
- Katzung B.G. (2009). *Farmakologi Dasar Dan Klinik Edisi III*. Surabaya: Bagian Farmakologi Fakultas Kedokteran Universitas Airlangga.
- Khadori, R. (2011). Type 2 Diabetes Mellitus. [www.emedicine.medscape.com](http://www.emedicine.medscape.com). Diakses pada tanggal 23 Desember 2015.
- Krapek, K. (2004). Medication adherence and associated hemoglobin A<sub>1c</sub> in type 2 diabetes. *The Annals of Pharmacotherapy*; 38(9): 1357-1362.
- Krueger K.P., & Berger BA, F. B. (2005). *Medication Adherence and persistence. In : National Quality Forum. Improving Use of Prescription Medications: Anational action plan*. Washington.
- Krueger, K. P., Felkey, B. G., & Berger, B. A. (2003). Improving adherence and persistence: a review and assessment of interventions and description of steps toward a national adherence initiative. *Journal of the American Pharmacists Association*, 43(6), 668-679.
- Lacy , F.C. (2011). *Drug Information Handbook*, 20 Edition. Ohio: Lexi-Comp Inc.
- Lertmaharit S, Kamol-Ratankul P, Sawert H, et al. 2005. Factors associated with compliance among tuberculosis patients in Thailand. *J Med Assoc Thai*, 88(Suppl 4):S149-56
- Li, C., Barker, L., Ford, E. S., Zhang, X., Strine, T. W., & Mokdad, A. H. (2008). Diabetes and anxiety in US adults: findings from the 2006 Behavioral Risk Factor Surveillance System. *Diabetic Medicine*, 25(7), 878-881.
- Llor, C., Hernández, S., Bayona, C., Moragas, A., Sierra, N., Hernández, M., & Miravittles, M. (2013). A study of adherence to antibiotic treatment in ambulatory respiratory infections. *International Journal of Infectious Diseases*, 17(3), e168-e172.
- Menzies, R., Rocher, I., & Vissandjee, B. (1993). Factors associated with compliance in treatment of tuberculosis. *Tubercle and Lung Disease*, 74(1), 32-37.
- Morisky, D.E., & DiMatteo, M.R.(2011). The Morisky 8-item self-report measure of medication-taking behavior (MMAS-8). *Journal of Clinical Epidemiology*;64: 262-263.
- Morisky, D.E., Green, L.W., & Levine, D. M. (1986). Concurrent and predictive

validity of a self-reported measure of medication adherence. *Medical Care*, 24(1), 67–74.

Notoatmodjo, S. (2007). *Pendidikan dan Perilaku Kesehatan*. Jakarta : Rineka Cipta.

Osterberg, L., & Terrence, B. (2005). Adherence to medication. *N Eng J Med*;353(5), 487-491.

Perkumpulan Endokrinologi Indonesia (PERKENI). (2006). *Konsensus Pengelolaan Dan Pencegahan Diabetes Mellitus Tipe 2 Di Indonesia*. Jakarta: Balai Penerbit.

Perkumpulan Endokrinologi Indonesia (PERKENI). (2011). *Konsensus Pengelolaan dan Pencegahan Diabetes melitus Tipe 2 di Indonesia*. Jakarta: Balai Penerbit.

Pratita, N.D. (2012). Hubungan Dukungan Pasangan dan Health Locus of Control dengan Kepatuhan dalam Menjalani Proses Pengobatan pada Penderita Diabetes Melitus Tipe-2. *Jurnal Ilmiah Mahasiswa Universitas Surabaya*, 1(1).

Rapoff, M. A. (2010). *Adherence to Pediatric Medical Regimen*. London: Springer New York Dordrecht Heidelberg.

Riset Kesehatan Dasar (Riskesdas). (2007). *Pedoman Pewawancara Petugas Pengumpul Data*. Jakarta: Badan Litbangkes, Depkes RI.

Riset Kesehatan Dasar (Riskesdas). (2013). *Pedoman Pewawancara Petugas Pengumpul Data*. Jakarta: Badan Litbangkes, Depkes RI.

Santhanakrishnan, I., Lakshminarayanan, S., & Kar, S. S. (2014). Factors affecting compliance to management of diabetes in Urban Health Center of a tertiary care teaching hospital of south India. *Journal of natural science, biology, and medicine*, 5(2), 365-368.

Sarafino, E.P. (1990). *Health Psychology: Biopsychosocial Interaction*, (3<sup>rd</sup> ed). New York: Jophn Wiley & Sons Inc.

Senior V, Marteau TM, Weinman J. 2004. Self-reported adherence to cholesterol-lowering medication in patients with familial hypercholesterolaemia: the role of illness perceptions. *Cardiovasc Drugs Ther*, 18:475-81

Sukandar, E.Y., Andrajati, R., Sigit, J.I., Andyana, I.K., & Setiadi, A.A.P. (2008). *ISO Farmakoterapi*. Jakarta: ISFI.

Susan, L., Joseph L., Jay S., & Christopher H. M. M. (2002). Self-Management

Education for Adults With Type 2 Diabetes. *Diabetes Care*.

Tabor, P. A., & Lopez, D. A. (2004). Comply with us: improving medication adherence. *Journal of Pharmacy Practice*, 17(3), 167-181.

Tandra, H. (2007). *Segala Sesuatu yang Harus Anda Ketahui tentang Diabetes*. Jakarta: PT. Gramedia Pustaka Utama.

Teixeira-Lemos, E., Nunes, S., Teixeira, F., & Reis, F. (2011). Regular physical exercise training assists in preventing type 2 diabetes development: focus on its antioxidant and anti-inflammatory properties. *Cardiovasc Diabetol*, 28(3), 10-19.

Trisnawati, S.K., & Setyorogo S. (2013). Faktor Risiko Kejadian Diabetes Melitus di Puskesmas KEcamatan Cengkareng Jakarta. *Jurnal Ilmiah Kesehatan*. Ed 5.

Vermeire, E., Hearnshaw, H., Van Royen, P., & Denekens, J. (2001). Patient adherence to treatment: three decades of research. A comprehensive review. *Journal of clinical pharmacy and therapeutics*, 26(5), 331-342.

Wai CT, Wong ML, Ng S, et al. 2005. Utility of the Health Belief Model in predicting compliance of screening in patients with chronic hepatitis B. *Aliment Pharmacol Ther*, 21:1255-62.

World Health Organization. (1999). *Definition, diagnosis, and clasification of diabetes and its complication*. Geneva.

World Health Organization. (2003). *Adherence to long-therm therapies: evidence for action*. Geneva.

World Health Organization. (2011). *Use of Glycated Haemoglobin (HbA1c) in the Diagnosis of Diabetes Mellitus*. Geneva