

## DAFTAR PUSTAKA

- Abdat AU (2010). Hubungan antara paritas ibu dengan kejadian plasenta previa di rumah sakit dr. Moewardi surakarta. Surakarta, Jawa Tengah, Universitas Sebelas Maret. Skripsi.
- Athanasias PK, Afors K, Dornan SM (2012). Antepartum hemorrhage. *Obstetrics Gynaecology and Reproductive Medicine*, 22(1): 21-5.
- Babinszki A, Kerenyi T, Torok O, Grazi V, Lapinski RH, Berkowitz RL (1999). Perinatal outcomes in grand and great-grandmultiparity: Effects of parity on obstetric risk factors. *American Journal of Obstetric and Gynecology*, 181(3): 669-674.
- Benirschke K, Kaufmann P (2000). *Pathology of the human placenta*. 4th ed. New York: Springer.
- Benson RC, Pernoll ML (2009). Buku saku obstetri dan ginekologi. Edisi ke 9. Jakarta: EGC, pp: 329-334.
- Calleja-Agius J, Custo R, Brincat MP, Calleja N (2006). Placenta abruption and placenta previa. *European Clinics in Obstetrics and Gynaecology* 2(3): 121-7.
- Chalik TMA (2013). Perdarahan pada kehamilan lanjut dan persalinan. Dalam: Saifuddin AB, Rachimhadhi T, Wiknjosastro GH (eds). *Ilmu kebidanan sarwono prawirohardjo*. Edisi ke 4. Jakarta: PT Bina Pustaka Prawirohardjo, pp: 493-503.
- Chiu TL, Sadler L, Wise MR (2013). Placenta praevia after prior caesarean section: An exploratory case-control study. *Australia and New Zealand Journal Obstetric Gynaecologic*, 53(5): 455-458.
- Cresswell JA, Ronsmans C, Calvert C, Filippi V (2013). Prevalence of placenta previa by world region: a systemic review and meta-analysis. *Tropical Medicine and International Health*. 18(6): 712-24.
- Cunningham FG, Leveno KJ, Bloom SL, Spong CY, Dashe JS, Hoffman BL, Casey BM et al (2014). *William's obstetrics*. Edisi ke 24. New York: McGraw-Hill Education.
- Dashe JS (2013). Toward consistent terminology of placental location. *Seminars in Perinatology*, 37(5): 375.
- Dashe JS, McIntire DD, Ramus RM, Santos-Ramos R, Twickler DM (2002). Persistence of placenta previa according to gestational age at ultrasound detection. *Obstet Gynecol*, 99(5): 692-697.
- Deshpande H, Chaudhari S, Tomar S (2011). Placenta previa. Dalam: Deshpande H. London: Jaypee Brothers Medical Publishers, pp: 146-154.
- Dorland WAN (2012). *Kamus kedokteran dorland*. Edisi ke 31. Jakarta: EGC.

- Downes KL, Hinkle SN, Sjaarda LA, Albert PS, Grandtz KL (2015). Previous prelabor or intrapartum cesarean delivery and risk of placenta previa. *American Journal of Obstetrics and Gynecology*, 212(5): 669
- Dudenhausen JW, Travis E, Pschyrembel W (2014). *Practical Obstetrics*. Boston: De Gruyter, 616-624.
- Evans AT (2007). *Manual of obstetrics*. Edisi ke 7. Philadelphia: Lippincott Williams and Wilkins, pp: 154-157.
- Francois KE, Foley AM (2012). Antepartum and postpartum hemorrhage. Dalam: Gabbe SG, Galan HL, Simpson JL, Landon MB (eds). *Obstetric: Normal and problem pregnancies*. London: Elsevier, pp: 421-425.
- Gant NF (2011). *Dasar-dasar ginekologi dan obstetri*. Jakarta: EGC, 515-518.
- Gyamfi-Bannerman C, Gilbert S, Landon MB, Spong CY, Rouse DJ, Varner MW, Caritis SN *et al.* (2014). Risk of uterine rupture and placenta accreta with prior uterine surgery outside of the lower segment. *Obstet Gynecol*, 120(6): 1332-1337.
- Giordano R, Cacciatore A, Cignini P, Vigna R, Romano M (2010). Antepartum haemorrhage. *Journal of Prenatal Medicine* 4(1): 12-16.
- Gouhar KG, Sadek SM, Siam S, Ahmad RA (2012). Role of transperineal sonography in diagnosis of placenta previa/accreta: A prospective study. *The Egyptian Journal of Radiology and Nuclear Medicine*, 43(4): 637-645.
- Gurol-Urganci I, Cromwell DA, Edozien LC, Smith GC, Onwere C, Mahmood TA, Templeton A, et al (2011). Risk of placenta previa in second birth after first birth caesarean section: A population-based study and meta-analysis. *BMC Pregnancy Childbirth*. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3247856/pdf/1471-2393-11-95.pdf> - Diakses Februari 2016.
- Halimi S (2011). Associated of placenta previa with multiparity and previous cesarean section. *Journal of Postgraduated Medical Institute*, 25(2): 139-142.
- Handayani RR, Adisasmita AC (2013). Kejadian komplikasi maternal: Pelaporan di rumah sakit dan hasil riskesdas di indonesia tahun 2010 (Analisis sirs dan riskesdas). <http://lib.ui.ac.id/naskahringkas/2015-09/S52981-Reisty%20Ria%20Handayani> – Diakses April 2016.
- Hartono F, Wahyudi T, Tedjoyuwono (2013). Faktor resiko kejadian plasenta previa pada ibu hamil di RSUD. dr. Seodarso Pontianak tahun 2009-2011. *Jurnal Mahasiswa PSPD FK Universitas Tanjungpura*. <http://jurnal.untan.ac.id/index.php/jfk/article/viewFile/2910/2850> - Diakses Februari 2016
- Hayakawa H, Itakura A, Mitsui T, Okada M, Suzuki M, Tamakoshi K, Kikkawa F (2006). Methods for myometrium closure and other factors impacting

effects on cesarean section scars of the uterine segment detected by the ultrasonography. *Acta Obstetrica et Gynecologica Scandinavica*, 85(4): 429-434.

Hayashi RH, Gambone JC (2004). Obstetric Hemorrhage and puerperal sepsis. Dalam: Hacker NF, Moore JG, Gambone JC (eds). *Essentials of obstetric and gynecology*. Edisi ke 4. China: Elsevier, pp: 146-158.

Hull AD, Resnik R (2014). Placenta previa, placenta accreta, abruptio placenta, and vasa previa. Dalam: Creasy RK, Resnik R, Iamn JD, Lockwood CJ, Moore TR, Greene TR (eds). *Creasy and resnik's maternal-fetal medicine: Principles an practices*. Edisi ke 7. China: Elsevier, pp: 732-734.

Hung TH, Hsieh CC, hsu JJ, Lo LM, Hsieh TT (2007). Risk factors for placenta previa in a asian population. *International Journal of Gynecology & Obstetrics*, 97(1): 26-30.

Johnson LG, Mueller BA, Daling JR (2003). The relationship of placenta previa and history of induced abortion. *Int J Gynaecol Obstet.*, (81)2: 191-8.

Kay HH (2003). Placenta previa. Dalam: James R, Scott M, Ronald S, Gibs M, Beth Y, Karlan M (eds). *Danforth's obstetrics an gynaecology*. Philadelphia: Lippincott Williams & Wilkins Publisher.

Kemkes RI (2007). *Profil Kesehatan Indonesia 2005*. Jakarta : Departemen Kesehatan RI.

Kemkes RI (2013). Riset kesehatan dasar. [www.depkes.go.id/resources/download/general/Hasil%20Risksdas%202013.pdf](http://www.depkes.go.id/resources/download/general/Hasil%20Risksdas%202013.pdf) – diakses Agustus 2016.

Kingdom JCP (2014). Antepartum hemorrhage. Dalam: Baskett TF, Calder AA, Arulkumaran S (eds). *Munro kerr's operative obstetrics*. China: Elsevier, pp: 178-190.

Kurniawati N, Triyawati L (2014). Pengaruh usia dan paritas terhadap kejadian plasenta previa pada ibu hamil trimester iiii di RSUD Dr. Wahidin Sudiro Husodo Mojokerto. *Strada Jurnal*, 3(1): 29-41.

Latif L, Iqbal UJ, Aftab MU (2015). Association risk factors of placenta previa a matched case control study. *PJMHS* 9(4): 1344-6.

Lestari HEP (2009). Hubungan antara paritas dengan kejadian perdarahan antepartum. Surakarta, Jawa Tengah, Universitas Sebelas Maret. Skripsi.

MacDorman M, Declercq E, Menacker F (2011). Recent trends and patterns in cesarean and vaginal birth after cesarean (VBAC) deliveries in the United States. *Clinics in Perinatology*, 38(2): 179-192.

Majeed T, Waheed F, Mahmood Z, Saba K, Mahmood H, Bukhari MH (2015). Frequency of placenta previa in previously scarred and non scarred uterus. *Pak J Med Sci*, 31(2): 360-363.

- Manuaba IAC, Manuaba IBG, Manuaba IBGF, Manuaba IBG (2014). Ilmu kebidanan, penyakit kandungan, dan kb untuk pendidikan bidan. Edisi ke 2. Jakarta: EGC, pp: 247-254
- Mathuriya G, Lokhande P (2013). Comparative study of obstetrics outcome between scarred and unscarred uterus in placenta previa cases. *Indian Journal of Clinical Practice*, 24(6)
- Mgaya AH, Massawe SN, Kidanto HL, Mgaya HN (2013). Grand multiparity: is it still a risk in pregnancy? *BMC Pregnancy and Childbirth*, 13: 241-248.
- Morgan G, Hamilton C (2009). *Obstetri & ginekologi: Panduan praktik*. Jakarta: EGC, pp: 378-380.
- Mose JC, Sabarudin U (2013). Perdarahan Antepartum. Dalam: Effendi JS, Wirakusumah FF, Martaadisoebrata D (eds). *Obstetri Patologi: Ilmu Kesehatan Reproduksi*. Jakarta: ECG, pp: 79-86
- Navti OB, Konje JC (2011). Bleeding in late pregnancy. Dalam: James D, Steer PJ, Weiner CP, Gonik B (eds). *High-risk pregnancy*. Edisi ke 4. China: Elsevier, pp: 1037-1051.
- Nezhat C, Dadgar S (2011). Robot-assisted myomectomy. Dalam: Tulandi T, Advincula A (eds). *Emerging technologies in women's health volume 1*. Bentham Science Publishers, pp: 18-19.
- Opara E, Zaidi J (2007). The interpretation and clinical application of the word 'parity': a survey. *BJOG*, 114(10): 1295-1297.
- Oxorn H (2003). *Ilmu kebidanan: Patologi dan fisiologi persalinan*. Yogyakarta: Yayasan Essentia Medica, pp: 425-428.
- Oyelese Y (2011). Third trimester bleeding. Dalam: Queenan JT, Spong CY, Lockwood CJ (eds). *Queenan's management of high risk pregnancy: An evidence-based approach*. Edisi ke 5. Singapore: Wiley-Blackwell, pp: 478-484.
- Oyelese y, Smulian JC (2006). Placenta previa, placenta accreta, and vasa previa. *Obstetrics and Gynecology*, 107(4) 927-41.
- Palacios-Jaraquemada JM (2012). Placental adhesive disorder. Germany: De Gruyter, pp: 4-6.
- Potdar N, Navti O, Konje JC (2009). Antepartum hemorrhage. Dalam: Warren R, Arulkumaran S (eds). *Best practice in labour and delivery*. New York: Cambridge University Press, pp: 141-145.
- Rambey L (2008). Gambaran faktor resiko pada kasus plasenta previa di RSUP. Dr M. Djamil Padang periode januari 2005 – desember 2006. Universitas Andalas. Skripsi.
- Rani PR, Haritha PH, Gowri R (2007). Comparative study of transperineal and transabdominal sonography in the diagnosis in the placenta previa. *The Journal of Obstetric and Gynaecology Research*, 33(134): 134-137.

- Rosenberg T, Pariente G, Sergienko R, Wiznitzer A, Sheiner E (2011). Critical analysis of risk factors and outcome of placenta previa. *Arch Gynecol Obstet*, 284: 47-51.
- Rowe T (2014). Placenta Previa. *Journal of Obstetrics and Gynecology Canada*, 36(8): 667-668.
- Sastroasmoro S, Ismael S (2014). *Dasar-dasar metodologi penelitian klinis*. Edisi ke 5. Jakarta: Sagung Seto, pp:100.
- Sekiguchi A, Nakai A, Kawabata I, Hayashi M, Takeshita T (2013). Type and location of placenta previa affect preterm delivery risk related to antepartum hemorrhage. *International Journal of Medical Science*, 10(12): 1683-88.
- Silver RM, Landon MB, Rouse DJ, Leveno KJ, Spong CY, Thom EA, Caritis SN et al (2006). Maternal morbidity associated with multiple repeat caesarean deliveries. *Obstetrics and gynecology*, 107(6): 1226-32
- Smith J, Mousa HA (2007). Peripartum hysterectomy for primary postpartum haemorrhage: incidence and maternal morbidity. *Journal Obstetrics Gynaecology*, 27(1):44-47.
- Sofian A (2013). *Rustam mochtar sinopsis obstetri: Obstetri fisiologi, obstetri patologi*. Edisi ke 3. Jakarta: EGC.
- Solheim KN, Esakoff TF, Little SE, Cheng YW, Sparks TN, Caughey AB (2011). The effect of cesarean delivery rates on the future incidence of placenta previa, placenta accreta, and maternal mortality. *The Journal of Maternal-Fetal & Neonatal Medicine*, 24(11): 1341-1346.
- Spong CY, Mercer BM, D'Altom, Kilpatrick S, Blackwell s, Saade G (2011). Timing of indicated late-preterm and early-term birth. *Obstet Gynecol.*, 118(2): 323-3.
- Stedman TL (2005). *Stedman's medical dictionary*. Edisi ke 28. Baltimore: Lippicott Williams and Wilkins.
- Suknikhom W, Tannirandorn Y (2011). Previous uterine operatin and placenta previa. *J Med Assoc Thai*, 94(3): 272-7.
- Trianingsih I, Mardhiyah D, Duarsa ABS (2015). Faktor-faktor yang berpengaruh pada timbulnya kejadian plasenta previa. *Jurnal Kedokteran Yarsi*, 23(3): 103-113.
- Tuzofic L, Djelmi J, Ilijic M (2003). Obstetric risk factors associated with plasenta previa development: Case-control study. *Croatia Medical Journal*, 44(6): 728-33.
- Wardana A, Karkata K (2007). Faktor risiko plasenta previa. *Cermin Dunia Kedokteran*, 34(5): 229-232.
- Williams VL, Thomas S (2011). Dilation and curettage. Dalam: Pfenninger JL, Fowler GC (eds). *Pfenninger and Fowler's procedures for primary care*. Edisi ke 3. USA: Elsevier, pp: 957-961.

- Winson N, McDonald S (2005). Illustrated dictionary of midwifery. London: Elsevier.
- Wong TY (2011). Emergency Emergency peripartum hysterectomy: A 10-year review in a tertiary obstetric hospital. The New Zealand Medical Journal, 124(1345): 34.
- Usta IM, Hobeika EM, Musa AAA, Grabiell GE, Nassar AH (2005). Placenta previa-accreta: Risk factors and complication. American Journal of Obstetrics and Gynecology, 193(3): 1045–9.
- Yang Q, Wu Wen S, Caughey S, Krewski D, Sun L, Walker MC (2008). Placenta Previa: Its relationship with race and the country of origin among asian women. Acta Obstetricia et Gynecologica Scandanavica, 87(6): 612-6

