

DAFTAR PUSTAKA

- Agosti, D., J. D. Majer, L. E. Alonso and T. R. Schultz. 2000. *Ants. Standard Methods for Measuring and Monitoring Biodiversity*. Smithsonian Institution Press. Washington and London.
- Alexander, L. W. 2002. Taxonomic Revision of the *Pachycondyla apicalis* Species Complex (Hymenoptera: Formicidae). *Zootaxa* **834**: 1-25
- Arora, R and G. S. Dhaliwal. 1999. *The Insect Diversity, Habits and Management*. Kalyani Publishers. New Delhi.
- Araujo, L. M. and G. W., Fernandes, 2003. *Altitudinal Patterns in a Tropical ant Assemblage and Variation in Species Richness Between Habitats*. Institution Biologi of Ciencias. Brazil.
- Bernstein, R. A. 1979. Schedules of foraging activity in species of ants. *J Anim Ecol* **48**:921-930.
- Bestia, A. 2011. *Diversitas Semut (Hymenoptera: Formicidae) Pada Empat Habitat di Hutan Lindung Sungai Pulai Pulau Bintan Kepulauan Riau*. Thesis Pascasarjana. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Andalas, Padang.(Belum dipublikasikan).
- Bestelmeyer, B. T. and J.A. Wiens. 2001. The effects of land use on the structure of ground-foraging ant communities in the Argentinian Chaco. *Ecol Appl* **6**:1225-1240.
- Bharti, H. 2011. List of Indian Ants (Hymenopter: Formicidae). *Halteres* **3**: 79-87
- Bharti, H. And Y. P., Sharma, 2009, *Diversity and Abundance of Ants Along an Elevation Gradient in Jammu-Kashmir Himalaya*. Departement of Zoology. Punjabi University.
- Bharti, H., Y. P., Sharma, M. Bharti, and M. Pfeiffer,2013, Ant Species Richness, Endemicity and Functional Groups along an Elevation Gradient in the Himalayas. *Asian Myrmecology* **5**: 79-101
- Bharti, W. and A. A. Wachkoo. 2013. Two New Species of the Ant Genus *Leptogenys*(Hymenoptera: Formicidae) from India, with Description of a PlesiomorphicErgatogyn. *Asian Myrmecology*, **5**: 11-19.
- BKSDA Sumbar. 2012. *Buku Informasi Kawasan Konservasi*. BKSDA Sumatera Barat. Padang.
- Bolton, B. 1975. A revision of the ant genus *Leptogenys* Roger (Hymenoptera: Formicidae) in the Ethiopian region with a review of the Malagasy species. *Bulletin of the British Museum (Natural History) Entomology* **31**: 235-305.

Bolton, B. 1991. New *Myrmicine* Ant Genera from the Oriental Region (Hymenoptera: Formicidae). *Systematic Entomology*, **16**: 1-13.

Bolton, B. 1994. *Identification guide to the Ant Genera of the World*. Harvard University Press London. England.

Bolton, B. 2010: Bolton's catalogue and synopsis. Version of 1 July 2010.

Bolton, B. (2013). The ant tribe Dacetini. *Memoirs of the American Entomological Institute*, **65**: 1–1028.

Bolton, B. and B. L. Fisher. 2011. Taxonomy of Afrotropical and West Palaearctic Ants of the *Ponerinae* Genus *Hypoponera*Santschi (Hymenoptera: Formicidae). *Zootaxa*, **2843**: 1-118.

Bolton B, 2012. Bolton's Catalogue and Synopsis version: 1 January 2012. Downloaded from <http://gap.entclub.org/> on 10 Januari2016.

Borror, D. J., C. A. Triplehorn, and N. F. Johnson, 1992. *Pengenalan Pelajaran Serangga*. Edisi Keenam. Terjemahan oleh Soetiyon Partosoedjono. Gajah Mada University Press. Yogyakarta.

Botes, A., M. A. McGeoch, H. G. Robertson, A. Niekerk, H. P. Davids, and S. L. Chown, 2006. Ants, Altitude and Change in the Northern Cape Floristic Region. *Journal of Biogeography* **33**: 71-90.

Boudinot, B. E. 2015. Contributions of the Knowledge of Formicidae (Hymenoptera: Aculeata): a New Diagnosis of the Family, the First Global Male-Based Key to Subfamilies, and a Treatment of early Branching Lineages. *European Journal of Taxonomy*, **120**: 1-62

Brown, W. L. 1973. A comparison of the Hylean and Congo-West African rainforest ant faunas. Pp 161-185 in Meggers, BJ, Ayensu ES, Duckworth WD(eds). *Tropical Forest Ecosystem in Africa and South America: a Comparative Review*. Washington: Smithsonian Institute Pr.

Brown, W. L. 1975. Contributions toward a Reclassification of the Formicidae. V. *Ponerinae*, Tribes *Platythyreini*, *Cerapachyini*, *Cylindromyrmecini*, *Acanthostichini*, and *Aenictogitini*. *Search Agriculture* (Ithaca N. Y.), **5**:1-15.

Brown, W.L. 1976: Contributions toward a reclassification of the Formicidae. VI. *Ponerinae*, tribe *Ponerini*, subtribe *Odon-tomachiti*. Section A. Introduction, subtribal characters. *Genus Odontomachus*. *Studia Entomologica* (N.S.) **19**: 67-171.

Cook, J. L and B. M. Dree. 2002. Texas Pest Ant Identification: an Illustrated Key. *Fire ant plant sheet 013*. <http://fireant.tamu.edu>. Diakses tanggal 21 Mei 2015.

Craighton. 1929. New Forms of *Odontoponera transversa*. Entomological Laboratory of the Bussey Institution.Harvard University

- De Jesus, C. M., E. G. P. Fox, D. R. Solis, A. T. Yabuki, M. L. Rossi, and O.C. Bueno. 2010. Description of the Larvae of *Tapinoma melanocephalum* (Hymenoptera: Formicidae). *Florida Entomologist*, **93** (2): 243-247.
- Delabie, J. H. C. and B. Fabrice. 2002. The Tramp Ant *Hypoponera punctatissima* (Roger) (Hymenoptera: Formicidae: Ponerinae): New Records from the Southern Hemisphere. *Neotropical Entomology*, **31** (1): 149-151.
- Eguchi, K. 2000. Two New *Pheidole* Species With A-5 Segmented Antennal Club (Hymenoptera: Formicidae). *Entomological Science* **3** (4): 687-692.
- Fadillah, M. 2008. *Diversitas Semut (Hymenoptera: Formicidae) di Beberapa Ketinggian Vertikal di Kawasan Cagar Alam Telaga Warna Jawa Barat*. Tesis Master Biologi. Sekolah Pascasarjana Institut Pertanian Bogor.
- Fowler, H.G. 1994. Relative representation of Pheidole (Hymenoptera: Formicidae) in local ground ant assemblages of the Americas. *An. Biol.* **19**: 29-37.
- Februri, R. 2011. *Komposisi dan Struktur Komunitas Semut (Hymenoptera: Formicidae) permukaan Tanah di Taman Hutan Raya DR. Mohammad Hatta, Sumatera Barat*. Skripsi Sarjana Biologi. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Andalas, Padang.(Belum dipublikasikan).
- Fisher, B.L., 1996. Ant Diversity Pattern Along an Elevational Gradient in the Reserve Naturalle Integrale d'Andringitra, Madagascar. *Fieldiana Zoology* **85**: 93-108.
- Fisher, B.L., 1999. Ant Diversity Pattern Along an Elevational Gradient in the Reserve Naturalle Integrale d'Andringitra, Madagascar. *Fieldiana Zoology* **94**: 129-147.
- Fischer, G., F. H. Garcia, and M. K. Peters. 2012. Taxonomy of the Ant Genus *Pheidole* Westwood (Hymenoptera: Formicidae) in the Afrotropical Zoogeographic Region: Definition of Species Groups and Systematic Revision of the *Pheidole pulchella* Group. *Zootaxa*, **3232**: 1-43.
- Garcia, F. H. and B. L. Fisher. 2011. The Ant Genus *Tetramorium* Mayr (Hymenoptera: Formicidae) in the Malagassy Region Introduction, Definition of Species Groups, and Revision of the *T. bicarinatum*, *T. obesum*, *T. sericeiventre*, and *T. tosii* Species Groups. *Zootaxa*, **3039**:1-72.
- Grimaldi, D and D. Agosti. 2000. A Formicine in New Jersey Cretaceous amber (Hymenoptera: Formicidae) and early evolution of the ants. *Proc. Natl. Acad. Sci. USA* **97** (25): 13678-13683.
- Gregg, R. E. 1954. Geographical Distribution of the Genus *Myrmoteras*, Including the Description of the New Species (Hymenoptera: Formicidae). Department of Biology, University of Colorado.

- Guillem, R. and K. Bensusan. 2008. *Technomyrmex vixatus* (Santschi, 1919) from Gibraltar (Hymenoptera: Formicidae): a New Ant Species for Europe and Genus for Iberia. *Myrmecological News*, 11: 21-23.
- Guillem, R., K. Bensusan, and A. Taheri. 2012. First Record of the Ant Subfamily *Cerapachyinae* Forel, 1893 (Hymenoptera, Formicidae) from Morocco. *Bulletin de l'Institut Scientifique, Rabat, Section Sciences de la Vie*, **34** (2): 121-123.
- Gullan, P. J and C. Cranston. 2005. *The Insect An Outline of Entomology*. Blackwell Sci. California.<http://www.laclaseinsecta.com/PDF/004.pdf>. Diakses tanggal 20 Mei 2015.
- Hashimoto, Y. 2003. *Identification Guide To The Ant Subfamily of Borneo*. Tools for Monitoring Soil Biodiversity in The ASEAN Region. Darwin Initiative.
- Hirosawa H. et al. 2000. Food habits of army ants Aenictus and their effects on ant community in a rainforest of Borneo. [Abstract.] P.210 in: Schwarz, M. P., Hogendoorn, K. (eds.) *Social Insects at the Turn of the Millennium. Proceedings of the XIII International Congress of IUSSI*. Adelaide, Australia. 29 December 1998 - 3 January 1999. Adelaide: XIII Congress of IUSSI, 535 pp.
- Hölldobler, B. And E. O. Wilson. 1990. *The Ants*. The Belknap Press of Harvard University Press. Cambridge. Massachusetts.
- Ito, F., S. Yamane, K. Eguchi, W. A. Noerdjito, S. Kahono, K. Tsuji, K. Ohkawa, K. Yamauchi, T. Nishida and K. Nakamura. 2001. Ants Species Diversity in the Bogor Botanic Garden, West Java, Indonesia, with Description of Two New Species Of The Genus Leptanilla (Hymenoptera: Formicidae). *Tropics* **10** (3): 379-404.
- Karaman, C., N. Aktac and K. Kiran. 2011. Ants of the Genus *Camponotus* Mayr, 1861 (Hymenoptera: Formicidae) in the Kaz Mountains, Turkey, with Description of Sexually Dimorphic *Camponotus cadiotes* Emery, 1894 and *Camponotus ionius* Emery, 1920. *Turk J Zool*, **35** (2): 183-197.
- Kaspari, M. 1996. Testing resource-based models on patchiness in four Neotropical litter ant assemblages. *Oikos* **76**:443-454.
- Kempf, W. W. 1964. The Ants of Genus *Anochetus* (*Stenomyrmex*) in Brazil (Hym: Formicidae). *Studia Ants*. **7**: 1-4
- Kwon, T.S., S. S. Kim, and J. H. Chun, 2014. Pattern of Ant Diversity in Korea: An Empirical Test of Rapoport's Altitudinal Rule. *Journal of Asia-Pacific Entomology* **17**: 161-167.
- LaPolla, J. S. and B. L. Fisher. 2014. Two New *Paraparatrechina* (Hymenoptera: Formicidae) Species from the Seychelles, with Notes on the *Hypogaeicweissi* Species-Group. *Zookeys*, **414**: 139-155.
- LaPolla, J. S., C. H. Cheng, and B. L. Fisher. 2010. Taxonomic Revision of the Ant (Hymenoptera: Formicidae) Genus *Paraparatrechinain* the Afrotropical and Malagasy Regions. *Zootaxa*, **2387**: 1-27.

- LaPolla, J. S., S. G. Brady, and S. O. Shattuck. 2011. Monograph of *Nylanderia* (Hymenoptera: Formicidae) of the World: An Introduction to the Systematics and Biology of the Genus. *Zootaxa*, **3110**: 1-9.
- Lynch, J.F., E.C. Balinsky, and S. G. Vail. (1980) Foraging patterns in three sympatric forest ant species, *Prenolepis imparis*, *Paratrechina melanderi* and *Aphaenogaster rudis* (Hymenoptera: Formicidae). *Ecological Entomology*, **5**, 353–371.
- Mackay, W. P. 1993. A Review of the New World Ants of the Genus *Dolichoderus* (Hymenoptera: Formicidae). *Sociobiology*, **22**:1.
- Magurran, A. E. 2004. *Measuring Biological Diversity*. Blackwell Sciene Ltd. United Kingdom.
- Mardoni. 2011. Jenis-jenis kumbang tinja (coleoptera: scarabaeidae) di gunung singgalang. Skripsi Sarjana Biologi. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Andalas, Padang.(Belum dipublikasikan).
- Nickerson, J. C., C. L. Bloomcamp, and R. M. Pereira. 2015. Ghost Ant, *Tapinoma melanocephalum* (Fabricius) (Insecta: Hymenoptera: Formicidae). IFAS Extension, University of Florida.
- Nova, A. Y., N. Wilson dan Rizaldi. 2015. Komunitas Burung Berdasarkan Zonasi Ketinggian di Gunung Singgalang, Sumatera Barat. *J. Bio. UA* **4**(1): 2303-2162.
- Odum, E. 1993. Dasar-dasar Ekologi. Universitas Gadjah Mada. Yogyakarta.
- Partasasmita, R. 2003. Ekologi Burung Pemakan Buah dan Peranannya Se-bagai Penyebar Biji. Makalah Falsafah Sains Program Pasca Sarjana Institut Pertanian Bogor. Bogor.
- Philpott, S. M. 2004. Biodiversity in tropical agroforest and theecological role of ants and ant diversity in predatory function. *Ecol Entomol* **31**:369-377.
- Plowes, N. J. R., and R. Patrock. 2000. *A Field Key to the Ants (Hymenoptera: Formicidae) found at Brackenridge Field Laboratories*. University of Texas at Austin. Texas. <http://www.sbs.utexas.edu/bio373l/docs/ants/antkey.pdf>. Diakses tanggal 20Mei 2015.
- Saarinen, E. V. 2014. Acrobat Ant, *Crematogaster ashmeadi* Emery (Insecta: Hymenoptera: Formicidae: Myrmicinae). IFAS Extension. University of Florida.
- Sanders, N. J. 2002. Elevational gradients in ant species richness: area, geometry, and Rapoport's rule. *Ecography* **25**: 25–32.
- Satria, R., V. Zubir dan R. Jannatan. 2010. *Jenis-Jenis Semut Hama (Formicidae) Pada Rumah Tangga di Kota Padang, Sumatera Barat*. www.researchgate.net.../224049890_Household_Ants_in_Padang_Sumatera_barat.pdf. Diakses tanggal 20mei 2015.

- Seifert, B. 2013. *Hypoponera ergatandria* (Forel, 1893) – a Cosmopolitan Tramp Species Different from *H. Punctatissima* (Roger, 1859) (Hymenoptera: Formicidae). *Soil Organisms*, **85** (3): 189-201.
- Sharaf, M. R., B. L. Fisher, and A. S. Aldawood. 2004. Notes on Ants of the Genus *Strumigenys* F. Smith, 1860 (Hymenoptera: Formicidae) in the Arabian Peninsula, with a Key to Species. *Sociobiology*, **61** (3): 293-299.
- Shattuck, S. O. 2000. *Australian Ants: Their Biology and Identification*. CSIRO Public.Collingwood.
- Shattuck, S. O. 2009. A Revision the Australian Species of the Ant Genus *Myrmecina* (Hymenoptera: Formicidae). *Zootaxa*, **2146**: 1-21.
- Shattuck, S. O. and E. Slipinska. 2012. Revision of the Australian Species of the Ant Genus *Anochetus* (Hymenoptera: Formicidae). *Zootaxa*, **3426**: 1-28.
- Smith, M. R. 1973. *House Investing Ants of the Eastern United States: Their Recognition, Biology and Economic Important*. Technical Bulletin No. 1326. Agricultural Research Service.United States Departement of Agricultural.
- Sorger, D. M. and H. Zettel. 2010. Taxonomic Additions to the *Polyrhachis* (Myrma) *cyaniventris* Species Group (Insecta: Hymenoptera: Formicidae). *Ann. Naturhist. Mus. Wien, B*, **111**:31-36.
- Sorger, D. M. and H. Zet tel. 2011. On the Ants (Hymenoptera: Formicidae) of the Phillipine Islands: V. the Genus *Odontomachus*Latreille, 1804. *Myrmecological News*, **14**: 141-163.
- Sugiyono, 2000. Metode Untuk Penelitian. Alfabeta: Bandung.
- Suin, M.. N. 1989. Ekologi Hewan Tanah. Jakarta: Bumi Aksara.
- Suin, M.. N. 2002. Metoda Ekologi. Universitas Andalas: Padang.
- Susanto, O.K. 2013. *Komposisi Semut (Hymenoptera: Formicidae) di Perkebunan Sawit (Elaeis guineensis Jacq) rakyat di Kanagarian Kunangan Parik Rantang Kabupaten Sijunjung*. Skripsi Sarjana Biologi. STKIP PGRI Sumbar, Padang. (Belum dipublikasikan).
- Terayama, M. 1985. Two New Species of the Ant Genus *Myrmecina*(Insecta; Hymenoptera; Formicidae) from Japan and Taiwan. *Edaphologia*, **32**: 35-40.
- Terayama, M. 1986. Two New Ants of the Genus *Ponera*(Hymenoptera: Formicidae) from Taiwan. *Kontyu*, Tokyo, **54** (4): 591-595.
- Terayama, M. 1995. A New Species of the Ant Genus *Acanthomyrmex* (Hymenoptera: Formicidae) from Thailand. *Jpn. J. Ent.*, **63** (3): 551-555

- Terayama, *et al.* 1998. Three new species of the genus *Acanthomyrmex* EMERY (Hymenoptera: Formicidae) from Indonesia, with notes on the reproductive caste and colony composition. *Entomological Science* **1**: 257-264.
- Trager, J. C. 1984. A Revision of the Genus *Paratrechina* (Hymenoptera: Formicidae) of the Continental United States.
- Vasconcelos, H. L. *et al.* 2003. Effects of forest disturbance on the structure of ground foraging ant communities in central Amazonia. *Biodiv Conserv* **8**:409-420.
- Ward, P. S. 2009. The Ant Genus *Tetraponera* in the Afrotropical Region: the *T. grandidieri* Group (Hymenoptera: Formicidae). *Journal of Hymenoptera Research*. **18** (2): 285-304.
- Warner, J. R. 2003. Bait Preferences and Toxicity of Insecticides to White-Footed Ants *Technomyrmex albipes* (Hymenoptera: Formicidae), University of Florida.
- Wild, A.L. 2003. The genus *Pachycondyla* (Hymenoptera: Formicidae) in Paraguay. *Boletín del Museo Nacional de Historia Natural del Paraguay*, **14**, 1–18.
- Wiens, J.A. 1992. The Ecology of Bird Communities **1**: 241-374. Foundations and Patterns. Cambridge University Press.
- Wilson, E. O. 1979. *The Insect Societies*. Harvard University Press. Cambridge. Massachusetts. London.
- Wilson, E. O. 2000. *Pheidole* in the New World: A Dominant, Hyperdiverse Ant Genus. *Rev. Biol. Trop. (Int.J. Trop. Biol. ISSN-0034-7744)* **53** (1-2): 297-304.
- World Wildlife Fund. 2008. Sumatran montane rain forests. In: Cleveland, C. J. *Encyclopedia of Earth*. http://www.eoearth.org/article/Sumatran_montane_rain_forests. 20 Mei 2015.
- Zhengui, X. 1991. A Taxonomic Study of the Ant Genus *Brachyponera* Emery in Southwestern China (Hymenoptera Formicidae Ponerinae). Department of Forest Protection, Southwest Forestry College, Kunming.