

DAFTAR PUSTAKA

- Alfirevic Z, Weeks A. Oral misoprostol for induction of labour. *Cochrane Database Syst Rev* 2008, 3.
- Alfirevic Z, Blum J, Walraven G, Weeks A, Winikoff B. Prevention of postpartum hemorrhage with misoprostol. *Int J Obstet Gynecol.* 2007;99:198-201
- Abou Zahr C, Wardlaw T: Maternal mortality at the end of a decade signs of progress. *Bulletin WHO.*2001.79 :561-568.
- Amant F, Spitz B, Timmerman D, Corremans A, Van Assche FA. Misoprostol compared with methylergometrine for the prevention of postpartum haemorrhage: a double-blind randomised trial. *Br J Obstet Gynaecol.* 1999 Oct;106(10):1066-70.
- Anderson JM et al; *Prevention and Management of Postpartum Hemorrhage.* American Family Physician volume 75, number 6, March 2007 page 875 diakses dari <http://www.aafp.org/afp>.
- “Asuhan Persalinan Normal”.Jaringan Pelayanan Klinik Reproduksi.JHPIEGO (MNH). Departeman Kesehatan. Jakarta 2012.
- Bajwa S, Kaur H, Goraya S, Singh A, KaurIshar H. Management of third stage of labor with misoprostol: A comparison of three routes of administration. *Perspectives in Clinical Research,* July-September 2012, Vol 3.
- Bamigboye A, Hofmeyr J, Merrel DA. Rectal misoprostol in the prevention of postpartum hemorrhage ; A placebo-controlled trial. *Am.J Obstet Gynecol* 1998; 179 : 1043-6
- Bagratee JS, Khullar V, Regan L, MoodleyJ, et al. A randomized controlled trial comparing medical and expectant management of first trimester miscarriage. *Hum Reprod* 2004, 19 (2):266-271
- Begley C. A comparison of “active” and “physiological” management of third stage of labor. *Midwifery* 1990;6:3-17.
- Benson & Pernolls.handbook of Obstetric and gynecologic,Tenth ed. Mc GrawHill.North USA. 2004.
- Brandt M. The mechanism and management of third stage of labor. *Am J Obstet Gynecol* 2004;23:662-7.

- Bonham D. Intramuscular oxytocics and cord traction in the third stage of labour. *Brit Med J.* 2005;2:1620-3.
- Bulgalhoa A, Daniela A, Faundesb A, Cunhaa M. Misoprostol for prevention of postpartum hemorrhage. 2001; 73(1).
- Carpenter JP. Misoprostol for Prevention of Postpartum Hemorrhage: An Evidence- based Review by the United States Pharmacopeia . The United States Pharmacopeial Convention, Inc.2001
- Chi I, Agoestina T, Harbin J. Maternal mortality at twelve teaching hospitals in indonesia- an epidemiologic analysis. *Int J Gynecol Obstet.* 1981;19:259-61.
- Chong YS.et al; Current strategies for the prevention of postpartum haemorrhage in the third stage of labour.*Curr Opin Obstet Gynecol* 2004; 16; 143-150.
- Chua S, Arulkumaran S, Adaikon G, Ratnam S. The effect of oxytocics stored at high temperatures on postpartum uterine activity. *Br J Obstet Gynaecol.* 1993;100:874-5.
- Cunningham F.G. et al; *Obstetrics : parturition*,24thed. Int ed. Mc Graw Hill.USA. 2014. pg 256-290.
- Cunningham F.G. et al; *Obstetrics : Mechanisms of Normal Labor*,24thed. Int ed. Mc Graw Hill.USA. 2014. pg 291-307
- Danforth D, Veis A, Breen M, Weinstein H, Buckingham J, Mando P. The effect of pregnancy and labor on the human cervix. Changes in collagen, glycoproteins and glycosaminoglycans. *Am J Obstet Gynecol* 2007;120:641-51.
- Departemen Kesehatan Republik Indonesia : Buku satu : Standar Pelayanan Kebidanan, Jakarta, 2015.
- Derman RJ,Kodkany BS, Goudar SS, Geller SE, Naik VA, Bellad MB,et al. Oral misoprostol in preventing postpartum haemorrhage in resource-poor communities: a randomised controlled trial.*Lancet* 2006; 368: 1248–53.
- Djahanbakch O, Vere M, Gardner N. The intramuscular use of oxytocic agents for prophylactic management of the third stage of labor. *Brit J Clin Pract.* 2001;32:137-8.
- El-Rafaey H, O'Brien P, Morafa W, Walden J, Rodeck C. Use of oral misoprostol in the prevention of postpartum hemorrhage. *Br J Obstet Gynecol.* 1997;104:336-9.

Fliegner J. Third stage management: How important is it? Med J Aust. 1998;2:190-3.

Floyd RC, Morrison JC. Postpartum hemorrhage, IN: Plauche WC, Morisson JC, O'Sullivan MJ. Surgical therapy. London :WB Saundres Company, 1990;373-382

FIGO Guidelines : Prevention and treatment of postpartum hemorrhage in low-resource settings. FIGO Safe Motherhood and Newborn Health (SMNH) Committee. Int J Gynecol Obstet. 2012; 117:108-118

Foegh M, Ramwell P. The eicosanoids: Prostaglandins, thromboxanes, leukotrienes, & related compounds. Dalam: Katzung B, ed. Basic & clinical pharmacology. Edisi ke Internasional. New York: Mc Graw-Hill; 2001. h. 311-20.

Gabbe SG. Et all: Obstetric and Normal and problem pregnancies; Labor and Delivery. 4th Churchill Livingstone Philadelphia. 2007. pg 353-389.

Gaslen LH. Uterine atony, In: Friedman EA, Acker DB, Sachs BP. Obstetric decision making. 2nd ed. Singapore: Manlygraphic Publisher PteLtd, 1988:254-255

George JS. The problems of grandmultiparity. West Ind Med J 1970;10:84-90.

Gilbert L, Porter W, Brown V. Postpartum hemorrhage- a continuing problem. Brit J Obstet Gynecol. 2007;94:67-71.

Gillespie A. Prostaglandin-oxytocin enhancements and potentiation and their clinical application. Br Med J. 1972;7:150-2.

Goldberg AB, Greenberg MB, Darney PD. Misoprostol and pregnancy. N Engl J Med 2001, 344:38-47. (Tingkat Pembuktian IV).

Hibbard B. The third stage of labour. Brit Med J. 2006;1:1485-92.

Hofmeyr GJ, et al. *Misoprostol for treating postpartum haemorrhage: a randomized controlled trial.* BMC pregnancy and childbirth. 2004;4(16):1-7.

Hofmeyr G, Nikodem V, Jager Md, Gelbart B. Randomized placebo controlled trial of oral misoprostol in the third stage of labor. Br J Obstet Gynecol. 1998;105:971-5.

Høj L, Cardoso P, Nielsen B, Hfidman L, Nielsen J, Aaby P. Effect of sublingual misoprostol on severe postpartum hemorrhage in a primary

health center in guinea-bissau: Randomized double blind clinical trial. BMJ. 2005;331:723-8.

Inch S. Physiology of the third stage of labor. Midwives Chronicle and Nursing Note. 1998;101:42-3.

Kemenkes RI. 2012. Survei Dasar Kesehatan Indonesia. Jakarta : Kemenkes.

Krasovec K. Post partum hemorrhage. Background issues. 1999.

Lalonde A, Daviss B, Acosta A, Herschderfer K. Postpartum hemorrhage today: Living in the shadow of the taj mahal. Dalam: B-Lynch C, Keith L, Lalonde A, Karoshi M, penyunting. A textbook of postpartum hemorrhage. Edisi ke 1. Dumfriesshire: Sapiens Publishing; 2006. h. 2-3.

Lam H, Tang O, Lee C, Ho P. A pilot- randomized comparison of sublingual misoprostol with syntometrine on the blood loss in the third stage of labor. Acta Obstet Gynecol Scand Suppl. 2004;83:647-50

Li X, Fortney J, Kotelchuck M, Glover L. The postpartum period: The key to maternal mortality. Int J Gynaecol Obstet. 1996;52:1-10.

Maternal and Mortality health special issue ; Preventing postpartum hemorrhage; managing the third stage of albor. Out look.2001;19;1-8

Megha S, Parneet K, Khushpreet K, Arvinder K, Kanwal P.K, Manjit M. A Comparative Study of Oxytocin/Misoprostol/Methylergometrine for Active Management of the Third Stage of Labor. The Journal of Obstetrics and Gynecology of India (May-June 2014) 64(3):175-179.

McCombs J, Chramer M. Pregnancy and lactation: Therapeutic considerations. Dalam: Dilpiro J, Talbert R, Yee G, Matzke G, Wells B, Possei L, penyunting. Pharmacotherapy a pathophysiologic approach. Edisi ke 4. Connecticut: Appleton&Lange; 1999. h. 1298-306.

Morrow J, Roberts L. Lipid-derived autacoids. Eicosanoids, and platelet-activating factor. Dalam: Hardman J, Limbird L, penyunting. Goodman and gillman's the pharmacological basics of therapeutics. Edisi ke 10 New York: McGraw Hill; 2001.h. 669-80.

Neilson JP: Evidence-based intrapartum care: Evidence from the Cochrane Library. Int J Gynecol Obstet.1998;63;S97-S102.

Ng P.S, Chan A.s, Sin W.K, Tang L.C, Cheung K.B Yuen P.M. A multi centre randomized controlled trial of oral misoprostol and i.m.

syntometrine in the management of the third stage of labour. *Human Reproduction* 2001;16: 31-35

O'Brien P, Rafey H, Gordon A, Geary M, Rodeck C.H. Rectally administered misoprostol for the treatment of postpartum hemorrhage unresponsive to oxytocin and ergometrin ; a descriptive study. *Obstet Gynecol* 1998 ; 92 : 212-214

Path and Engenderhealth. Misoprostol for obstetric and gynecologic uses: a literature review. New York:Path and Engenderhealth 2001; 11-22

Pathak P, Kishore N. Synthetic and natural oxytocin: Comparison of their effects and natural oxytocin: Comparison of their effects on blood pressure in pregnant women. *Ind J Med.* 1997;50:124-7.

Prendiville W, O'Connell M. Active management of the third stage of labor. Dalam: B-Lynch C, Keith L, Lalonde A, Karoshi M, penyunting. A textbook of postpartum hemorrhage. Edisi ke 1. Dumfriesshire: Sapiens Publishing; 2006. h. 98-104

Saifuddin A. Upaya safe motherhood dan making pregnancy safer. Dalam: Martaadisoebrata D, Sastrawinata S, Saifuddin A, penyunting. Bunga rampai obstetri dan ginekologi sosial. Edisi ke 1. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo; 2005. h. 225-6.

Schuermans N, MacKinnon C, Lane C, Etches D. *Prevention and management of postpartum haemorrhage*. SOGC Clinical Practice Guideline. *Journ SOGC.* 2000; 8; 1-11.

Schuermans N et al. Prevention and management of postpartum haemorrhage. *SOGC Clinical practice guidelines J.* 2000;88;1-10.

Sellers S, Hodgson H, Mitchell M, Anderson A, Turnbull A. Raised prostaglandin levels in the third stage of labor. *Am J Obstet Gynecol.* 1998;44:209-11.

Singh G, Radhakrishnan G, Guleria K. Comparison Of Sublingual Misoprostol, Intravenous Oxytocin, Intravenous Methylergometrin in Active Management of The Third Stage of Labor. *IJGO* 2009, 107 130-134.

Steer P. The endocrinology of parturition in the human. *Bailere's Clin Endocrinol and Metab.* 1990;4:333:49.

Tang O, Gemzell-Danielsson K, Ho P. Misoprostol: Pharmacokinetic profiles, effects on the uterus and side-effects. *Int J Obstet Gynecol.* 2007;9:160-7.

- Topozada M, ed. Prostaglandin and their synthesis inhibitors in dysfunctional uterine bleeding. Lancesters: MTP Press 1985.
- Visscher H, Visscher R. Early and later postpartum hemorrhage. Dalam: Sciarra J, Gerbie A, penyunting. Gynecology and obstetrics. Edisi kePhiladelphia: Harper and Row Publ; 2002. h.1211-24
- Villar J, Imezoglu G, Hofmeyr J,Forna F. Systematic Review of Randomized Controlled Trials of Misoprostol to Prevent Postpartum Hemorrhage. The American College of Obstetricians and Gynecologists. 2002 VOL. 100, NO. 6, 0029-7844.
- Vogel D, Burkhardt T, Rentsch K. Schweer H. Misoprostol versus methylergometrine: Pharmacokinetics in human milk. Dept obstet and inst of clinical chemistry: 2004
- Waspodo D, Ngartjono W, Hadiyono R, Ocviyanti D, White P, et a. Buku acuan asuhan persalinan dasar. Edisi ke 1. Jakarta: Depkes RI-JNPK-KR-JHPIEGO-PRIME-SAID; 2000. h
- World Health Organization. WHO recommendations for prevention of postpartum haemorrhage. Department of making pregnancy safer.2006:1-19
- World Health Organization. The world report 2005. Attending to 136 million births, every year. 2005. Make every mother and child count Geneva: the World Health Organization; 2005
- WHO. The prevention and management of postpartum hemorrhage. Edisi ke 2;2012
- Weeks A, Faundes A. Misoprostol in obstetrics and gynecology. Int J Gynaecol Obstet 2007 99: S161-167
- Wing D, Rahall A, Jones M, Goodwin T, Paul R. Misoprostol: An effective agent for cervical ripening and labor induction. Am J Obstet Gynecol. 1995;172:1811-6.