

DAFTAR PUSTAKA

1. Zheng, X., Huang, X., & Gao, C : Study on ferroelectric and dielectric properties of La-doped CaBi₄Ti₄O₁₅-based ceramics. *Journal of Rare Earths*. 2007, 25(2), 168-172.
2. Miyayama, Masaru. Yi, In-Sook. 2000. Electrical anisotropy in single crystals of Bi-layer structured ferroelectrics. Japan: University of Tokyo.
3. Peng, Zhihang., Chen, Qiang., Chen, Yu : Microstructure And Electrical Properties In W/Nb Co-Doped Aurivillius Phase Bi₄Ti₃O₁₂ Piezoelectric Ceramics. *Materials Research Bulletin* 2014.
4. Peng, D., Zou, H., Xu, C., Wang, X., & Yao, X. (2013). Er doped BaBi₄Ti₄O₁₅ multifunctional ferroelectrics: Up-conversion photoluminescence, dielectric and ferroelectric properties. *Journal of Alloys and Compounds*, 552, 463-468.
5. Deverin, J. A. (1978). The dielectric properties of PbBi₄Ti₄O₁₅ ceramics. *Ferroelectrics*, 19(1), 5-7.
6. Zulhadjri., Prijamboedi, B., Nugroho, A.A., Mufti, N., Fajar, A., Palstra,T.T.M., Ismunandar,I : Aurivillius Phasesof PbBi₄Ti₄O₁₅ Doped With Mn³⁺ Synthesized By molten Salt Technique:Structure,Dielectric,And Magnetic Properties. *Journal of Solid State Chemistry* 2011, 184:1318-1323.
7. Xiang, P. H., Kinemuchi, Y., & Watari, K. (2005). Synthesis of layer-structured ferroelectric Bi₃NbTiO₉ plate-like seed crystals. *Materials Letters*, 59(14), 1876-1879.
8. García-Guaderrama, M., Gregorio Guadalupe Carbajal Arizaga, and A. Durán. "Effect of synthesis conditions on the morphology and crystal structure of biferroic Bi₅Ti₃FeO₁₅." *Ceramics International* 40.5 (2014): 7459-7465.
9. Borg, S., Svensson, G., & Bovin, J. O. (2002). Structure study of Bi_{2.5}Na_{0.5}Ta₂O₉ and Bi_{2.5}Na_{m-1.5}Nb_mO_{3m+3} ($m=2-4$) by neutron powder diffraction and electron microscopy. *Journal of solid state chemistry*, 167(1), 86-96.
10. Ashok, K, Buchi Suresh, Sarah. 2013. Electrical Properties Of Li And Nd Doped SrBi₄Ti₄O₁₅ Ceramics. *International Journal of Engineering Research & Technology* Vol 2: 203-211
11. Oh, S. J., Shin, Y., Tran, T. T., Lee, D. W., Yoon, A., Halasyamani, P. S., & Ok, K. M. (2012). Structure–Property Relationships in Solid Solutions of

- Noncentrosymmetric Aurivillius Phases, $\text{Bi}_{4-x} \text{La}_x \text{Ti}_3\text{O}_{12}$ ($x = 0 - 0.75$). *Inorganic chemistry*, 51(19), 10402-10407.
12. Nalini, N. : Structure Determination At Room Temperature And Phase Transition Studies Above T_c In $\text{ABi}_4\text{Ti}_4\text{O}_{15}$ ($A = \text{Ba, Sr Or Pb}$), *Indian Academy Of Sciences* 2002, 25:275–281
13. Bobić, J. D., Petrović, M. V., Banys, J., & Stojanović, B. D. (2013). Effect of La substitution on the structural and electrical properties of $\text{BaBi}_{4-x}\text{La}_x\text{Ti}_4\text{O}_{15}$. *Ceramics International*, 39(7), 8049-8057.
14. Kimura, T : Molten Salt Synthesis Of Ceramic Powders, Japan, 2012, *Keio University*
15. Digamber G. Porob, Paul A. Maggard . Synthesis of textured $\text{Bi}_5\text{Ti}_3\text{FeO}_{15}$ and $\text{LaBi}_4\text{Ti}_3\text{FeO}_{15}$ ferroelectric layered Aurivillius phases by molten-salt flux methods. *Materials Research Bulletin* 2006, 41:1513-1519.
16. Afni, S. E., & Arief, S. (2013). Sintesis Senyawa Aurivillius $\text{SrBi}_4\text{Ti}_4\text{O}_{15}$ yang Didoping Kation La^{3+} dengan Metode Lelehan Garam. *Prosiding SEMIRATA* 2013, 1(1).
17. Yi, Z. G., Li, Y. X., Yang, Q. B., & Yin, Q. R. (2008). La doping effects on intergrowth Bi_2WO_6 - $\text{Bi}_3\text{TiNbO}_9$ ferroelectrics. *Ceramics International*, 34(4), 735-739.
18. Sahoo, Ganesh Kumar. Synthesis and characterization of BaTiO_3 Prepared by Molten Salt Synthesis Method. India : National Institute of Technology.
19. Bertotti, G., & Mayergoyz, I. D. (2005). *The Science of Hysteresis: 3-volume set*. Academic Press.
20. Simões, A. Z., Stojanovic, B. D., Ramirez, M. A., Cavalheiro, A. A., Longo, E., & Varela, J. A. (2008). Lanthanum-doped $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ prepared by the soft chemical method: Rietveld analysis and piezoelectric properties. *Ceramics International*, 34(2), 257-261.
21. Shulman, H. S. (1997). Piezoelectric bismuth titanate ceramics for high temperature applications.
22. Raghavan, C. M., Kim, J. W., Kim, J. W., & Kim, S. S. (2014). Effects of La- and V-doping on structural, electrical and multiferroic properties of $\text{Bi}_6\text{Fe}_2\text{Ti}_3\text{O}_{18}$ thin films. *Ceramics International*, 40(7), 10649-10655.
23. Dann, S. E. (2000). *Reactions and characterization of solids* (Vol. 2). Royal Society of Chemistry

24. Sharma, R., Bisen, D. P., Shukla, U., & Sharma, B. G. (2012). X-ray diffraction: a powerful method of characterizing nanomaterials. *Recent Research in Science and Technology*, 4(8).
25. Speakman, Scott A. "Basics of X-Ray Powder Diffraction." Massachusetts-USA, 2011a. Disponível em:< <http://prism.mit.edu/xray/Basics%20of%20X-Ray%20Powder%20Diffraction.pdf> (2010).
26. Carlton, R. A. (2011). *Pharmaceutical microscopy*. Springer Science & Business Media.
27. Ma, Z., & Zaera, F. (2006). Characterization of heterogeneous catalysts. *Surface and Nanomolecular Catalysis*, 1-37.
28. Young, D. S., Sachais, B. S., & Jefferies, L. C. (1993). The rietveld method.
29. Zulhadjri. Prijamboedi, B., & Nugroho, A. A. (2009). Synthesis and Structure Analysis of Aurivillius Phases $Pb_{1-x}Bi_{4-x}Ti_{1-x}Mn_xO_{15}$. *Journal of the Chinese Chemical Society*, 56(6), 1108-1111.
30. Faradibah. Zulhadjri. A, Syukri. 2015. *Sintesis senyawa Aurivillius PbBi₄Ti₄O₁₅ yang didoping dengan kation La³⁺ dan Mn³⁺ menggunakan metode lelehan garam (Na₂SO₄/K₂SO₄)*, Padang: Universitas Andalas.

