

DAFTAR PUSTAKA

- Akimkhan, M. 2012. *Structurl and Ion-Exchange Properties of Natural Zeolite.* Licensee InTech OpenScience.
- Alexander, M. 1977. Introduction to soil mycrobiology. 2nd Ed. John Wiley and Sons. New York. p 467.
- Attanandana, T., Saitthiti B., Thongpae S., Kritapirom S., Luanmanee, S., Wakatsuki, T. 2000. Multi-Media-Layering System for Food Service Wastewater Treatment. *Ecological Engineering.* 15: 133-138.
- Au A, Dzulkafli. 2012. Food Dyes Decolourized by *Pleurotus ostreatus*. *Journals Sciences and Research Publication.* 2:1-5
- Banerjee. S, Chattopadhyaya MC. 2013. Adsorption characteristics for the removal of a toxic dye, tartrazine from aqueous solutions by a low cost agricultural by-product. *Arabian Journal of Chemistry.* 2013.
- Barlokova, D. 2008. Natural Zeolite in the water treatment process. *Slovak Journal of Civil engineering.* 2008: 8-12
- Boonsook, Pinpatch, Luanmanee S., Attanandana T., Kamidouzono A., Masunaga T., and Wakatsuki T.. 2003. A Comparative Study of Permeable Layer Materials and Aeration Regime on Efficiency of Multi-Soil-Layering System for Domestic Wastewater Treatment in Thailand (Environment). *Soil science and plant nutrition.* 49 : 873-882.
- Chen, X., Luo A.C., Sato K., Wakatsuki T., Masunaga T., 2009. An Introduction of a Multi- Soil-Layering System: A Novel Green Technology for Wastewater Treatment in Rural Areas. *Water and Environment Journal.* 23:255-265.
- Chen, X., Sato K., Wakatsuki T., Masunaga T., 2007. Effect of Structural Difference on Wastewater Treatment Efficiency in Multi Soil Layering Systems: Relationship between Soil Mixture Block Size and Removal Efficiency of Selected Contaminants. *Soil Science and Plant Nutrition.* 53:206-214.
- Darmawijaya, M. I. 1990. *Klasifikasi tanah, dasar terori bagi peneliti tanah dan pelaksana pertanian di Indonesia.* Gajah Mada University Press. Yogyakarta. 150 – 156.
- Dotto GL, Vieira ML, Esquerdo VM, Pinto LAA. 2013. Equilibrium and Themodynamics of Azo Dyes Biosorption onto *Spirulina platensis*. *Journals Chemistry Engineering.* 30(1): 13-21

- Edwin, Tivany. 2013. Efisiensi dan Kapasitas Penyerapan *Fly Ash* Sebagai Penyisihan Minyak dan Lemak dari Limbah Cair Hotel Dengan Metode *Multi Soil Layering* (MSL). *Jurnal Teknik Lingkungan UNAND* 10 (1) : 38-45.
- Ho, Chia-Chun, and Wang P.H.. 2015. Efficiency of a Multi-Soil-Layering System on Wastewater Treatment Using Environment-Friendly Filter Materials. *International Journal of Environmental Research and Public Health*. 12 : 3362-3380.
- Illmer, P. and F. Schinner. 1992. Solubilization of inorganic phosphate by microorganisms isolated from forest soils. *Soil Biol. Biochem.* 24: 389-395.
- Intan. 2014. *Pengolahan Limbah Pabrik Mie Instant*. Kementrian Kesehatan Republik Indonesia. Politeknik Kesehatan Kementrian Kesehatan Surabaya.
- James, E. and F.L. Olivares. 1997. Infection and colonization of sugarcane and other graminaceous plants by endophytic diazotrophicus. *Plant Science*. 17:77-119.
- Kasman, M. 2004. *Studi Pengolahan Limbah Cair Industri Keripik Ubi Kayu (Manihot Utilissima) dengan Metode Multi Soil Layering (MSL)*. Tugas Akhir Sarjana Teknik Universitas Andalas. Universitas Andalas: Padang.
- Kassem, M.A., GO. Elsayed. 2014. Adsorption of Tartrazine on Medical Activated Charcoal Tablets under Controlled Conditions. *Journal Environmental Analytical Chemistry*. 1:102.
- Latrach, Lahbib, Naaila Ouazzani, Tsugiyuki Masunaga, Abdessamad Hejjaj, Khadija Bouhoum, Mustapha Mahi, and Laila Mandi. 2016. Domestic Wastewater Disinfection by Combined Treatment Using Multi-Soil-Layering System and Sand Filters (MSL-SF): A Laboratory Pilot Study." *Ecological Engineering* 91 : 294-301.
- Luanmanee, S., P. Boonsook, T. Attanandana, B. Saitthiti, C. Panichjakul, and T. Wakatsuki. 2002. Effect of Intermittent Aeration Regulation of a Multi-Soil-Layering System on Domestic Wastewater Treatment in Thailand. *Ecological Engineering* 18. no. 4: 415-428.
- Luanmanee, S., T. Attanandana, T. Masunaga, and T. Wakatsuki. 2001. The Efficiency of a Multi-Soil-Layering System on Domestic Wastewater Treatment During the Ninth and Tenth Years of Operation. *Ecological Engineering* 18, no. 2 : 185-199.

Masunaga, T, et al. 2001. Application of The Multi Soil Layering Method to Direct Treatment of Polluted River Water. *Proceeding First IWA Asia-Pacific Regional Conference, Asian Water Equal 2001*. Japan

Masunaga, T., Sato K., Shirahama, M., Kudo, H., Wakatsuki, T., 2007. Characteristic of Wastewater Treatment using a Multi-Soil-Layering System in Relation to Wastewater Contamination Levels and Hydraulic Loading Rates. *Soil Science and Plant Nutrition*. 53:215-223.

Mittal A, Kurup L, Mittal J. 2007. Freundlich and Langmuir Adsorption Isotherms and Kinetics for the Removal of Tartrazine from Aqueous Solutions using Hen Feathers. *Journal of Hazardous Materials*. 146:243-248

Munaf, E., Zein, R. 1997. The use of Rice Husk for Removal of Toxic Metals from Waste Water. *Environmental Technology*. 18 : 359 - 362.

Peraturan Menteri Kesehatan RI. 1990. *Syarat-syarat dan kualitas air minum*. No : 416/MENKES/PER/IX/199

Peraturan Menteri Lingkungan Hidup RI. 2014. *Baku Mutu Air Limbah*. No. 1815.

Peraturan Pemerintah No. 82 Tahun 2001. Tentang : *Pengelolaan Kualitas Air dan Pengendalian Pencemaran Air*

Pura, Suuhelya, Atun, Gulten. 2009. *Journals of Separation Sciences and Technology*. 44(1) :73-101

Rose, M.A., 2009. *Impacts of Technology on the Environment*. Applied Technology Building: EnviroTech USA

Salmariza. 2001. *Minimalisasi Pencemaran Industri Sawit dengan Metode MSL*. Laporan Penelitian. Baristand Indag: Padang.

Salmariza. 2002. *Minimalisasi Pencemaran Industri Crumb Rubber dengan Metode MSL*. Laporan Penelitian. Baristand Indag: Padang.

Salmariza. 2003. *Minimalisasi Pencemaran Industri Tahu dengan Metode MSL*. Laporan Penelitian. Baristand Indag: Padang.

Salmariza. 2003. *Penelitian Efisiensi Kinerja Sistem MSL untuk Pengolahan Limbah Cair Industri Crumb Rubber*. Laporan Penelitian. Baristand Indag: Padang.

Sato, K., Wakatsuki, T., Masunaga, T.. 2005. Characterization of Treatment Processes and Mechanisms of COD, Phosphorus, Nitrogen Removal in a Multi Soil Layering System. *Soil Science and Plant Nutrition*. 51: 213-221

- Sato, K., Iwashima, N., Wakatsuki, T., Masunaga, T. 2011. Quantitative evaluation of treatment processes and mechanisms of organic matter, phosphorus, and nitrogen removal in a multi soil layering system. *Soil Science and Plant Nutrition.* 57: 475-486
- Simanjuntak, M. 2002. *Penggunaan Zeolit dalam Bidang Pertanian. Program Studi Ilmu Tanah S-1.* Jurusan Tanah. Fakultas Pertanian. IPB.
- Song, Ying, Yu-ting Huang, Hong-fang Ji, Xin-jun Nie, Zhi-yuan Zhang, Chuan Ge, An-cheng Luo, and Xin Chen. 2015. Treatment of Turtle Aquaculture Effluent by an Improved Multi-Soil-Layer System. *Journal of Zhejiang University. Science. B* 16, no. 2. 145-154.
- Standar Nasional Indonesia (SNI), 1991, *Cara Uji Nitrat*, SNI 06-2480-1991.
- Standar Nasional Indonesia (SNI), 2004, *Cara Uji Ntirit*, SNI 06-6989.9-2004.
- Standar Nasional Indonesia (SNI), 2004, *Cara uji padatan Tersuspensi Total (Total Suspended Solid/TSS) Secara Gravimetri*, SNI 06-6989.3-2004
- Standar Nasional Indonesia (SNI), 2004, *Penentuan pH*, SNI 06-6989.11-2004.
- Standar Nasional Indonesia (SNI), 2004. *Cara Uji Minyak Dan Lemak Secara Gravimetri*. SNI 06-6989.10-2004
- Standar Nasional Indonesia (SNI), 2005. *Cara Uji Kadar Posfat dengan Spektrofotometer*. 06-6989.31-2005
- Standar Nasional Indonesia (SNI), 2009, *Cara Uji Kebutuhan Oksigen Biokimia (Biochemical Oxygen Demand/BOD)*, SNI 72-6989-2009
- Standar Nasional Indonesia (SNI), 2009. *Cara Uji Kebutuhan Oksigen Kimiaiwi (Chemical Oxygen Demand/COD) dengan Refluks Tertutup secara Spektrofotometri*. SNI 73-6989-2009
- Sushmita, Banerjee. 2013. Adsorption characteristics for the removal of a toxic dye, tartrazine from aqueous solutions by a low cost agricultural by-product. *Arabian Journal of Chemistry*. 2013.
- Syafnil. 2007. Penggunaan Sistem Multi Soil Layering (MSL) untuk mereduksi nilai COD, BOD, Kekeruhan dan Kadar Fe dari Air Gambut. Program Pascasarjana Universitas Andalas.
- Unicef. 2012. Air bersih, Sanitasi dan Kebersihan. *Unicef Indonesia Ringksan Kajian*. www.unicef.or.id
- Wagner, M., Loy, A., 2002. Bacterial community composition and function in sewage treatment systems. Curr. *Opinion Biotechnol.* 13(3), 218–227.

Wakatsuki, T., Esumi, H., Omura, S. 1993. High performance and N & P removable on-site domestic wastewater treatment system by Multi-Soil-Layering method, *Water Science Technology*. 27: 31 - 40.

Wakatsuki, T., Luanmanee,S., Masunaga,T., Attanandana,T., 2000. High Grade On-Site Treatment of Domestic Wastewater and Polluted River Water by Multi-Soil-Layering Method. In *Proceedings of the IWA (International Water Assosiation) Conference*, Johannesburg, South Africa, 23-26.

World Health Organization. 2012. *Progress on Drinking Water and Sanitation*. WHO Library:USA.

World Instant Noodle Association. 2015. *Global Demand of Instant Noodle*.

Yeni, T. P. 2012. Pengolahan Air Sungai Kuranji Menuju Air Layak Minum dengan Metoda MSL (Multi Soil Layering) yang dicampurkan dengan Ampas Tebu . Thesis Program Pasca Sarjana Universitas Andalas.

Yidong, Guan, Chen Xin, Zhang Shuai, and Luo Ancheng. "Performance of Multi-Soil-Layering System (MSL) Treating Leachate from Rural Unsanitary Landfills." *Science of The Total Environment* 420. 183-190.

Yusniadha, R. 2012. Pengolahan Limbah Cair Bumi Sarimas Indonesia dengan Metoda MSL (Multi Soil Layering) yang dicampurkan dengan sekam padi. Thesis Program Pasca Sarjana Universitas Andalas.

Zein, R., Arrisujaya, D., Hidayat, Elfia, M., Nazarudin, N. & Munaf, E. 2014. Sugar palm arenga pinnata merr (magnolophyta) fruit shell as biomaterial to remove Cr(III), Cr(VI), Cr(II) and Zn(II) from aqueous solution. *Journal of Water Supply Research and Technology-Aqua*, 1-7.

Zein, R., Fauzia, S., Furqani, F., Munaf.,E., 2015. Adsorption and Reaction Kinetics of Tartrazine by using Annona muricata L Seeds. *Journal of Chemical and Pharmaceutical Research*. 7(1):573-582.

Zein, R, Mukhlis, Swesti,N., Novita, L., Novrian, E., Ningsih, S., Syukri. 2016. Peat Water Treatment by Using Multi Soil Layering (MSL) Method. *Der Pharma Chemica*. 8(12):254-261

Zein, R., Suhaili R, Novita L, Mukhlis, Ningsih S, Swesty N, Novrian H. 2016. Novel two stage vertical flow biofilter system for efficiency treatment of restaurant wastewater. *Research J of Pharm. Bio and Chem . Sci. (RJPBCS)*. 7(5): 71-79

Zhang, Y., Cheng, Y., Yang, C., Luo, W., Zeng, G., Lu, L. 2015. Performance of system consisting of vertical flow trickling filter and horizontal flow multi-soil-layering reactor for treatment of rural wastewater, *Bioresource Technology*. 193: 424 – 432.