

## DAFTAR PUSTAKA

- Atun, S. (2014). Metode isolasi dan identifikasi tuktur senyawa organik bahan alam. *Jurnal Konservasi Cagar Budaya Borobudur* 8, 53-61.
- Bahi, M., Mutia, R., Mustanir., & Lukitaningsih, E. (2014). Bioassay on *n*-hexane extract of leaves *cassia alata* against *candida albicans*. *Jurnal Natural*, 14, 5-10.
- Blois, M. S. (1958). Antioxidant determinations by the use of a stable free radical. *Nature* 181, 1199–1200
- Cannell, R. J. P. (1998). *Natural products isolation methods in biotechnology*, 4. New Jersey: Humana Press.
- Chanda, S., & Dave, R. (2009). In vitro models for antioxidant activity evaluation and some medicinal plants possessing antioxidant properties: An overview. *Afr. J. Microbiol. Res*, 3. 981-996
- Cheenpracha, S., Phakhodee, W., Ritthiwigrom, T., Prawat U., & Laphookhieo, S. (2011). A new despidone from the twigs of *Garcinia cowa* Roxb. *Heterocycles* 83, 1139-1144
- Dachriyanus, Dianita, R., & Jubahar, J. (2003). Uji aktivitas senyawa antimikroba dan antioksidan senyawa hasil isolasi dari kulit batang tumbuhan *Garcinia cowa* Roxb. *Jurnal Natur Indonesia* 2, 109-114
- Departemen kesehatan RI. (2000). *Parameter standar umum ekstrak tumbuhan obat*. Jakarta: Direktorat Jenderal Pengawasan Obat dan Makanan.
- Dwidjoseputro. (1982). *Dasar-dasar mikrobiologi*. Jakarta: Penerbit Djambatan
- Elfita, Supriyatna, Bahti, H. H., & Dachriyanus. (2008). Senyawa antioksidan isosantosimol dari kulit batang *Garcinia griffithii*. *Jurnal Ilmu Dasar*, 9. 142-147.
- Gandjar, I. G., & Rohman, A. 2007. *Kimia farmasi analisis*. Yogyakarta: Pustaka Pelajar.
- Goldberd, G. (2003). *Plants: diet and health*. USA: Blackwell Publishing Company
- Gordon, M. H. (1990). *The mechanism of antioxidants actions in vitro*. Di dalam: Hudson B.J.F., editor. *Food Antioxidant*. Elsevier Applied Science. London. pp. 1-18.

- Hazimah, Teruna, H. Y., & Jose, C. (2013). Aktivitas antioksidan dan antimikrobial dari ekstrak *Plectranthus amboinicus*. *J. Penelitian Farmasi Indonesia*, 1(2): 39-42.
- Hema, R., Kumaravel & Alagusundaram. (2011). GC-MS study on the bioactive components and anti-cancer activities of *Solanum surattense*. *Cancer Biology*, 1 (1), 13-17
- Hernandez, N.E., Tereschuk, M.L., & Abdala, L.R. (2000). Antimicrobial activity of flavonoids in medicinal plants from Tafy' del Valle (Tucumán, Argentina). *Journal of Ethnopharmacology*, 73, 317–322.
- Heyne, K. (1987). *Tumbuhan Berguna Indonesia. Jilid III*. Jakarta: Yayasan Sarana Wana Jaya
- Jantan, I., Jumuddin, F. A., Saputri F. C., & Rahman K., (2011). Inhibitory effects of the extracts of *Garcinia* species on human low-density lipoprotein peroxidation and platelet aggregation in relation to their total phenolic contents, *J. Med. Plants Res.* 5. 2699-2709.
- Jena, B.S., Joseph G.S., Jayaprakasha G.K., Selvi A.T., & Sakariah K.K. (2005). Antiaflatoxigenic and antioxidant activities of *Garcinia* extracts. *Int. J. Food Microbiol* 101: 153-160.
- Jena, B. S., Negi, P. S., & Jayaprakasha, G. K. (2008). Antibacterial activity of the extracts from the fruit rinds of *Garcinia cowa* and *Garcinia pedunculata* against food borne pathogens and spoilage bacteria. *LWT-Food Sci. Technol* 4. 1857-1861.
- Kabera, J.N., Semana, E., Mussa, A.R., & He, X. (2014). Plant secondary metabolites: biosynthesis, classification, function and pharmacological properties. *J. Pharmacy and Pharmacology*, 2: 377-392.
- Kayser, F. H., Bienz, K.A., Eckert, J., & Zinkernagel. (2005). *Medical microbiology*. Germany: Georg Thieme Verlag
- Kedare, S.B & Singh, R. P. (2011). Genesis and development of DPPH method of antioxidant assay. *J Food Sci Technol*, 48 (4), 412–422
- Kijjoa, A., & Vieira, L. (2009). Triterpenes from the plants of the family Clusiaceae (Guttiferae). In G. Brachmachari, *Natural Products: Chemistry, Biochemistry and Pharmacology*. Alpha Science International Ltd, Oxford.
- Klančnik, A., Piskerník, S., Jeršek, B., & Možina, S. S. (2010). Evaluation of diffusion and dilution methods to determine the antibacterial activity of plant extracts. *Journal of Microbiological Methods*, 81: 121-126.

- Komariah & Sjam, R. 2012. Kolonisasi *Candida* dalam rongga mulut. *Majalah Kedokteran UI*, 28 (1), 39-47.
- Mahabusarakam, W., Chairerk, P., & Taylor, W.C. (2005). Xanthones from Garcinia cowa Roxb. Latex. *Phytochemistry*, 66: 1148–1153
- Maier, R. M. (2009). Bacterial growth. In *Environmental Microbiology*. (pp. 37-54). Elsevier Inc.. DOI:[10.1016/B978-0-12-370519-8.00003-1](https://doi.org/10.1016/B978-0-12-370519-8.00003-1)
- Molyneux, P. (2004). The use of stable free radical diphenyl picryl hydrazyl (dpph) for estimating antioxidant activity. *Songklanakarin J. Sci. Technol*; 26 (2): 211-219.
- Montville, T.J., & Matthews, K.R. (2008). *Food microbiology: An introduction*. Washington D.C : ASM Press!
- Mubarrak, J., Teruna H. Y., Ade, F.Y., & Khairina, E. (2015). Bioaktivitas antioksidan biji tumbuhan bingkek *Entada phaseoloides* merr. *J. Ilmiah Edu Research*, 4 (2): 129-134.
- Munfaati, P. N., Ratnasari, E., & Trimulyono, G. (2015). In vitro antibacterial compound activity of meniran herbs (*Phyllanthus niruri*) extract on the growth of *Shigella dysenteriae* Bacteria. *LenteraBio*, 4 (1): 64-71.
- NCBI. 2016. *Compound summary for CID 6344; Dichloromethane*. Diakses pada 19 September 2016 dari <https://pubchem.ncbi.nlm.nih.gov/compound/dichloromethane>
- Nanasombat, S., & Teckchuen, N. (2009). Antimicrobial, antioxidant and anticancer activities of thai local vegetables. *J. Med. Plat. Res*, 443-449.
- Nugroho, Y. A. & Kusnadi, J. (2015). Aplikasi kulit manggis (*Garcinia mangostana* L.) sebagai sumber antioksidan pada es krim. *Jurnal Pangan dan Agroindustri*, 3. 1263-1271
- Nurhalimah, H., Wijayanti, N., & Widyaningsih, T.D. 2015. Efek Antidiare ekstrak daun beluntas (*Pluchea indica* l.) terhadap mencit jantan yang diinduksi bakteri *Salmonella Thypimurium*. *J. Pangan dan Agroindustri*, 3 (3): 1083-1094.
- Nychas, G. J. E., & Tassou, C. C. (1999). *Preservatives: Traditional preservatives-oiland spices in encyclopedia of food microbiology*. London: Academica Press.
- Oliveira, I., Sousa, A., Ferreira, I. C. F. R., Bento, A., Estevinho, L., & Pereira, J. A. (2008). Total phenols, antioxidant potential and antimicrobial activity of walnut (*Juglans regia* L.) green husks. *Food and Chemical Toxicology*, 46: 2326-2331.

- Padam, B. S., Tin, H.S., Chye, F.Y. & Abdullah, M. I. (2012). Antibacterial and antioxidative activities of the various solvent extracts of banana (*Musa paradisiaca* cv. Mysore) inflorescences. *J. Biol. Sci.*, 12. 62-73
- Panthong K., Hutadilok, T. N., & Panthong, A. (2009). Cowaxanthone F, a new tetraoxxygenated xanthone, and other anti-inflammatory and antioxidant compounds from *Garcinia cowa*, *Can. J. Chem.* 87. 1636-1640.
- Parkash, A., Rigelhof, F., & Miller, E. (2001). *Activity Antioxidant*. Medallion Laboratories.
- Perdana, F. (2015). Isolasi senyawa fenolat dari ekstrak methanol daun asam kandis (*Garcinia xanthochymus* Hook.). *Farmako Bahari*, 6. 13-23
- Policegoudra, R.S., Saikia, S., Das, J., Chattopadhyay, P., Singh, L., & Veer, V. (2012). Phenolic content, antioxidant activity, antibacterial activity and phytochemical composition of *Garcinia lancifolia*. *Indian J. Pharm. Sci*, 74 (3): 268-271.
- Priyanto, A. (2013). Isolasi senyawa aktif antioksidan dari fraksi etil asetat tumbuhan paku *Nephrolepis falcate* (cav) C. Chr. *Skripsi Sarjana Farmasi*. Jakarta: Universitas Islam Negeri Syarif Hidayatullah.
- Proestos, C., Boziaris, I.S., Kapsokefalou, M., & Komaitis, M. (2008). Natural antioxidant constituents from selected aromatic plants and their antimicrobial activity against selected pathogenic microorganisms. *Food Technol. Biotechnol.*, 46 (2): 151–156.
- Ren, Y., Lantvit,D. D., Carcache de Blanco, E. J., Kardono, L. B. S., Riswan, S., Chai, H., Cottrell, C. E., Farnsworth, N. R., Swanson. S. M., Ding. Y., Li, X.C., Marais, J. P. J., Ferreira, D. & Kinghorn, A. D. (2010). Proteasome-inhibitory and cytotoxic constituents of *Garcinia lateriflora*: Absolute configuration of caged xanthones. *Tetrahedron*, 66, 5311-5320.
- Rios, J. L., Recio, M.C., & Villar, A. (1988). Screening methods for natural product with antimicrobial activity: a review of the literature. *J. Ethnopharmacology*, 23, 127-149
- Ritthiwigrom, T., Laphookhieo, S., & Pyne, S.G. (2013). Chemical constituents and biological activities of *Garcinia cowa* Roxb. *Maejo International Journal of Science and Technology* 2, 212-231
- Sandi, P. S. (2015). Isolasi dan uji antibakteri komponen utama paku *hymenophyllum* spp 52. *Skripsi Sarjana Farmasi*. Padang: Universitas Andalas.
- Sarker, S. D., Latief, Z., & Gray, A. I. (2006). *Natural product isolation*. New Jersey: Humana Press.

- Setyaningsih, D., Pandji, C., & Perwatasari, D. D. (2014). Study of antioxidant and antimicrobial activity of leaves and twigs extracts and fraction of *Jatropha curcas*L. and its utilization in personal hygiene products. *Agritech*, 34(2), 126-137.
- Sudjaji, M. S. (1985). *Penentuan struktur senyawa organik*. Jakarta: Penerbit Ghalia.
- Sudrajat, Sadani, & Sudiastuti. (2012). Analisis fitokimia senyawa metabolit sekunder ekstrak kasar etanol daun meranti merah (*Shorea leprosula* Miq.) dan sifat antibakterinya terhadap *Staphylococcus aureus* dan *Escherichia coli*. *J. Trop. Pharm. Chem.*, 1(4): 307-315.
- Suwandi, W. D. (2015). Aktivitas antimikroba ekstrak etanol daun sirasak (*Anona muricata* L.) terhadap *Escherichia coli*, *Staphylococcus aureus* dan *Candida albicans*. *Farmako Bahari*, 6, 1-12.
- Tjitrosoepomo, G. (1993). *Taksonomi Tumbuhan (Spermatophita)*. Yogyakarta: Gajah Mada University Press.
- Utami, R.D., Yuliawati, K.M. & Syafnir, L. (2015). Pengaruh metode ekstraksi terhadap aktivitas antioksidan daun sukun (*Artocarpus altilis* (Parkinson) Fosberg). *Prosiding Penelitian Spesia Unisba*, (pp. 280-286). Bandung
- Wahyuni, F. S., Firnando, E., & Husni, E. (2013). Kajian efek sitotoksik hasil fraksinasi ekstrak etanol kulit buah asam kandis (*Garcinia cowa* Roxb.) terhadap sel kanker payudara t47d dengan metoda *Microtетrazolium* (MTT). *Prosiding Seminar Nasional Perkembangan Terkini Sains Farmasi dan Klinik III*, (pp. 78-87). Padang.
- Wahyuni, F. S., Shaari, K., Stanslas, J., Lajis, N.H., & Dachriyanus. (2015). Cytotoxic compounds from the leaves of *Garcinia Cowa* Roxb. *J App Pharm Sci*, 5.06-11.
- Winarsi, H. (2007). *Antioksidan Alami & Radikal Bebas*. Yogyakarta: Kanisius
- Xia, Z., Zhang, H., Xu, D., Lao, Y., Fu, W., Tan, H., Cao, P., Yang, L., & Xu, H. (2015). Xanthone from the leaves of *Garcinia cowa* induce cell cycle arrest, apoptosis, and autophagy in cancer cells. *Molecules*, 20, 11387-11399.
- Xu, G., Kan, W. L. T., Zhou, Y., Song, J.Z., Han, Q.B., Qiao, C.F., Cho, C.H., Rudd, J. A., Lin, G. & Xu, H.X. (2010). Cytotoxic acylphloroglucinol derivatives from the twigs of *Garcinia cowa*. *J. Nat. Prod.*, 73, 104-108.
- Zhang, Q., Zhang, J., Shen, J., Silva, A., Dennis, D. A., & Barrow, C. J. (2006). A simple 96-well microplate method for estimation of total polyphenol content in seaweeds. *Journal of Applied Phycology*, 18, 445-450.