

## DAFTAR PUSTAKA

- Bagheriyan, Borhani, Abbaszadeh, Miri, Mohsepour, & Zafarnia. (2012). Analgesic effect of regular breathing exercise with the aim of distraction during venipuncture in school-aged thalassemic children. *Iranian Journal of Pediatric Hematology Oncology*, 2(3), 116-122.
- Bagnasco, A., Pezzi, E., Rossa, F., Fornonni, L., & Sasso, L. (2012). Distraction techniques in children during venipuncture: an Italian experience. *J PREV MED HYG*, 53, 44-48.
- Bastable, S. B., & Dart, M. A. (2007). *Developmental stages of the learner*. Diakses pada tanggal 19 Oktober 2016 dari [http://www.jblearning.com/samples/0763751375/46436\\_CH05\\_000\\_000.pdf](http://www.jblearning.com/samples/0763751375/46436_CH05_000_000.pdf)
- Biermeier, A., Sjoberg, I., Dale, J. C., Eshelman, D., & Guzzetta, C. E. (2007). Effects of distraction on pain, fear, and distress during venous port access and venipuncture in children and adolescents with cancer. *Journal of Oncology Nursing*, 12(1), 8-19.
- Birnie, K. A., Noel, M., Parker, J. A., Chambers, C. T., Uman, L. S., Kisely, S. R., & McGrath, P. J. (2014). Systematic review and meta-analysis: distraction and hypnosis for needle-related pain and distress in children and adolescents. *Journal of Pediatric Psychology Advances Access*, 1-26.
- Bisogni, S., Dini, C., Olivini, N., Ciofi, D., Giusti, F., Caprili, S., ...Festini, F.. (2014). Perception of venipuncture pain in children suffering from chronic diseases. *BMC Research Notes*, 7(735), 1-5.
- Brenner, S. M, Rupp, V., Boucher, J., Weaver, K., Dusza, S. W., & Bokovoy, J. (2013). A randomized, controlled trial to evaluate topical anesthetic for 15 minutes before venipuncture in pediatrics. *The American Journal of Emergency Medicine*, 31(1), 20-25.
- Canbulat, N., Inal, s., & Sönmezer, H. (2014). Efficacy of distraction methods on procedural pain and anxiety by applying distraction cards and kaleidoscope in children. *Asian Nursing Research*, 8, 23-28.
- Cavender, K., Goff, M. D., Hollon, E. C., & Guzzetta, C. E. (2004). Parent's positioning and distracting children during venipuncture. *Journal of Holistic Nursing*. 22(1), 32-56.
- Celik, G., Özbek, O., Yilmaz, M., Duman, I., Özbek, S., & Apiliogullari, S. (2011). Vapocoolant spray vs Lidocaine/Prilocaine Cream for reducing the pain of

- venipuncture in Hemodialysis patients: a randomized, placebo-controlled, crossover study. *International Journal of Medical Science*, 8(7), 623-627.
- Caprili, S., Vagnoli, L., Bastiani, C., & Messeri, A. (2012). Pain and distress in children undergoing blood sampling: effectiveness of distraction with soap bubbles. *Giornale Italiano di Science Infermieristiche Pediatriche*, 4(1), 15-18.
- Craven, R., F., & Hirnle, C., J. (2009). *Fundamentals of Nursing Sixth Edition*. USA: Wolters Kluwer.
- Czarnecki, M. L., Turner, H. N., Collins, P. M., Doellman, D., Wrona, S., & Reynolds, J. (2011). Procedural pain management: a position statement with clinical practice recommendations. *Pain Management Nursing*, 12(2), 95-111.
- Dahlan, S. (2013). *Statistik untuk kedokteran dan kesehatan*, (5<sup>th</sup> ed). Jakarta: EGC.
- Dharma, K. (2011). *Metodologi penelitian keperawatan: pedoman melaksanakan menerapkan hasil penelitian*. Jakarta: Trans Info Media.
- El-Gawad, S. M. E & Elsayed, L. A. (2015). Effect of interactive distraction versus cutaneous stimulation for venipuncture pain relief in school age children. *Journal of Nursing education and Practice*, 5(4), 32-40.
- Farrokhnia, M., Fathabadi, J., & Shahidi, S. (2011). Investigating the effects of cognitive interventions on reducing pain intensity and modifying heart rate and oxygen saturation level. *Journal of Jahrom University of Medical Sciences*, 9(3), 26-33.
- George, R. E., & Vetrisevi. (2015). Effect of kaleidoscope as distractor on pain. *Indian Journal of Surgical Nursing*, 4(3), 77-83.
- Harrison, D., Joly, C., Chretien, C., Cochrane, S., Ellis, J., Lamontagne, C., Vaillancourt, R. (2014). Pain prevalence in a pediatric hospital: raising awareness during pain awareness week. *Pain Research and Management*, 19(1), e24-e30.
- Hartling, L., Newton, A.S., Liang, Y., Jou, H., Hewson, K., Klassen, T., Curtis, S. (2013). Music to reduce pain and distress in the Pediatric Emergency Department: a randomized clinical trial. *JAMA Pediatric*, 167(9):826-835.
- Herdman, T.H. & Kamitsuru, S. 2014. *NANDA International Nursing Diagnoses: Definitions & Classification, 2015–2017. 10th ed*. Oxford: Wiley Blackwell
- Hockenberry, M. J., & Wilson, D. (2011). *Wong's nursing care of infants and children*, (8<sup>th</sup> ed). St. Louis: Mosby Elsevier.

- Hosseini, S. E., Moeninia, F., & Javadi, M. (2016). The effect of distraction method on bone marrow aspiration pain: a randomized clinical trial. *An International Biomedical Journal*, 5 (1), 20-24
- Hussein, H. A. (2015). Effect of active and passive distraction on decreasing pain associated with painful medical procedures among school aged children. *World Journal of Nursing Sciences*, 1(2), 13-23.
- James, J., Ghai, S., Rao, K. L. N., & Sharma, N. (2012). Effectiveness of “animated cartoons” as a distraction strategy on behavioral response to pain perception among children undergoing venipuncture. *Nursing and Midwifery Research Journal*, 6(3), 198-209.
- Johnson, M., H. (2005). How does distraction work in the management of pain. *Current Pain and Headache Reports*, 9, 90-95.
- Karakaya, A. & Gözen, D. (2015). The effect of distraction on pain level felt by school-age children during venipuncture procedure-randomized controlled trial. *Pain Management Nursing*, 17(1), 47-53.
- Kaur, Baljit., Sarin, Jyoti., & Kumar, Yogesh. (2014). Effectiveness of cartoon distraction on pain perception distress in children during intravenous injection. *Journal of Nursing and Health Sciences*, 3(3), 8-15.
- Kaheni, S., Bagheri-Nesam, M., Goundarizan, A. H., & Rezai, S. (2016). The effect of video game play technique on pain of venipuncture in children. *Int J Pediatr*, 4(5): 1795-1802.
- Khan, K.A., & Weissman, S. J. (2007). Nonpharmacologic pain management strategies in the pediatric emergency department. *Clinical Pediatric Emergency Medicine*, 8, 240-247.
- Kiani, M. A., Nagaphi, M., Jafaril, S. A., Mobarhan, M. A., Mohammadi, S., Saedi, M., .....Ferns, G. (2013). Effect of music on pain, anxiety, and vital signs of children during colonoscopy. *Life Science Journal*, 10(12s), 31-33.
- Kozier, Erb, Berman, & Snyder. (2010). *Buku ajar fundamental keperawatan: konsep, proses, & praktik*, volume 2. Jakarta: EGC.
- Mathews, L. (2011). Pain in children: neglected, unaddressed, and mismanaged. *Indian Journal of Palliative Care*, 17, S70-S73.
- McClellan CB, Jeffrey C, et al. (2009). Criterion and convergent validity for four measures of pain in a pediatric sickle cell disease population. *Clin J Pain*, 25(2): 146-152.



- McGrath, P. J., Stevens, B. J., Walker, S. M., dan Zempsky, W. T. (2014). *Oxford textbook of paediatric pain*. UK: Oxford University Press.
- Middleton, Carolyn. (2003). *Understanding the physiological effects of unrelieved pain*. Diakses pada tanggal 16 Mei 2016 dari <http://www.nursingtimes.net/clinical-archive/pain-management/understanding-the-physiological-effects-of-unrelieved-pain/205262.fullarticle>
- Moorhead S, Johnson, M., Maas, M. L., & Swanson, E. (2008). *Nursing Outcomes Classification (NOC), Fourth Edition*. Mosby : Iowa city.
- Motoc, D., Turtoi, N. C., Vasca, V., Vasca, E., & Schneider, F. (2010). Physiology of pain – general mechanisms and individual differences. *Arad Medical Journal*, 9(4), 19-23.
- Noel, M., Chambers, C. T., Petter, M., McGrath, P. J., Klein, R. M., & Stewart, S. H. (2012). Pain is not over when the needle ends: a review and preliminary model of acute pain memory development in childhood. *Pain Management*, 2(5), 487-497.
- Notoatmodjo, S. (2010). *Metodologi penelitian kesehatan*. Jakarta: Rineka Cipta.
- Oliveira & Linhares. (2015). Nonpharmacological interventions for pain relief in children: systematic review. *Psychology & Neuroscience*, 8(1), 28-38.
- Ozcecin, M., Suren, M., Karaaslan, E., Colak, E., Kaya, Z., & Guner, O. (2011). Effects of parent's presence on pain tolerance in children during venipuncture: a randomized controlled trial. *Hongkong Journal of Paediatrics*, 16, 247-252
- Ryan, Di. (2016). *Venepuncture using the vacutainer system for adults*. Diakses pada tanggal 19 Mei 2016 dari <https://www.nottingham.ac.uk/mhs/documents/clinical-skills/nuh-guidelines/venepuncture.pdf>
- Sahiner, Nejla Canbulat, & Bal, Meltem Demirgoz. (2015). The effects of three different distraction methods on pain and anxiety in children. *Journal of Child Health Care*, 1-9.
- Savino, F., Vagliano, L., Ceratto, S., Viviano, F., Miniero, R., & Ricceri, F. (2013). Pain assessment in children undergoing venipuncture: the wong-baker faces scale versus skin conductance fluctuations. *PeerJ*, 1, e37
- Scales, K. (2008). A practical guide to venepuncture and blood sampling. *Nursing Standard*, 22(29), 29-36.

- Sikorova, L., & Hrazdilova, P. (2011). The effect psychological intervention on perceived pain in children undergoing venipuncture, *Biomedical Papers*, 155(2), 149-154.
- Silva, M. S., Pinto, M. A., Gomes, L. M. X, dan Barbosa, A et al. (2011). Pain in hospitalized children: nursing team perception. *Journal of The Sao Paulo*, 13(4), 314-320.
- Sinatra, R., Leon-Casasola, O. A., Ginsberg, B., & Viscusi, E. R. (2009). *Acute pain management*. Cambridge University Press
- Srouji, R., Ratnapalan, S., & Schneeweiss. (2010). Pain in children: assessment and nonpharmacological management. *International Journal of Pediatrics*, 474(11), 838-842.
- Schreiber, S., Ronfani, L., Chiaffoni, G. P., Matarazzo, L., Minute, M., Panontin, E., et al. (2013). Does EMLA cream application interfere with the success of venipuncture or venous cannulation? A prospective multicenter observational study. *Europe Journal of Pediatrics*, 172, 265-268.
- Stevens, B. J., Abbott, L. K., Yamada, J., Harrison, D., Stinson, J., Taddio, A., ...Finley, G. A. (2011). Epidemiology and management of painful procedures in children in Canadian hospitals. *Canadian Medical Association Journal*, 183(7), E403-E410.
- Sugiyono. (2012). *Metode penelitian kuantitatif , kualitatif, dan R & D*. Bandung: Alfabeta.
- Taddio, A., Appleton, M., Bortolussi, R., Chambers, C., Dubey, V., Halperin, S., et al. (2010). Reducing the pain of childhood vaccination: an evidence-based clinical practice guideline. *Canadian Medical Association Journal*, 182(18), E843-E855.
- The Internatioanl Association for the Study of Pain. (1994). IASP Taxonomy. Diakses pada tanggal 2 April 2016 dari <http://www.iasp-pain.org/Taxonomy>.
- Tomlinson, D. et al. (2010). *A systematic review of faces scales for the self report of pain intensity in children*. Diakses pada tanggal 15 April 2016 dari [www.pediatrics.org/cgi/doi/10.1542/peds.2010-1609](http://www.pediatrics.org/cgi/doi/10.1542/peds.2010-1609).
- Truba, N., & Hoyle, J.D. (2014). Pediatric pain. *Journal of Pain Management*, 7(3), 235-248.

- Tüfekci, F.G Celebioğlu A., & Küçükoğlu S. (2009). Turkish children loved distraction: using kaleidoscope to reduce perceived pain during venipuncture. *Journal of Clinical Nursing*, 18, 2180-2186.
- Ullan,A.M.,Belver,M.H., Fernandez, E.,Lorente,F.,Badia,M., & Fernandez, B. (2014). The effect of program to promote play to reduce children's post-surgical pain:With plush toys, it hurts less. *Pain Management Nursing*, 15(1), 273-282.
- Wente, S. J. K., & Richfield. (2013). Nonpharmacologic pediatric pain management in emergency departments: a systematic review of the literature. *Journal of Emergency Nursing*, 39(2), 140-150.
- Wong, C., Lau, E., Palozzi, L., & Campbell, F. (2012). Part 1 — Pain assessment tools and a brief review of nonpharmacological and pharmacological treatment options. *Canadian Pharmaceutical Journal*, 145(5), 222-225.
- Wong, L. Donna. (2009). *Buku ajar keperawatan pediatrik*, volume 2 edisi 6. Jakarta: EGC.
- Wuhrman, E. & Cooney, M. F. (2011). *Acute pain: assessment and treatment*. Diakses pada tanggal 10 April 2016 dari <http://www.medscape.com/viewarticle/735034>

