

REFERENCES

- [1] William D. Callister, Jr. 2006. *Materials Science and Engineering An Introduction* seventh edition. John Wiley and Sons, Inc. USA
- [2] Oksman, et al. 2004. Natural fibres as reinforcement in polylactic acid (PLA) composites, *Composite Science and Technology*. Elsevier, 32:1317-24.
- [3] Hornsby PR, Hinrichsen E, Tarverdi K. 1997. Preparation and properties of polypropylene composites reinforced with wheat and flax straw fibres, part II analysis of composite microstructure and mechanical properties. *J Mater Sci*, 32:1009–15.
- [4] Kullawade Sungsanit. 2011. *Rheological and Mechanical Behaviour of Poly(Lactic Acid)/Polyethylene Glycol Blends*. Melbourne: RMIT University.
- [5] Lörcks, J. 1998. Properties and applications of compostable starch-based plastic material *Polym. Degrad. Stab*, 59, 245-249.
- [6] Martin, O. & Averous, L. 2001. Poly (lactic acid) : plasticization and properties of biodegradable multiphase systems. *Polymer*, 42, 6209-6219.
- [7] Henton, D. E., Gruber, P., Lunt, J. & Randall, J. 2005. *Natural Fibers, Biopolymers and Biocomposites*. Boca Raton, FL., CRC Press.
- [8] Fang, Q. & Hanna, M. A. 1999. Rheological properties of amorphous and semicrystalline polylactic acid polymers. *Industrial Crops and Products* 10, 47-53.
- [9] Dorgan, J. R., Lehermeier, H. & Mang, M. 2000. Thermal and Rheological Properties of Commercial-Grade Poly(Lactic Acid)s. *Journal of Polymers and the Environment*, 8, 1-9.
- [10] Auras, R. A. 2004. *Investigation Polylactide as Packaging Material*. Doctor of Philosophy, Michigan State University.
- [11] Garlotta, D. 2001. A Literature Review of Poly(Lactic Acid). *Journal of Polymers and the Environment*, 9, 63-84.

- [12] Ljungberg, N. & Wesslen, B. 2002. The effects of plasticizers on the dynamic mechanical and thermal properties of poly(lactic acid). *J. Appl. Polym. Sci.*, 86, 1227-1234.
- [13] Gajria, A. M., Dave, V., Gross, R. A. & McCarthy, S. P. 1996. Miscibility and biodegradability of blends of poly (lactic acid) and poly (vinyl acetate). *Polymer*, 37, 437-444.
- [14] Zhang, L., Xiong, C. & Deng, X. 1996. Miscibility, Crystallization and Morphology of Poly(-hydroxybutyrate)/poly(D,L-lactide) Blends. *Polymer*, 37, 235-241.
- [15] Hansen, M. C. 2004. Polymer additives and solubility parameters. *Prog. Org. Coat.*, 51, 109-112.
- [16] Omar faruk, et al. 2012. Biocomposites reinforced with natural fibers: 2000–2010. *Progress in Polymer Science*, 37, 1552– 1596.
- [17] Xu Y, Kawata S, Hosoi K, Kawai T, Kuroda S. 2009. Thermomechanical properties of the silanized-kenaf/polystyrene composites. *eXPRESS Polymer Letters* ;3:657–64.
- [18] Pothan LA, Thomas S. 2003. Polarity parameters and dynamic mechanical behavior of chemically modified banana fiber reinforced polyester composites. *Composites Science and Technology*; 63:1231–40
- [19] Ismail H, Abdul Khalil HPS. 2000. The effects of partial replacement of oil palm wood flour by silica and silane coupling agent on properties of natural rubber compounds. *Polymer Testing*;20:33–41.
- [20] Abdul Khalil HPS, Ismail H. 2000. Effect of acetylation and coupling agent treatments upon biological degradation of plant fibre reinforced polyester composites. *Polymer Testing* ;20:65–75.
- [21] Nishino, Takashi. 2003. Kenaf reinforced biodegradable composite. *Composite and Science technology*: 63:1281-1286.