

DAFTAR PUSTAKA

1. Ortonne J-P. Vitiligo and other disorders of hypopigmentation. Dalam: Bologna JL, Jorizzo JL, Rapini RP, Callen JP, Horn TD, Mancini AJ, et al., eds. Dermatology. New York: Mosby Elsevier; 2008:913-20.
2. Rezaei N, Gavalas NG, Weetman AP, Kemp EH. Autoimmunity as an aetiological factor in vitiligo. Journal of the European Academy of Dermatology and Venereology 2007;21:865–76.
3. Birlea SA, Spritz RA, Norris DA. Vitiligo. Dalam: Goldsmith LA, Katz SI, Gilchrest BA, Paller AS, Leffell DJ, Wolff K, eds. Fitzpatrick's dermatology in general medicine. New York: McGraw Hill; 2012:792-803.
4. AlGhamdi K, Kumar A, Moussa N. The role of vitamin D in melanogenesis with an emphasis on vitiligo. Indian Journal of Dermatology Venereology & Leprology 2013;79:750-8
5. Zhang R, Naughton DP. Vitamin D in health and disease: Current perspectives. Nutrition Journal 2010;9:1-13.
6. Beheshti A, Ghadami H, Barikani A, Manouchehri FH. Assessment of vitamin D plasma levels in patients with vitiligo vulgaris. Acta Medica Iranica 2014;52:601-6.
7. Lajevardi V, Nazemi MJ, Khodashenas Z, Ebadi M-S. Vitamin D serum level in vitiligo patients: A case-control study from Iran. Iranian Journal of Dermatology 2014;17:59-62.
8. Holick MF. Vitamin D status: Measurement, interpretation and clinical application. Annals of Epidemiology 2009;19:73–8.
9. Kennel KA, Drake MT, Hurley DL. Vitamin D deficiency in adults: When to test and how to treat. Mayo Clinic Proceedings Journal 2010;85:752-8.
10. Millen AE, Bodnar LM. Vitamin D assessment in population-based studies: a review of the issues. The American Journal of Clinical Nutrition 2008;87(suppl):2S–5S.
11. Joshi D, Center JR, Eisman JA. Vitamin D deficiency in adults. Australian Prescriber 2010;33:103-6.
12. Harefa EF. Vitamin D 25-OH total. Informasi Laboratorium 2013;1:1-3.

13. Ustun I, Seraslan G, Gokce C, Motor S, Can Y, Inan MU, et al. Investigation of vitamin D levels in patients with vitiligo vulgaris. *Acta Dermatovenerologica Croatica* 2014;22:110-3.
14. Oh SH, Kim M. Vitamin D and Vitiligo. Dalam: Park KK, ed. *Vitiligo - management and therapy*. Shanghai: InTech; 2011:127-34.
15. Birlea SA, Costin G-E, Norris DA. New insights on therapy with vitamin D analogs targeting the intracellular pathways that control repigmentation in human vitiligo. *Medicinal Research Reviews* 2009;29:514-46.
16. Majid I. Vitiligo: What is new. *International Journal of Current Medical Science & Practice* 2006;13:127-30.
17. Mostafa WZ, Hegazy RA. Vitamin D and the skin: Focus on a complex relationship: A review. *Journal of Advanced Research* 2014;1:1-12.
18. Polat M, Uzun Ö. Vitamin D in dermatology. *Open Access Dermatology* 2014;18:1.
19. Silverberg JI, Silverberg AI, Malka E, Silverberg NB. A pilot study assessing the role of 25 hydroxy vitamin D levels in patients with vitiligo vulgaris. *Journal of the American Academy of Dermatology* 2010;62:937-41.
20. Takci Z, Tekin Ö, Ertugrul DT, Karadag AS, Akin KO. A case-control study: Evaluation of vitamin D metabolism in patients with vitiligo. *Turkish Journal of Medical Sciences* 2015;1-16.
21. Saleh HMA, Fattah NSAA, Hamza H-TMM. Evaluation of serum 25-hydroxyvitamin D levels in vitiligo patients with and without autoimmune diseases. *Photodermatology, Photoimmunology & Photomedicine* 2013;29:34-40.
22. Xu X, Fu W-W, Wu W-Y. Serum 25-hydroxyvitamin D deficiency in Chinese patients with vitiligo: A case-control study. *PLOS ONE* 2012;7:1-5.
23. Sehrawat M, Arora TC, Chauhan A, Kar HK, Poonia A, Jairath V. Correlation of vitamin D levels with pigmentation in vitiligo patients treated with NBUVB therapy. *International Scholarly Research Notices Dermatology* 2014:1-6.
24. Poh BK, Rojroongwasinkul N, Nguyen BKL, Sandjaja, Ruzita AT, Yamborisut U, et al. 25-hydroxy-vitamin D demography and the risk of vitamin D

- insufficiency in the south east Asian nutrition surveys (SEANUTS). Asia Pacific Journal of Clinical Nutrition 2015;1-18.
25. Poh BK, Rojroongwasinkul N, Khanh LNB, Sandjaja S, Deurenberg P, Parikh P. Effect of demographic variables on 25(OH)D level and on the risk of vitamin D insufficiency in SEANUTS countries. European Journal of Nutrition & Food Safety 2015;5:465-6.
 26. Nimitphong H, Holick MF. Vitamin D status and sun exposure in Southeast Asia. Dermato-Endocrinology 2013;5:34-7.
 27. Hamzavi I, Jain H, McLean D, Shapiro J, Zeng H, Lui H. Parametric modeling of narrowband UV-B phototherapy for vitiligo using a novel quantitative tool. The vitiligo area scoring index. Archives of Dermatology 2004;140:677-83.
 28. Ramam M, Krishna SG. Measuring the severity of vitiligo. Indian Journal of Dermatology, Venereology, and Leprology 2012;78:5-7.
 29. Dicle O. Assessment methods in vitiligo. Pigmentary Disorders 2015;2:1-2.
 30. Alghamdi KM, Kumar A, Tai'eb A, Ezzedine K. Assessment methods for the evaluation of vitiligo. Journal of the European Academy of Dermatology and Venereology 2012;1-8.
 31. Gauthier Y, Benzekri L. Historical aspects. Dalam: Picardo M, Taieb A, eds. Vitiligo. Berlin: Springer; 2010:3-8.
 32. Anurogo D, Ikrar T. Vitiligo. Cermin Dunia Kedokteran 2014;41:666-75.
 33. Yaghoobi R, Omidian M, Bagherani N. Vitiligo: A review of the published work. Journal of Dermatology 2011;38:419-31.
 34. Sehgal V, Srivastava G. Vitiligo: Compendium of clinico-epidemiological features. Indian Journal of Dermatology Venereology & Leprology 2007;73:149-56.
 35. Rizal Y, Lestari K. Insiden vitiligo di Poliklinik kulit dan kelamin RSUP Dr. M. Djamil Padang tahun 2001-2006. Dalam: 2nd Conference of the Asian Society Pigmentary Cell Research. Singapore; 2007:1-5
 36. Putri EK, Yenny SW, Lestari S. Karakteristik pasien vitiligo di poliklinik Ilmu Kesehatan Kulit dan Kelamin RS dr. M. Djamil Padang periode Januari 2010 - Desember 2013. Dalam: Kongres Nasional Perdoski; 2014; Bandung; 2014:1-6

37. Mohammed GF, Gomaa AH, Al-Dhubaibi MS. Highlights in pathogenesis of vitiligo. *World Journal of Clinical Cases* 2015;3:221-30.
38. Lotti T, Gori A, Zanieri F, Colucci R, Moretti S. Vitiligo: New and emerging treatments. *Dermatologic Therapy* 2008;21:110-7.
39. Ongena K, Geel N, Naeyaert J. Review evidence for an autoimmune pathogenesis of vitiligo. *Pigment Cell & Melanoma Research* 2003;16:90-100.
40. Westerhoff W, D'ischia M. Vitiligo puzzle: the pieces fall in place. *Pigment Cell & Melanoma Research* 2007;10:1-15.
41. Allam M, Riad H. Concise review of recent studies in vitiligo. *Qatar Medical Journal* 2013;10:1-19.
42. Anstey AV. Disorders of skin colour. Dalam: Burns T, Breathnach S, Cox N, eds. *Rook's textbook of dermatology*. eighth ed. UK: Wiley-Blackwell; 2010:58.46-58.49.
43. Wijngaard Rvd, Wankowicz-Kalinska A, Pals S, Weening J, Das P. Autoimmune melanocyte destruction in vitiligo. *Laboratory Investigation* 2001;81:1061-7.
44. Dytoc M, Malhotra N. The pathogenesis of vitiligo. Dalam: Park KK, ed. *Vitiligo - management and therapy*. Shanghai: InTech; 2011:32-50.
45. Malhotra N, Dytoc M. The pathogenesis of vitiligo. *Journal of Cutaneous Medicine and Surgery* 2013;17:153-72.
46. Camara-Lemarroy CR, Salas-Alanis JC. The role of tumor necrosis factor-a in the pathogenesis of vitiligo. *American Journal of Clinical Dermatology* 2013;14:343-50.
47. Dell'Anna ML, Picardo M. A review and a new hypothesis for non-immunological pathogenetic mechanism in vitiligo. *Pigment Cell & Melanoma Research* 2006;19:406-11.
48. Hameed A, Rani Z, Kazmi AH. Vitiligo: New etiology-based treatments. *Journal of Pakistan Association of Dermatologists* 2005;15:252-60.
49. Taïeb A, Picardo M. Epidemiology, definitions and classifications. Dalam: Picardo M, Taïeb A, eds. *Vitiligo*. Berlin: Springer; 2010:13-23.

50. Spielvogel R, Kantor G. Pigmentary disorder of the skin. Dalam: Elder D, Elenitsas R, Johnson B, Murphy J, eds. Lever's histopathology of the skin. Philadelphia: Lippincott Williams & Wilkins; 2005:705-13.
51. Kohli I, Veenstra J, Hamzavi I. Vitiligo assessment methods – Vitiligo Area Scoring Index and Vitiligo European Task Force assessment. British Journal of Dermatology 2015;172:313–22.
52. Dicle O. Assessment methods in vitiligo. Dalam: 7th Masterclass on vitiligo and pigmentary disorders Istanbul; 2014:1-4
53. Kawakami T, Hashimoto T. Disease severity indexes and treatment evaluation criteria in vitiligo. Dermatology Research and Practice 2011:1-3.
54. Jacoeb TNA. Psoriasis gambaran klinis dan penilaian keparahan. Dalam: Tjarta A, Sulartsito SA, Kurniati DD, Rihatmaja R, eds. Metode diagnostik dan penatalaksanaan psoriasis dan dermatitis atopik. Jakarta: Balai penerbit FKUI; 2003:1-12.
55. Colucci R, Lotti T, Moretti S. Vitiligo: an update on current pharmacotherapy and future directions. Expert Opinion on Pharmacotherapy 2012;13:1885-99.
56. Wiguna C. Vitamin D (kalsiferol). Tersedia dalam <http://ilmukesmas.com/vitamin-d-kalsiferol/>, 2014:1-3
57. Kauffman JM. Benefits of vitamin D supplementation. Journal of American Physicians and Surgeons 2009;14:38-45.
58. Higdon J, Delage B, Gombart AF. Vitamin D. Tersedia dalam <http://lpi.oregonstate.edu/infocenter/vitamins/vitaminD/> Switzerland: Linus Pauling Institute; 2014:1-10
59. Mora JR, Iwata M, Andrian UHv. Vitamin effects on the immune system: vitamins A and D take centre stage. Nature Reviews Immunology 2008;8:685–98.
60. Bikle DD. Vitamin D metabolism and function in the skin. Molecular and Cellular Endocrinology 2011;347:80–9.
61. Picardo M. Vitamin D analogues. Dalam: Picardo M, Taieb A, eds. Vitiligo. Berlin: Springer; 2010:339-41.
62. Lotti T, Prignano F, Buggiani G. New and experimental treatments of vitiligo and other hypomelanoses. Dermatology Clinics 2007 25:393–400.

63. Moretti S, Spallanzani A, Amato L, Hautmann G, Gallerani I, Fabiani M, et al. New insights into the pathogenesis of vitiligo: Imbalance of epidermal cytokines at sites of lesions. *Pigment Cell & Melanoma Research* 2002;15:87-92.
64. Finamor DC, Sinigaglia-Coimbra R, Neves LCM, Gutierrez M, Silva JJ, Torres LD, et al. A pilot study assessing the effect of prolonged administration of high daily doses of vitamin D on the clinical course of vitiligo and psoriasis. *Dermato-Endocrinology* 2013;5:222-34.
65. Karagüzel G, Sakarya NP, Bahadir S, Yaman S, Okten A. Vitamin D status and the effects of oral vitamin D treatment in children with vitiligo: A prospective study. *Clinical Nutrition ESPEN* 2016;28-31
66. Madiyono B, Moeslichan S, Sastroasmoro S, Budiman I, Purwanto SH. Perkiraan besar sampel. Dalam: Sastroasmoro S, Ismael S, eds. Dasar-dasar metodologi penelitian klinis. 5th ed. Jakarta: Sagung Seto; 2014:376-7.
67. Kruger C, Schallreuter KU. A review of the worldwide prevalence of vitiligo in children/ adolescents and adults. *International Journal of Dermatology* 2012;1-7.
68. Nunes DH, Esser LMH. Vitiligo epidemiological profile and the association with thyroid disease. *The Journal Brazilian Annals of Dermatology* 2011;86:241-8.
69. Reddy J. A survey on the prevalence of vitiligo in Bangalore city, India. *International Journal of Pharma Medicine and Biological Sciences* 2014;3:35-46.
70. Shajil E, Agrawal D, Vagadia K, Marfatia Y, Begum R. Vitiligo: Clinical profiles in Vadodara, Gujarat. *Indian Journal of Dermatology* 2006;51:100-4.
71. Singh S, Shyam U, Pandey S. Epidemiological profile of vitiligo in Northern India. *Journal of Applied Pharmaceutical Science* 2011;10:211-4.
72. Silverberg NB. The Epidemiology of Vitiligo. *Current Dermatology Reports* 2015;4:36-43.
73. Vora RV, Patel BB, Chaudhary AH, Mehta MJ, Pilani AP. A clinical study of vitiligo in a rural set up of Gujarat. *Indian Journal of Coomunity Medicine* 2014;39:143-6.

74. Al-Mutairi N, Al-Sebeih KH. Late onset vitiligo and audiological abnormalities: Is there any association? *Indian Journal of Dermatology, Venereology, and Leprology* 2011;77:571-6.
75. Wang X, Du1 J, Wang T, Zhou C, Shen Y, Ding X, et al. Prevalence and clinical profile of vitiligo in China: A community-based study in six cities. *Acta Dermato-Venereologica* 2013;9:62–5.
76. Nogueira LSC, Zancanaro PCQ, Azambuja RD. Vitiligo and emotions. *Anais Brasileiros de Dermatologia* 2009;84:39-43.
77. Mostafa WZ, Hegazy RA. Vitamin D and the skin: Focus on a complex relationship: A review. *Journal of Advanced Research* 2015;6:793–804.
78. Upala S, Sanguankeo A. Low 25-hydroxyvitamin D levels are associated with vitiligo: A systematic review and meta-analysis. *Photodermatology, Photoimmunology & Photomedicine* 2016;32:181–90.
79. Dahlan MS. Statistik untuk kedokteran dan kesehatan. Dalam. Jakarta: Salemba Medika; 2011:67-107

