

## DAFTAR PUSTAKA

- [1] Rochim, Taufiq. 1993. Teori Dan Teknologi Proses Pemesinan. Institut Teknologi Bandung: Bandung
- [2] Childs T.H.C., 2006. Friction modelling in metal cutting. *Wear*. 260, 310-318
- [3] Weinert K., Inasaki I., Sutherland J.W., and Wakabayashi T, 2004. Dry machining and minimum quantity lubrication, *CIRP Annals-Manufacturing Technology*. 53(2). 511-537
- [4] Mia. S., dan N., Ohno, 2010. Prospect of Mustard and Coconut Oil as Environment Friendly Lubricant for Bangladesh, *Proc. of International Conference on Environmental Aspects of Bangladesh (ICEAB10)*, Japan, Sept. 2010, pp 120-121
- [5] Armarego, E.J.A.,R.H. Brown. et.al, 1997. *Tool Wear, Metal Cutting Theory*. Prentice-Hall,Inc.
- [6] S. Dolinsek, B. Sustarsic, J. Kopac.2001.Wear Mechanism of Cutting Tools in High Speed Cutting Process.Tersedia pada:<http://www.intechopen.com/books/titanium-alloys-towards-achieving-enhanced-properties-for-diversified-applications/drilling-of-titanium-alloys>. Tanggal akses : 22 April 2015
- [7] Ceratizit. 2003. Causes of Wear. Technical Information, Tersedia pada :[www.ceratizit.com](http://www.ceratizit.com). Tanggal akses : 22 april 2015
- [8] Sandvik, Coromant., 2003. Technical Information: Tool Wear. Tersedia pada: <http://www2.coromant.sandvik.com/coromant/products/steelturning/pdf/>. Tanggal akses : 22 april 2015
- [9] Stachowiak, G.W. and Batchelor, A.W. 2005. *Engineering Tribology Third Edition*. Elsevier Inc. USA.
- [10] Shaw, M.C. 1986. *Metal Cutting Principles*. Oxford University Press, Oxford.
- [11] Barth, C.F. 1986. Cutting Fluids in Industry, Chapter 4, "*Handbook of High Speed Machining Technology*", (Ed. King, R.I.) Chapman & Hall.

- [12] Y.M. Shashidhara, S.R.Jayaram, 2010. Vegetable oils as a potential cutting fluid—An evolution. Department of Mechanical Engineering, Malnad college of Engineering, HASSAN-573 201, Karnataka state, India.
- [13] M. Anthony Xavier, M. Adithan, 2009 . Determining the influence of cutting fluids on tool wear and surface roughness during turning of AISI 304 austenitic stainless steel. Mechanical Engineering, VIT University, Vellore 632014, Tamil Nadu, India.
- [14] S. Asadaukas, J.M. Perez, J.L. Duda, 1996. Oxidative stability and antiwear properties of high oleic vegetable oils, *J. Lubr. Eng.* 52 (12). 877–882
- [15] U.Krahenbuhl, NY Goshen. Vegetable Oil based Coolants Improve Cutting Performance. Tersedia pada: [/http://www.blaser.com](http://www.blaser.com), 2005. Diakses pada : 27 April 2015
- [16] W.F. Sales, G. Guimaraes, A. R. Machado and E.O. Ezugwu, 2002. Cooling ability of cutting fluids and measurement of the chip-tool interface temperatures. *Industrial Lubrication*, Mexico.
- [17] Romario B, Anindita, As'ad Sonief A, Sugiarto. 2010. Pengaruh bio cutting fluid minyak jarak dan parameter pemotongan terhadap kekasaran permukaan dan formasi chip baja ST-45. Laporan Tugas Akhir, Jurusan Teknik Mesin Fakultas Teknik, Universitas Brawijaya.
- [18] Nugroho S, Hendrikus, Senoaji K. 2010. Karakterisasi pahat bubut HSS Boehler tipe Molibdenum dan tipe cold work tool steel (A8). Jurusan Teknik Mesin, Fakultas Teknik, Universitas Diponegoro, vol 12, No 4
- [19] D. Gasni, I.H. Mulyadi dan J. Affi, 2015. Comparison of Physical and Tribological Properties of Cococnut Oils Extracted from Dry and Wet Processing. Mechanical Engineering Department, Andalas University, Kampus Limau Manis, 25163, Padang.
- [20] Kawasaki N, Soap K Kao and Nishihama K, 1982. A Study of Metal Flow Ahead of Tool Face With Large Negative Rake Angle. Mechanical Engineering Department, University of Osaka Prefecture, 4-804 Mozu umemachi Sakai City, Vol 104, page 324, Osaka, Japan.

- [21] Fang N, 2004. Tool Chip Friction in Machining With a Large Negative Rake Angle Tool. Department of Mechanical and Aerospace Engineering, Utah State University, Logan, page 895, UT 84322, USA.
- [22] Ozlu Emre, Budak Erhan, and Molinari A, 2009. Analytical and Experimental Investigation of Rake Contact and Friction Behaviour in Metal Cutting. Faculty of Engineering and Natural Sciences, Sabanci University Orhanli, Tuzla, 34956, Istanbul, Turkey.
- [23] T.H. Child, 1972. Rake face action of cutting lubricants: An analysis of, and experiments on, the machining of iron lubricated by carbon tetrachloride. Proc InstnMechEngrs. Vol 186 63/72, page 717-727
- [24] Y. Ohbuchia,dan T. Obikawa, 2005. Adiabatic shear in chipformation with negative rake angle. International Journal of Mechanical Sciences, Vol 47. Page 1377–1392

