

DAFTAR PUSTAKA

- Aggarwal BB, 2010. Targeting Inflammation– Induced Obesity and Metabolic Diseases by Curcumin and Other Nutraceuticals. *Annu Rev Nutr* : 30 :14.1-27.
- Aggarwal BB, Sung B, 2009. Pharmacological Basis for The Role of Curcumin in Chronic Diseases : An Age-Old Spice with Modern Targets, *Trends in Pharmacological Sciences* : 30:85–94.
- Amaleinei C, Irina DC, Raluca AB, 2007. Biology of Diseases Metalloproteases and Remodeling. *Romanian Journal of Morphology and Embryology* 48 (4) : 323-34.
- Bascands JL, Schanstra J.P, 2005. Obstructive Nephropathy. Insights from Genetically Engineered Animals. *Kidney International* : 68:925-937.
- Basnet P, Skalko N, 2011. Curcumin: An Anti Inflammatory Molecule from A Curry Spice on The Path To Cancer Treatment. *Molecules* 16 :4567-98.
- Battaller R., Brenner DA, 2005. Liver fibrosis. *J Clin Invest*: 115: 209–218.
- Barrientos S, Stojadinovic O, Golinko MS, Brem H, Tomic M, 2008. Growth Factors and Cytokines in Wound Healing. *Wound Repair Regen* 16: 585.
- Bernasconi P, Torchiana E, Confalonieri, Brugnoli R, Baressi R, 1995. Expression of Transforming Growth Factor β 1 in Dystrophic Patient Muscle Correlates with Fibrosis Pathogenic Role Of A Fibrogenic Cytokine. *J Clin Invest* 96:1137-1144.
- Bicer A, Guclu B, Ozkan A, Kurtkaya O, Koc DY, Necmettin P.M, *et al.*, 2010. Expressions of Angiogenesis Associated Matrix Metalloproteinases And Extracellular Matrix Proteins In Cerebral Vascular Malformations. *J Clin Neurosci*: 17:232-236.
- Bisht S, Feldmann G, Soni S, Ravi R, Karikar C, 2007. Polymeric Nanoparticle-Encapsulated Curcumin (Nanocurcumin) A Novel Strategy For Human Cancer Therapy. *J Nanobiotech* :5:3
- Bisht S, Khan MA, Bekhit M, Bai H, Cornish T, 2011. A Polymeric Nanoparticle Formulation of Curcumin (Nanocurcumin) Ameliorates CCl_4 Induced Hepatic Injury and Fibrosis Through Reduction of Pro Inflammatory Cytokines And Stellate Cell Activation. *Lab Invest* :91(9):1383-95.
- Buhrmann C, Mobasheri A, Shakibaei M, 2011. Curcumin Modulates Nuclear Factor-kB (NF-kB) Mediated Inflammation In Human Tenocytes in Vitro. *J Biol Chem*:288(32):28556-28566.
- Cao J, Han Z, Tian L, Chen K, Fan Y, 2014. Curcumin Inhibits EMMPRIN and MMP-9 Expression Through AMPK-MAPK and PKC Signaling in PMA Induced Macrophage. *Journal of Translational Medicine* 12 (266):1-10.

- Cao F, Liu T, Xu Y, Xu D, Feng S, 2015. Curcumin Inhibits Cell Proliferation and Promotes Apoptosis in Human Osteoclastoma Cell through MMP-9, NF- κ B and JNK Signaling Pathways, *Int J ClinExp Pathol*;8(6):6037-6045
- Chen A, Xu J, 2005. Activation of PPAR- γ by Curcumin Inhibits Moser Cell Growth and Mediates Suppression of Gene Expression of Cyclin D1 and EGFR. *American Journal of Physiology-Gastrointestinal and Liver Physiology* :288:G447–G456.
- Cheng S, Lovett DH, 2003. Gelatinase A (MMP-2) is Necessary and Sufficient for Renal Tubular Cell Epithelial-Mesenchymal Transformation. *Am J Pathol*:162: 1937-1949.
- Chevalier RL, 2009. Pathogenesis of Renal Injury in Obstructive Uropathy. *Curr Opin Pediatr* : 18: 153–160.
- Chiu J, Khan ZA, Farhangkhoei H, Chakrabarti, 2009. Curcumin Prevents Diabetes-Associated Abnormalities in The Kidneys by Inhibiting P300 and Nuclear Factor-KappaB. *Nutrition* :25:964–972.
- Cho YJ, Yi CO, Jeon BT, Jeong YY, Kang GM, Lee JE, *et al.*, 2013. Curcumin Attenuates Radiation-Induced Inflammation and Fibrosis in Rat Lungs. *Korean J PhysiolPharmacol* :17:267–274.
- Choi YJ, Baranowska-Daca, E Nguyen, V Truong LD, 2000. Mechanism of Chronic Obstructive Uropathy: Increased Expression of Apoptosis-Promoting Molecules. *Kidney International* : 58 : 1481-1491.
- Churchill M, Chadburn A, Bilinski RT, Bertagnolli MM, 2000. Inhibition of Intestinal Tumors by Curcumin is Associated with Changes in The Intestinal Immune Cell Profile, *J Surg Res.* :89(2):169-75.
- Cimmino G, Ragni M, Cirillo P, Petrillo G, Loffredo F, Chiariello M, *et al.*, 2013. C-Reactive Protein Induces Expression of Matrix Metalloproteinase-9: a Possible Link Between Inflammation and Plaque Rupture. *Int J Cardiol* : 168:981–986.
- Coban D, Milenkovic D, Chanet A, Khallou-Laschet J, Sabbe L, Palagani A, *et al.*, 2012. Dietary Curcumin Inhibits Atherosclerosis by Affecting the Expression of Genes Involved in Leukocyte Adhesion and Transendothelial Migration. *Mol Nutr Food Res* : 56:1270–1281.
- Cotran RS, Rennke H, Robbins S, 2007. Ginjal dan sistim penyalurannya. vol 2. ed VII. EGC Jakarta:594-597.
- Derynck R, Zhang YE, 2003. Smad-Dependent and Smad-Independent Pathways in TGF- β Family Signalling. *Nature* 425: 577–584.
- Dinkova-Kostova AT, W. Fahey JW, Talalay P, 2004. Chemical Structures of Inducers of Nicotinamide Quinone Oxidoreductase 1 (NQO1). *Methods in Enzymology* :382:423–448.

- Derynck R, Zhang YE, 2003. Smad-Dependent and Smad-Independent Pathways in TGF- β Family Signalling. *Nature* 425: 577–584.
- Duffield JS, 2010. Macrophages and Immunologic Inflammation Of The Kidney. *SeminNephrol*: 30: 234-254
- Duffield JS, Grgic I, Humphreys BD, 2012. The Origin of Interstitial Myofibroblasts in Chronic Kidney Disease. *PediatrNephrol* :27:183–193.
- Eddy AA, 2005. Can Renal Fibrosis be Reversed ?. *PediatrNephrol*:20: 1369-1375
- Eddy A.A, Neilson E.G, 2006. Chronic Kidney Disease Progression. *J Am SocNephrol* 17: 2964–2966.
- Eroschenko PV, 2010. *Atlas Histologi di Fiore*, Penerbit Buku Kedokteran EGC ed 11: 377.
- Esatbeyoglu P, Huebbe P, Iernst IM, Chin D, Wagner AE, Rimbach G, 2012. Curcumin From Molecule to Biological Function. *Angewandte Chemie International* :51: 5308–5332.
- Farris AB, Chan S, Climenhaga B, Adam B, Bellamy COC, *et al.*, 2014. Banff Fibrosis Study : Multicenter Visual Assesment and Computerized Analysis Of Interstitial Fibrosis in Kidney Biopsies. *American Journal Of Transplantation* 14:897-907.
- Firestein GS, Budd RC, Gabriel SE, McInnes IB, O'Dell JR, 2013. Proteinases and Matrix Degradation. In : Firestein GS, Budd RC, Gabriel SE, McInnes IB, O'Dell JR. Kelley's. *Textbook of Rheumatology* ed 9th Saunders: 97-115
- Fragiadaki M, Mason RM, 2011. Epithelial Mesenchymal Transition in Renal Fibrosis Evidence for and Against. *Int J Exp Pathol*;92:143–150.
- Friese RS, Rao F, Khandrika S, Thomas B, Ziegler MG, Schmid-Schönbein GW *et al.*, 2009. Matrix Metalloproteinases : Discrete Elevations in Essential Hypertension and Hypertensive End-Stage Renal Disease. *Clin Exp Hypertens*: 31: 521-533.
- Gaedeke J, Noble NA, Border WA, 2004. Curcumin Blocks Multiple Sites of The TGF- β Signaling Cascade in Renal Cells. *Kidney International* 66 : 112–120.
- Ghosh AK, Vaughan DE, 2012. PAI-1 in Tissue Fibrosis. *Journal of Cellular Physiology* 227: 493–507.
- Gonzales AM, Orlando RA, 2008. Curcumin and Resveratrol Inhibit Nuclear Factor Kappa B Mediated Cytokine Expression in Adipocytes. *Nutrition and Metabolism* 5(17):1-13.
- Goel A, Kunnumakkara AB, Aggarwal BB, 2008. Curcumin as Curecumin : from Kitchen to Clinic, *Biochemical Pharmacology* : 5 : 787–809 .
- Goel A, Aggarwal BB, 2010. Curcumin The Golden Spice from Indians Affron is A Chemosensitizer And Radiosensitizer for Tumors and Chemoprotector and Radioprotector for Normal Organs. *Nutrition and Cancer*:62:919–930.

- Grande M, Pérez BF López NJ, 2010. Role of Inflammation in Tubulo-interstitial Damage Associated to Obstructive Nephropathy. *Journal of Inflammation*: 7 :1-14.
- Gupta A, Zhou CQ, Chellaiah MA, 2013. Osteopontin and MMP-9: Associations with VEGF Expression/Secretion and Angiogenesis in PC3 Prostate Cancer Cells. *Cancers* :5: 617-638.
- Guyton AC, Hall JE, 1997. Ginjal dan Cairan Tubuh. In Buku Ajar Fisiologi Kedokteran ed.9 EGC Jakarta:375-437.
- Han JY, Kim YJ, Kim L, Choi SJ, Park IS, 2010. PPAR- γ Agonist and Angiotensin II Receptor Antagonist Ameliorate Renal Tubulointerstitial Fibrosis. *Journal of Korean Medical Science* 25: 35.
- Harendza S, Schneider A, Helmchen U, Stahl RA, 1999. Extracellular Matrix Deposition and Cell Proliferation in A Model of Chronic Glomerulonephritis in The Rat. *Nephrol Dial Transplant* ; 14: 2873-2879
- Hashem RM, Soliman HM, Shaapan SF, 2008. Turmeric-Based Diet Can Delay Apoptosis without Modulating NF κ B in Unilateral Ureteral Obstruction in Rats. *Journal of Pharmacy and Pharmacology* 60:83-89.
- Hayden MS, West AP, Ghosh S, 2006. NF κ B and The Immune Response. *Oncogen* 25:6758-80.
- Hertig A, Gangadhar T, Kalluri R, 2010. Renal Studies Provide an Ansight Into Cardiac Extracellular Matrix Remodeling During Health and Disease. *J mol cell cardiol*:48: 497-503.
- Hijova E, 2005. Matrix Metalloproteinases: Their Biological Functions and Clinical Implications. *Bratisl Lek Listy*:106:127-132.
- Hironaka K, Sakaida I, Uchida K, 2000. Correlation between Stellate Cell Activation and Serum Fibrosis Markers in Choline-deficient L-Amino Acid-Defined Diet-Induced Rat Liver Fibrosis. *Dig Dis Sci* : 45: 1935–1943.
- Hu Y, Liang H, Du Y, Zhu Y, Wang X, 2010. Curcumin Inhibits Transforming Growth Factor- β Activity via Inhibition of Smad Signaling in HK-2 Cells. *American Journal of Nephrology* 31: 332–341.
- Huang SL, Chen PY, Wu MJ, Tai MH, Ho CT, Yen JH, 2015. Curcumoids Modulate the PKC/NADPH Oxidase/Reactive Oxygen Species Signaling Pathway and Supress Matrix Invasion during Monocyte-Macrophage Differentiation. *J Agric Food Chem*: 63(40): 8838-8848.
- Humphreys BD, Lin SL, Kobayashi A, Hudson TE, Nowlin BT, Bonventre JV, et al., 2010. Fate Tracing Reveals The Pericyte and Not Epithelial Origin Of Myofibroblasts In Kidney Fibrosis. *Am J Pathol*:176: 85-97.

- Ishafani MR, Haghighat M, 2005. Measurable Changes in Hydronefrosis during Pregnancy Induced by Positional Change : Ultrasonic Assessment and Its Diagnostic Implication. Spring vol.2 no.2: 97-101.
- Iwano M, Plieth D, Danoff TM, Xue C, Okada H, Neilson EG, 2002. Evidence that Fibroblasts Derive from Epithelium During Tissue Fibrosis. J Clin Invest : 110: 341-350.
- Joghetaei N, Stein A, Byrne RA, Schulz C, King L, May AE, *et al.*, 2013. The Extracellular Matrix Metalloproteinase Inducer (EMMPRIN, CD147) – A Potential Novel Target in Atherothrombosis Prevention ? Thromb Res :131:474–480.
- Jurenka JS, 2009. Anti Inflammatory Property of Curcumin, A Major Constituent of Curcuma Longa. A Review of Preclinical Research. Altern Med Rev 14(2):141-53.
- Kawai T, Masaki T, Doi S, Arakawa T, Yokoyama Y, 2008. PPAR- γ Agonist Attenuates Renal Interstitial Fibrosis and Inflammation Through Reduction of TGF- β . Laboratory Investigation 89: 47–58.
- Kawamoto EM, Scavone C, Mattson MP, Camandola S, 2013. Curcumin Requires Tumor Necrosis Factor α Signaling to Alleviate Cognitive Impairment Elicited By Lipopolysaccharide. Neurosignal 21:75-88.
- Kalluri R, Neilson EG, 2003. Epithelial-Mesenchymal Transition and Its Implications for Fibrosis. J Clin Invest:112: 1776-1784 .
- Kaschina E, Unger, 2003. Angiotensin AT1/AT2 Receptors: Regulation Signalling and Function. Blood Press :12:70–88.
- Kim JY, Kim WJ, Kim H, Suk K, Lee WH, 2009. The Stimulation of CD147 Induces MMP-9 Expression through ERK and NF- κ B in Macrophages: Implication for Atherosclerosis. ImmuneNetw: 9:90–97.
- Klahr S, Morrissey J, 2003. Obstructive Nephropathy and Renal Fibrosis : The Role of Bone Morphogenic Protein-7 and Hepatocyte Growth Factor. Kidney International Vol. 64: Supplement 87: 105-112.
- Ko GJ, Kang YS, Han SY, Lee MH, Song HK, Han KH, *et al.*, 2008. Pioglitazone Attenuates Diabetic Nephropathy Through an Anti-Inflammatory Mechanism in Type 2 Diabetic Rats. Nephrology Dialysis Transplantation : 23: 2750–2760.
- Krizkova S, 2011. Clinical Importance of Matrix Metalloproteases. Bratisl Lek Listy 122(8):435-40.
- Kumar D, Kumar M, Saravanan C, Singh SK, 2012. Curcumin: A Potential Candidate for Matrix Metalloproteinase Inhibitors. Expert Opin Ther Targets: 16: 959–972.
- Kumar A, Dhawan A, Hargeden NJ, Aggarwal BB, 1998. Curcumin (*diferuloylmethane*) Inhibition of Tumor Necrosis Factor (TNF) Mediated Adhesion of Monocytes to

Endothelial Cell by Suppression of Cell Surface Expression of Adhesion Molecules and of Nuclear Factor- κ B Activation. *Biochemical Phar* :55:775-83.

Lan HY, 2011. Diverse Roles of TGF- β /Smads in Renal Fibrosis and Inflammation. *Int J BiolSci* :7:1056–1067.

Lakshmanan AP, Thandavarayan RA, Watanabe K, Sari FR, Meilei H, 2012. Modulation of α 1R/MAPK Cascade by An Olmesartan Treatment Attenuates Diabetic Nephropathy in Streptozotocin-Induced Diabetic Mice. *Mol Cell Endocrinol* 348: 104–111.

Lange-Sperandio B, Trautmann A, Eickelberg O, Jayachandran A, Oberle S, Schmitz F, *et al.*, 2007. Leukocytes Induce Epithelial to Mesenchymal Transition After Unilateral Ureteral Obstruction in Neonatal Mice. *Am J Pathol*: 171: 861-871.

Lavoie S, Chen Y, Dalton TP, Gysin R, Cuénod M, Steullet P, 2009. Curcumin, Quercetin and tBHQ Modulate Glutathione Level Sinastrocytes and Neurons: Importance Of The Glutamate Cysteine Ligase Modifier Sub Unit. *Journal of Neuro Chemistry* :108 : 1410–1422.

Lawrence T, 2009. The Nuclear Factor NF- κ B Pathway in Inflammation. *Cold Spring Harb Perspect Biol* : 1:1651.

Leask A, Abraham DJ, 2004. TGF- β Signaling and The Fibrotic Response. . *FASEB J* : 18: 816–827.

Lenga Y, Koh A, PereraAS, McCulloch CA, Sodek J, 2008. Osteopontin Expression is Required for Myofibroblast Differentiaion. *Circ Res* 102: 319-27.

Li Y, Chen ZQ, Li YD, 2011. Effects of Curcumin on The Epithelial Mesenchymal Transition and TGF-beta/Smads Signaling Pathway in Unilateral Ureteral Obstruction Rats. *ZhongguoZhong Xi Yi Jie He ZaZhi*.: 31:1224–1228.

Li R, Wang Y, Liu Y, Chen Q, Fu W, 2013. Curcumin Inhibit Transforming Growth Factor B1 Induced Emt Via PPAR- γ Pathway Tubular Epithelial Cell. *PLos One* 8(3):e58848.

Lin CH, Yu MC, Tung WH, Chen TT, Yu CC, Weng CM, *et al.*, 2013. Connective Tissue Growth Factor Induces Collagen I Expression in Human Lung Fibroblasts Through The Rac1/MLK3/JNK/AP-1 Pathway. *BiochimBiophys Acta*.;33:2823–2833.

Lint VP, Libert C, 2007. Chemokine and Cytokine Processing by Matrix Metalloproteinases and Its Effect on Leucocyte Migration and Inflammation. *J Leukoc Biol* 82(6):1375-1381.

Liu Y, Shepherd EG, Nelin LD, 2007. MAPK Phosphatases–Regulating The Immune Response. *Nat Rev Immunol* ; 7: 202–212.

Mahyuzar L, Alvarino, Tofrizal, Erkadius, 2013. Pengaruh Pemberian Valsartan dan Kurkumin Terhadap Pembentukan Fibrosis Di Tubulus Proksimal Ginjal Akibat Obstruksi Ureter Unilateral Pada Tikus Wistar. *Jurnal Kesehatan Andalas*: 2(1).

- Mark CA, 2011. Pathophysiology of Urinary Tractus Obstruction .In KavoussiLR, Novick AC, Partin AW, Peters CA Cambell-Walsh Urology 10th ed Phyladelphia WB Saunders Company:343-379.
- Miyajima A, Chen J, Lawrence C,*et al.*, 2000. Antibody to Transforming Growth Factor- β Ameliorates Tubular Apoptosis in Unilateral Ureteral Obstruction. *Kidney Int* : 58: 2301–2313.
- Meldrum KK, Metcalfe P, Leslie JA, Misseri R., HileKL,Meldrum DR, 2006. TNF- α Neutralization Decreases Nuclear actor-kappaB Activation and Apoptosis during Renal Obstruction,*J Surg. Res*:131: 182–188.
- Meng Z, Yu XH, 2014. Curcumin Attenuates Cardiac Fibrosis in Spontaneously Hypertensive Rats through PPAR- γ Activation. *ActaPharmacol Sin.* :35:1247–1256.
- Morrissey J, Hurska K, Guo G, 2002. Bone Morphogenetic Protein-7 Improves Renal Fibrosis and Accelerates The Return of Renal Function. *J Am SocNephrol* : 13: S14–S21.
- Moustakas A, Heldin CH, 2005. Non-Smad TGF- β signals. *Journal of Cell Science* 118: 3573–3584.
- Mamputu JC, Renier G, 2004. Advanced Glycation End-Products Increase Monocyte Adhesion to Retinal Endothelial Cells Through Vascular Endothelial Growth Factor-Induced Icam-1 Expression: Inhibitory Effect of Antioxidants. *J LeukocBiol*: 75: 1062–1069.
- Majeed M, Vladimir B, Uma S, Rajendran R, 1995. Curcuminoids Antioxidant Phytonutrients. *Nutriscience . Publ., Inc. Piscataway, New Jersey.*
- Mun SH, Joungh DK, Kim YS, Kang OH, Kim SB, Seo YS,*et al.*,2013. Synergistic Anti Bacterial Effect Of Curcumin Against Methicillin-Resistant *Staphylococcus aureus*. *Phytomedicine* :20:714–718.
- Murugan P, Pari L, 2007. Influence of Tetra Hydro Curcumin On Hepatic and Renal Functional Markers and Protein Levels In Experimental Type2 Diabetic Rats. *Basic & Clinical Pharmacology &Toxicology*:101: 241–245.
- Narala VR, Smith MR, Adapala RK, Ranga R, Panati K, 2009. Curcumin is Not A Ligand for Peroxisome Proliferator-Activated Receptor-Gamma. *Gene TherMolBiol* 13: 20–25.
- Navarro-Gonzalez JF, Mora-Fernandez C, Muros de Fuentes M, Garcia-Perez J, 2011. Inflammatory Molecules and Pathways in The Pathogenesis of Diabetic Nephropathy. *Nat Rev Nephrol* 7: 327–340.
- Oeckinghaus A, Ghosh S, 2009. The NF κ B Family of Transcription Factor and Its Regulation. *Cold Spring Harb Perspect Biol*.1:34.

- Panchal HD, Vranizan K, Lee CY, Ho J, Nga Ji, Timiras PS, 2008. Early Anti-Oxidative And Anti-Proliferative Curcumin Effects on Neuroglioma Cells Suggest Therapeutic Targets. *Neurochemical Research*:33:1701–1710.
- Pat B, Tang T, Kong C, Diannewatters, Johnson D, 2005. Activation of ERK in Renal Fibrosis After Unilateral Ureteral Obstruction. Modulation by Antioxidants. *Kidney International* : 67:931-943.
- Pawlak K, Mysliwiec M, Pawlak D, 2011. Peripheral Blood Level Alterations of MMP-2 and MMP-9 in Patients with Chronic Kidney Disease on Conservative Treatment and on Hemodialysis. *ClinBiochem*:44: 838-843.
- Peters CA, Chevalier RL, 2012. Congenital Urinary Obstruction : Pathophysiology And Clinical Evaluation. *Campbell-Walls Urology 10th Philadelphia Sanders Elsevier* :3028-3037.
- Picard N, Baum O, Voetseder A, Kaissling B, Le Hir M, 2008. Origin of Renal Myofibroblast in The Model of Unilateral Ureter Obstruction in The Rat. *Histochem Cell Biol* 130(1): 141-155.
- Qu X, Zhang X, Yao J, Song J, Nikolic-Paterson DJ, Li J, 2012. Resolvins E1 and D1 Inhibit Interstitial Fibrosis in The Obstructed Kidney via Inhibition of Local Fibroblast Proliferation. *J Pathol* :228:506–519.
- Rahman I, Biswas SK, Kirkham PA, 2006. Regulation of Inflammation and Redox Signaling by Dietary Polyphenols. *Biochemical Pharmacology* :72:1439–1452.
- Ravichandran R, 2013. Pharmacokinetic Study of Nano Particulate Curcumin : Oral Formulation for Enhanced Bioavailability. *Journal of Biomaterials and Nanobiotechnology* 4:291-299.
- Remacle AG, Rozanov DV, Fugere M, 2006. Furin Regulates The Intracellular Activation and Uptake Rate of Cell Surface-Associated MTI-MMP. *Oncogen* (41) 25:5648-55.
- Reyes-Fermín LM, González-Reyes S, Tarco-Álvarez NG, Hernández- Nava M, Orozco-Ibarra M, Pedraza-Chaverri J, 2012. Neuroprotective Effect of α -mangostin and Curcumin against Iodoacetate-Induced Cell Death. *Nutritional Neuroscience* 15:34–41.
- Rigden SP, 2003. The Management of Chronic and End Stage Renal Failure in Children. In Webb N, Postlethwaite Clinical Paediatric Nephrology 3rd ed. Oxford University Press Inc:427-446.
- Rojas A, Padidam M, Cress D, Grady WM, 2009. TGF- β Receptor Levels Regulate The Specificity of Signaling Pathway Activation and Biological effects of TGF- β . *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research* 1793: 1165–1173.
- Rajo AI, Medina-Campos N, Rada P, Zúñiga-Toalá A, López-Gazcón A, Espada S, *et al.*, 2012. Signaling Pathways Activated by The Phytochemical Nordihydroguaiaretic Acid Contribute to A Keap1- Independent Regulation of Nrf2 Stability : Role of Glycogen Synthase kinase-3. *Free Radical Biology & Medicine*:52:473–487.

- Rushworth SA, Ogborne RM, Charalambos CA, O'Connell MA, 2006. Role of Protein Kinase C Delta in Curcumin-Induced Anti Oxidant Response Element- Mediated Gene Expression in Human Monocytes. *Biochemical and Biophysical Research Communications*:341:1007–1016.
- Sastroasmoro S, Ismail S, 1995. *Dasar-dasar Metodologi Penelitian Klinis*. BinaRupaAksara, Jakarta : 196
- Sandur SK, Pandey MK, Sung B, Ahn KS, Murakami A, Sethi G, *et al.*, 2007. Curcumin Demethoxy Curcumin, Bisdemethoxy-curcumin, Tetrahydrocurcumin and Turmerones Differentially Regulate Anti-Inflammatory and Anti-Proliferative Responses Through a ROS-Independent Mechanism. *Carcinogenesis*:28:1765–1773.
- Schmidt R, Bultmann A, Ungerer M, Joghetaei N, Bulbul O, Thieme S, *et al.*, 2006. Extracellular Matrix Metalloproteinase Inducer Regulates Matrix Metalloproteinase Activity in Cardiovascular Cells: Implications in Acute Myocardial Infarction. *Circulation* :113:834–841.
- Setyowati A, Suryani CL, 2013. Peningkatan Kadar Kurkuminoid dan Aktivitas Anti Oksida Minuman Instan Temulawak dan Kunyit. *Agritech* 33:4:363-370.
- Shi X, Garry DJ, 2006. Muscle Stem Cells in Development, Regeneration, and Disease. *Genes & Development* 20:1692-1708
- Shi Z, Stack MS, 2015. An Update on Immunohistochemistry in Translational Cancer Research, *Cancer Transl Med* :1:115-122 .
- Singh I, Strandhoy JW, Assimos DG, 2012. Pathophysiology of Urinary Tract Obstruction. In Kavossi LR, Novick AC, Partin AW, Peters CA Cambell-Walls Urology 10th ed. Phyladelphia Sanders Elsevier :1088-1121.
- Sidik, Mulyono MW, Mutadi A, 1995. Temulawak (*Curcuma xanthorrhiza* roxb.). *Phytomedica*. Jakarta.
- Sidik, 2006, Gerakan Nasional Minum Temulawak (http://www.majalahfarmacia.com/rubrikone_news)
- Singh S, Aggarwal BB, 1995. Activation of Transcription Factor *NFκB* is Suppressed by Curcumin. *J Biol Chem*. 270:24995-25000.
- Snell R, 2006. Ginjal. In *Anatomi Klinik* ed 6 EGC Jakarta :294-296.
- Soetikno V, Sari FR, Lakshmanan AP, Arumugam S, Harima M, Suzuki K, *et al.*, 2013. Curcumin Alleviates Oxidative Stress, Inflammation, and Renal Fibrosis in Remnant Kidney Through The Nrf2-Keap1 Pathway. *Mol Nutr Food Res*. :57:1649–1659.
- Sonkar GK, Sing RG, 2009. Is Serum Transforming Growth Factor beta-1 Superior to Serum Creatinin for Assessing Renal Failure and Renal Transplant Rejection. *JK Science* 11(2):62-66.

- Steel GD, Torrie R, James H, 1980. A Biometrical Approach in Principles and Procedure of Statistics. McGraw Hill Company New York.
- Strutz F, Zeisberg M, Ziyadeh FN, Yang CQ, Kalluri R, Müller GA, *et al.*, 2002. Role of Basic Fibroblast Growth Factor-2 in Epithelial-Mesenchymal Transformation. *Kidney Int*: 61: 1714-1728.
- Tan TK, Zheng G, Hsu TT, Lee SR, Zhang J, 2013. Matrix Metalloproteinase-9 Of Tubular and Macrophage Origin Contributes To The Pathogenesis Of Renal Fibrosis Via Macrophage Recruitment Through Osteopontin Cleavage. *Lab Invest* 93(4):434 – 449.
- Tesch GH, 2010. Macrophages and Diabetic Nephropathy. *Semin Nephrol*: 30: 290–301.
- Terzic J, Marinovic TI, Ikeda F, Dikic I, 2007. Ubiquitin Signals in The NF κ B Pathway. *Biochemical Society Transaction* 35(5):942-945.
- Thiery JP, Chua K, Sim WJ, Huang R, 2010. Epithelial Mesenchymal Transition during Development in Fibrosis And in The Progression Of Carcinoma. *Bull Cancer* : 97: 1285-1295.
- Topcu SO, Pedersen M, Norregaard R, Wang G, Knepper M, 2006. Candesartan Prevents Long-Term Impairment of Renal Function in Response to Neonatal Partial Unilateral Ureteral Obstruction. *AJP Renal Physiology* 00241 :736-748.
- Trujillo J, Chirino YI, Molina-Jijón E, Andérica-Romero AC, Tapia E, Pedraza-Chaverri J., 2013. Renoprotective effect of the antioxidant curcumin: Recent findings. *Redox Biology* 1:448-456.
- Tsai YM, Chien CF, Lin LC, Tsai TH, 2011. Curcumin and Its NanoFormulation : The Kinetics of Tissue Distribution and Blood Brain Barrier Penetration. *Int J Pharm*. 416(1):331-8.
- Watanabe N, Ikeda U, 2004. Matrix Metalloproteinases and Atherosclerosis. *Curr Atheroscler Rep*: 6:112–120.
- Watanabe N, Shikata K, Shikata Y, Sarai K, Omori, 2011. Involvement of maps in icam-1 Expression in Glomerular Endothelial Cells in Diabetic Nephropathy. *Acta Med Okayama* 65: 247–257.
- Wick G, 2006. Avian Models with Spontaneous Autoimmune Disease. *Adv Immunol* 92:71-117.
- Willis BC, Borok Z, 2007. TGF- β -induced EMT : Mechanisms and Implications for Fibrotic Lung Disease. *American Journal of Physiology-Lung Cellular and Molecular Physiology* 293: L525–L534.

- Wong CK, Ho AW, Tong PC, Yeung CY, Chan JC, 2008. Aberrant Expression of Soluble Co-Stimulatory Molecules and Adhesion Molecules in Type 2 Diabetic Patients with Nephropathy. *J Clin Immunol*: 28: 36–43.
- Wu W, Chang C, Chiu Y, Ku C, Wen M, 2010. A Reduction of Unilateral Ureteral Obstruction-Induced Renal Fibrosis by A Therapy Combining Valsartan with Aliskiren. *American Journal of Physiology Renal Physiology* : 299: 929-941.
- Yadav VS, Mishra KP, Singh DP, Mehrotra S, Sing VK, 2005. Immunomodulatory Effects of Curcumin, *Immunopharmacology and Immunotoxicology*, 27:485-497
- Yallapu MM, Jaggi, M, Chauhan SC, 2012. Curcumin Nanoformulations: A Future Nanomedicine for Cancer. *Drug Discov Today* : 17(1-2):71-80.
- Yang J, Shultz RW, Mars WM, Wegner RE, Li Y, Dai C, *et al.*, 2002. Disruption of Tissue-Type Plasminogen Activator Gene in Mice Reduces Renal Interstitial Fibrosis in Obstructive Nephropathy. *J Clin Invest* : 110: 1525-1538.
- Yang J, Zhang D, Li J, Zhang X, Fan F, 2009. Role of PPAR- γ in Renoprotection in Type 2 Diabetes: Molecular Mechanisms and Therapeutic Potential. *Clinical Science* 116: 17.
- Yang D, Wang J, Ni J, Shang S, Liu L, Xiang J, *et al.*, 2013. Temporal Expression of Metalloproteinase-8 and -13 and Their Relationships with Extracellular Matrix Metalloproteinase Inducer in The Development of Ligature Induced Periodontitis in Rats. *J Periodontal Res* : 48:411–419.
- Yarru LP, Settivari RS, Gowda NK, Antoniou E, D. Ledoux DR, Rottinghaus GE, 2009. Effects of Turmeric (*Curcuma longa*) on The Expression of Hepatic Genes Associated with Biotransformation, Antioxidant, and Immune Systems in broiler chicks fed Aflatoxin. *Poultry Science*: 88:2620–2627.
- Ye SF, Hou ZQ, Zhong LM, Zhang QQ, 2007. Effect of Curcumin on The Induction of Glutathione S-transferases and NAD(P)H : Quinone Oxidoreductase and Its Possible Mechanism of Action. *YaoXueXueBao*: 42:376–380.
- Yoo KH, Thornhill BA, Forbes MS, 2006. Osteopontin Regulates Renal Apoptosis and Interstitial Fibrosis in Neonatal Chronic Unilateral Ureteral Obstruction. *Kidney Int* : 70: 1735–1741.
- Yoon YW, Kwon HM, Hwang KC, Choi EY, Hong BK, Kim D, *et al.*, 2005. Upstream Regulation of Matrix Metalloproteinase by EMMPRIN : Extracellular Matrix Metalloproteinase Inducer in Advanced Atherosclerotic Plaque. *Atherosclerosis* : 180:37–44.
- Yu YM, Lin HC, 2010. Curcumin Prevents Human Aortic Smooth Muscle Cells Migration by Inhibiting Of Mmp-9 Expression. *Nutr Metab Cardiovasc Dis*: 20 : 125–132.
- Yukawa K, Hoshino K, Kishino M, 2004. Deletion of The Kinase Domain in Death-Associated Protein Kinase Attenuates Renal Tubular Cell Apoptosis In Chronic Obstructive Uropathy. *Int J Mol Med* : 13: 515–520

- Zeisberg M, Duffield JS, 2010. Resolved : EMT Produces Fibroblasts in The Kidney. *J Am Soc Nephrol*: 21:1247-1253.
- Zeisberg M, Khurana M, Rao VH, Cosgrove D, Rougier JP, Werner MC, *et al.*, 2006. Stage-Specific Action of Matrix Metalloproteinases Influences Progressive Hereditary Kidney Disease : 3: 100.
- Zeisberg M, Kalluri R., 2004. The Role of Epithelial-to-Mesenchymal Transition in Renal Fibrosis. *Journal of Molecular Medicine* 82: 175–181.
- Zeisberg EM, Potenta SE, Sugimoto H, Zeisberg M, Kalluri R, 2008. Fibroblasts in Kidney Fibrosis Emerge via Endothelial to Mesenchymal Transition. *J Am Soc Nephrol*: 19: 2282-2287.
- Zhang W, Zhao L, Su SQ, Xu XX, Wu YG, 2014. Total Glucosides of Paeony Attenuate Renal Tubulointerstitial Injury in STZ-Induced Diabetic Rats : Role of Toll-Like Receptor 2. *J Pharmacol Sci* : 125:59–67.
- Zhang X, Chen Q, Wang Y, Peng W, Cai H, 2014. Effects of Curcumin on Ion Channels and Transporters. *Front Physiol* : 11:94.
- Zhang SS, Gong ZJ, Li WH, Wang X, Ling TY, 2012. Antifibrotic Effect of Curcumin in TGF- β 1-Induced Myofibroblasts from Human Oral Mucosa. *Asian Pac J Cancer Prev* : 13:289–294.
- Zhang G, Kim H, Cai X, 2005. Urokinase Receptor Deficiency Accelerates Renal Fibrosis in Obstructive Nephropathy. *J Am Soc Nephrol* : 14:1254–1271.
- Zheng SZ, Chen AP, 2007. Disruption of Transforming Growth Factor- β Signaling by Curcumin Induces Gene Expression of Peroxisome Proliferator-Activated Receptor- γ in Rat Hepatic Stellate Cells. *Am J Physiol Gastrointest Liver Physiol* : 292:113–123.
- Zheng G, Lyons JG, Tan TK, Wang Y, Hsu TT, Min D, *et al.*, 2009. Disruption of E-Cadherin by Matrix Metalloproteinase Directly Mediates Epithelial-Mesenchymal Transition Downstream of Transforming Growth Factor- β 1 in Renal Tubular Epithelial Cells. *Am J Pathol*: 175: 580-591.
- Zhao H, Dong Y, Tian X, Tan TK, Liu Z, 2013. Matrix Metalloproteinases Contribute to Kidney Fibrosis in Chronic Kidney Diseases. *World J Nephrol* 2(3):84-89.
- Zhongfa L, Chiu M, Wang J, Chen W, Yen W, 2012. Enhancement of Curcumin Oral Absorption and Pharmacokinetics of Curcuminoids and Curcumin Metabolites in Mice. *Cancer Chemother Pharmacol*. 69(3):679-89.
- Zhou X, Zhang J, Xu C, Wang W, 2014. Curcumin Ameliorates Renal Fibrosis by Inhibiting Local Fibroblast Proliferation and Extracellular Matrix Deposition. *J Pharmacol Sci*: 126:344-350.

Zhu X, Song Z, Zhang S, Nanda A, Li G, 2014. CD147: A Novel Modulator of Inflammatory and Immune Disorders. *Curr Med Chem* : 21:2138–2145.

