

DAFTAR PUSTAKA

- Andayani, R., Maimunah., Yovita, L. 2008. Penentuan Aktivitas Antioksidan, Kadar fenolat Total dan Likopen pada Buah Tomat (*Solanum lycopersicum* L.). *Jurnal Sains dan Teknologi Farmasi*, 13(1):31-37.
- Anonim. 1995. *Farmakope Indonesia*. (Edisi IV). Jakarta: Departemen Kesehatan Republik Indonesia.
- Ansel, H.C. 2008. *Pegantar bentuk Sediaan Farmasi*. Jakarta: Universitas Indonesia Press.
- Aulton, M.E. 1992. *Pharmaceutics: The Science of Dosage Form Design*. New York: Churchill Living Stone.
- Block, L.H. 1989. Emulsions and Microemulsions. Dalam Lieberman, H.A., Rieger, M.M & Banker, G.S (Eds.). *Pharmaceutical Dosage Forms : Disperse Systems*, 2:355. New York : Marcel Dekker.
- Bresson, J.L., Albert, F., Marina, H., Karin, H., Hannu, K. 2008. Safety of Synthetic Lycopene. *European Food Safety Authority Journal*, 676: 1-25.
- Bohm, V., Puspitasari, N., Mario, G.F., Steven, J.S. 2002. Trolox equivalen antioxidant capacity of different geometrical isomer of α - caroten, β -caroten, lycopene, and zeaxanthin. *J. Agric. Food Chem*, 50(1):221- 226.
- Bhowmik, D., Sampath, K., Shravan, P., Shweta, S. 2012. Tomato-A Natural Medicine and Its Health Benefits. *Journal of Pharmacognosy and Phytochemistry*, 1(1): 33-43.
- Cho, Y.H., Kim, S., Bae, E.K., Mok, C.K., Park, J. 2008. Formulation of cosurfactan-free O/W Microemulsion Using Nonionic Surfactan Mixtures. *Journal of Food Sciences*, 73(3): 115-121.
- Dachriyanus, 2004. *Analisa Struktur Senyawa Organik*. Padang: Andalas University Press.
- Djajadisastra, J., Mun'im & Dessy, N.P. 2009. Formulasi gel Topikal dari Ekstrak Nerii Follium dalam Sediaan Anti Jerawat. *Jurnal Farmasi Indonesia*.
- Dehi, R., Hamsidar, H., Nur'ain, T. 2014. *Formulasi dan Evaluasi Sediaan Emulsi-Gel sari Buah Tomat (Solanum lycopersicum L.) sebagai Moisturizers*. Gorontalo: Universitas Negeri Gorontalo.
- Depkes RI. 1985. *Formularium Kosmetika Indonesia*. Jakarta: Departemen Kesehatan RI.

- Depkes RI. 2000. *Parameter Standar Umum Ekstrak Tumbuhan Obat*. (Edisi 1). Jakarta: Direktorat Jenderal Pengawasan Obat dan Makanan, Direktorat Pengawasan Obat Tradisional.
- El-Laithy, H.M. 2003. Preparation and physicochemical characteristic of dioctyl sodium sulfosuccinate (aerosol OT) microemulsion for oral drug delivery. *AAPS Pharmscitech*, 4(1) Article 11.
- Flanagan, J. & Singh, H. 2006. Microemulsions: a potential delivery system for bioactive in food. *Critical Reviews in Food Science and Nutrition*, 46(3): 221-237.
- Fletcher, P.D.I & Suhling, K. 1998. Interaction between weakly charged oil-in-water microemulsion droplets. *Langmuir*, 14: 4065-4069.
- Freeman, B.B & Kristin, R. 2010. Tomato Consumption and Health: Emerging Benefits. *American Journal of Lifestyle Medicine*, 10(10).
- Ghosh, P.K & Murthy, R.S. 2006. Microemulsions: A potential drug delivery system. *Current Drug Delivery*, 3(2):167-180.
- Gledhill, D. 2002. *The Names of Plants (4rd ed)*. Cambridge: Chambridge University Press.
- Gozali., Tiassetiana, S., Sopyan, I., Ayuningtyas, A. 2014. Formulasi sediaan losio dari ekstrak buah tomat (*Solanum lycopersicum L.*) sebagai tabir surya. *Jurnal Ilmu-ilmu Hayati dan Fisik*, 16(3): 153 – 158.
- Gusneli, Y. 2014. *Formulasi Sediaan Hand and Body Lotion dari Ekstrak Buah Tomat (Solanum lycopersicum L.)*. (Skripsi). Padang: Universitas Andalas.
- Handayani, R., Joko, S., Rita, D.R. 2009. Extraction of Coconut Oil (*Cocos nucifera L.*) through Fermentation System. *Journal of Biological Diversity*, 10(3):151-157.
- Im-Emsap, W *et al.*, Disperse system. Dalam: Banker, G.S., Rhodes, C.T. 2002. *Modern Pharmaceutis Fourth Edition, revised and expanded*. New York: Marcel Dekker Inc.
- Istianingrum., Suryasatriya, T., Martanto, M. 2012. Pengukuran Kandungan Provitamin A dari CPO (Crude Palm Oil) Menggunakan Spektrofotometer UV-Vis dan Spektroskopi Nir (NearInfrared). *Prosiding Seminar Nasional Sains dan Pendidikan Sains VII UKSW*. Salatiga: Universitas Kristen Satya Wacana.

- Jufri, M., Joshita, D, Ledy, M. 2009. Pembuatan mikroemulsi dari minyak buah merah. *Majalah Ilmu Kefarmasian*, 4(1):18-27.
- Kimura, S & Neelima, S. 2008. Solanum lycopersicum: A Model Fruit Bearing Crop. *Cold Spring Harbor Laboratory Press*, 3(11):1-9.
- Kumar, P., Mittal, K.L. 1999. *Handbook of Microemulsion Science and Technology*. New York: Marcel Dekker Inc.
- Lachman, L., Lieberman, H.A., Kanig, J.L. 1994. *Teori dan Praktek Farmasi Industri Jilid II*. (Edisi III). Penerjemah: Siti Suyatmi. Jakarta: Penerbit Universitas Indonesia.
- Lawrence, M.J & Gareth, D.R. 2000. Microemulsion-based media as Novel Drug Delivery Systems. *Advanced Drug Delivery Reviews*, 45(1):89-121.
- Lopes, L.B., Hillary, V., Hsint, L., Vijay, V., Hsin, K.L., *et al.* 2009. Topical delivery of lycopene using microemulsions: Enhanced skin penetration and tissue antioxidant activity. *Journal of Parmaceutical Sciences*, 99(3): 1346-1357.
- Lucida, H., Salman., M Sukma, H. 2008. Uji daya peningkat penetrasi Virgin Coconut Oil (VCO) dalam basis krim. *Jurnal sains dan Teknologi Farmasi*, 13(1).
- Madhav, S & D Gupta. 2011. A Review on Microemulsion based System. *International Journal of Pharmaceutical Sciences and Reseach*, 2(8): 1888-1899.
- Martin, A., Swarbrick, J., Commarata, A. 1993. *Farmasi Fisik*. (Edisi 3). Penerjemah: Yoshita & Iis, Aisyah B. Jakarta: Universitas Indonesia Press.
- Mascio, P.D., Stephan, K., Helmut, S. 1989. Likopen as The Most Efficient Biological Carotenoid Singlet Oxygen Quencher. *Archives of Biochemistry and Biophysics*, 274(2): 532-538.
- Moghimpour, E., Anayatollah, S., Fatemah, L. 2012. Preparation and Evaluation of Tretinoin Microemulsion Based on Psudo-Ternary Phase Diagram. *Advanced Pharmaceutical Bulletin*, 2(2): 141-147.
- Nielloud, F., Marti, M., Gilberte. 2000. *Pharmaceutical Emulsions and Suspensions*. New York: Marcel Dekker Inc. 1-13.
- O'Neil, M.J. (Ed). 2006. *The Merck index: An Encyclopedia of Chemicals, Drug and Biological*. (14th Ed). New Jersey: Merck & Co.Inc.

- Pakpayat, N., F Nielloud., R Fortune., C Tourne P., A Villarrea, *et al.* 2009. Formulation of Ascorbic Acid Microemulsions with Alkyl Polyglycosides. *European Journal of Pharmaceutics and Biopharmaceutics*, 72(2): 444–452.
- Peralta, I.E., Spooner, D.M. 2000. *Classification of Wild Tomatoes*. Tomo, 28(1): 45-54.
- Rowe, R.C., Paul, J.S., Marian, E.Q. 2009. *Handbook of Pharmaceutical Excipient*. Sixth edition. London: Pharmaceutical Press and American Pharmacist Association.
- Sahasrabudde., Sangeeta, H. 2011. Likopen An Antioxidant. *Pharma Times*, 43(12): 13-15.
- Schramm, L.L. 2000. *Surfactans: Fundamental and Applications in the Potroleum Industry*. United Kingdom: Cambridge University Press.
- Setiaji, B & Surip, P. 2006. *Membuat VCO Berkualitas Tinggi*. Depok: Penebar Swadaya.
- Shi, J & Maguer, M.L. 2000. Lycopene in Tomatoes: Chemical and Physical properties affected by food processing. *Critical Reviews in Biotechnology*, 20(4):293–334.
- Singh, P., Rani, B., Chauhan, A.K., Maheshwari. 2012. Likopen's Antioxidant Activity in Cosmetic Meadow. *International Research Journal of Pharmacy*, 3(1) : 46-47.
- Spernath, A., Anan, Y., Abraham, A., Roy, E.H., Nissim, G. 2002. Food Grade Microemulsions Based on Noionic Emulsifiers: Media to Enhance Lycopene Solubilization. *J. Agric. Food Chem*, 50(23): 6917-6922.
- Swastika, A., Mufrod., Purwanto. 2013. Antioxidant Activity of Cream Dosage Form of Tomato Extract (*Solanum lycopersicum* L.). *Traditional Medicine Journal*, 18(3): 132-140.
- Thakkar, H., Nangesh, J., Parmar, M & Patel, D. 2011. Formulation and Characterization of Lipid-Based drug Delivery System of Raloxifene Microemulsions and Self-Microemulsifying drug delivery System. *Journal Pharm. Bioallied Sci*, 3(3): 442-448.
- Voigt, R. 1994, *Buku Pelajaran Teknologi Farmasi*.(Edisi 5). Penerjemah: Dr. Soendani Noerono. Yogyakarta: Gadjah Mada University Press.