

DAFTAR PUSTAKA

- Abdou, H. M. (1989). *Dissolution, Bioavailability and Bioequivalence*. Pennsylvania: Mark Publishing Company Easton.
- Aldemir, M., E, O., Kösemehmetoğlu, K., Ener, K., Topal, F., Evirgen, O., . . . Avcı, A. (2014). Evaluation of The Protective Effect of Quercetin Against Cisplatin-Induced Renal and Testis Tissue Damage and Sperm Parameters In Rats. *Blackwell Verlag GmbH I Andrologia, 1* (10), 1–9.
- Ansel, C. H. (2005). *Pengantar Bentuk Sediaan Farmasi* (ed. 4). Jakarta: Universitas Indonesia Press.
- Banakar, U. V. (1991). *Pharmaceutical Dissolution Testing*. New York: Marcel Dekker Inc.
- Bonavida, B. (2008). *Sensitization Of Cancer Cells For Chemo/Immuno/Radio-Therapy* (ed. 1). Los Angeles: Humana Press.
- Cai, X., Fang, Z., Dou, J., Yu, A., & Zhai, G. (2013). Bioavailability of Quercetin: Problems and Promises. *Current Medical Chemistry, 20*(20), 2572-2582.
- Costa, E. M., Filho, J. M., Nascimento, T. G., & Macedo, R. O. (2002). Thermal Characterization of The Quercetin and Rutin Flavonoids. *Thermochimica Acta, 392*, 79–84.
- D'haese, L. (2010). *Evaluation and Characterisation of Nanostructure Preservation After Ball Milling and Spray Drying*. (Disertasi). Gent : University Gent.
- Departemen Kesehatan Republik Indonesia. (2015). *Farmakope Indonesia* (ed. V). Jakarta: Departemen Kesehatan Republik Indonesia.
- Eerdenbrugh, B. V., Vermant, J., Martens, J. A., Ludo, F., Humbeeck, J. V., Augustijns, P., & Mooter, G. V. (2009). Pharmaceutical Nanotechnology A Screening Study of Surface Stabilization During The Production of Drug Nanocrystals. *Journal of Pharmaceutical Sciences, 98*(6), 2091–2103.
- Eldin, A. A., Shaheen, A. A., Shehata, N. I., & Elgawad, A. H. (2008). Protective Effect of Taurine and Quercetin Against Renal Dysfunction Associated with The Combine Use of Gentamycin and Diclofenac. *Indian J Biochem Biophys, 45*(5), 332-340.
- Erlund, I., Kosonen, T., Alfthan, G., Maenpaa, J., Perttunen, K., Kenraali, J., . . . Aro, A. (2000). Pharmacokinetics of Quercetin from Quercetin Aglycone and Rutin in Healthy Volunteers. *Eur J Clin Pharmacol, 56*(8), 545–553.

- Florence, A. T. (1997). The Oral Absorption of Micro- and Nanoparticulates: Neither Exceptional Nor Unusual. *Pharmaceutical Research*, 14(3), 259-266.
- Frijlink, H. W., Eissens, A. C., Hefting, N. R., Poelstra, K., Lerk, C. F., & Meijer, D. K. (1991). The Effect of Parenterally Administered CycBKextrins on Cholesterol Levels in The Rat. *Pharm Res*, 8(1), 9–16.
- Gao, L., Liu, G., Ma, J., Wang, X., Zhou, L., Li, X., & Wang, F. (2013). Application of Drug Nanocrystal Technologies on Oral Drug. *Pharm Res*, 30(2), 307-324.
- Gomes, I. B., Porto, M. L., Santos, M. C., Campagnaro, B. P., Pereira, T. M., Meyrelles, S. S., & Vasquez, E. C. (2014). Renoprotective, Anti-Oxidative and Anti-Apoptotic Effects of Oral Low-Dose Quercetin in The C57BL/6J Model of Diabetic Nephropathy. *Lipids in Health and Disease*, 13(1), 184-194.
- Hatahet, T., Morille, M., Hommos, A., Dorandeu, C., Müller, R. H., & Bégu, S. (2016). Dermal quercetin smartCrystals: Formulation development, antioxidant activity and cellular safety. *European Journal of Pharmaceutics and Biopharmaceutics*, 102, 51–63.
- Hollman, P. C. (2004). Absorption, Bioavailability, and Metabolism of Flavonoids. *Pharmaceutical Biology* 42(7), 74-83.
- Junghans, J. U., & Muller, R. H. (2008). Nanocrystal Technology, Drug Delivery and Clinical Application. *International Journal of Nanomedicine*, 3(3), 295-309.
- Junyaprasert, V. B., & Morakul, B. (2015). Nanocrystals for Enhancement of Oral Bioavailability of Poorly Water-Soluble Drugs. *Asian Journal of Pharmaceutical Sciences*, 10(1), 13-23.
- Kakran, M., Shegokar, R., Sahoo, N. G., Shaal, L. A., Li, L., & Müller, R. H. (2012). Fabrication of Quercetin Nanocrystals: Comparison of Different Methods. *European Journal of Pharmaceutics and Biopharmaceutics*, 80(1), 113–121.
- Kakran, M., Sahoo, N. G., Antipina, M. N., & Li, L. (2013). Modified supercritical antisolvent method with enhanced mass transfer to fabricate drug nanoparticles. *Materials Science and Engineering C*, 33(5), 2864–2870.

- Keck, C., Kobierski, S., Mauludin, R., & Muller, R. (2013). Novel Top-Down Technologies: Effective Production of Ultra-Fine Drug Nanocrystals. Dalam D. Douroumis, & A. Fahr, *Drug Delivery Strategies for Poorly Water-Soluble Drugs* (hal. 247-263). Chichester: John Wiley & Sons.
- Kendre, P. N., Pande, V. V., & Chavan, M. K. (2014). Novel Formulation Strategy to Enhance Solubility of Quercetin. *Pharmacophore Journal*, 5(3), 358-370.
- Lakhanpal, P., & Kumar, D. (2007). Quercetin: A Versatile Flavonoid. *IJMU*, 2(2), 17-22.
- Lakshmi, P., & Kumar, G. A. (2010). Nanosuspension technology: A review. *International Journal of Pharmacy and Pharmaceutical Sciences*, 2(4), 35-40.
- Lestari, M. L., Muller, R. H., & Moschwitz, J. P. (2015). Systematic Screening of Different Surface Modifiers for the Production of Physically Stable Nanosuspensions. *Journal of Pharmaceutical Sciences*, 104(3), 1128–1140.
- Liu, P., Rong, X., Laru, J., Veen, B. v., Kiesvaara, J., Hirvonen, J., . . . Peltonen, L. (2011). Nanosuspensions of poorly soluble drugs: Preparation and development by wet milling. *International Journal of Pharmaceutics*, 411 (1–2), 215–222.
- Martin, A., Swarbrick, J., & Cammarata, A. (1983). *Physical Pharmacy* (ed. 3). Philadelphia: Lea & Fabringer.
- Merck. (1983). *The Merck Index An Encyclopedia of Chemical, Drug, and Biological* (ed. 10). London: Harper and Row.
- Merisko-Liversidge, E., Liversidge, G. G., & Copper, E. R. (2003). Nanosizing: A Formulation Approach for Poorly-Water-Soluble Compounds. *Eur J Pharma Sci*, 18(2), 113–120.
- Mio, H., Kano, J., Saito, F., & Kaneko, K. (2004). Optimum revolution and rotational directions and their speeds in planetary ball milling. *Int. J. Miner. Process*, 74S(10), S85–S92.
- Moschwitz, J., & Muller, R. H. (2006). New Method for the Effective Production of Ultrafine Drug Nanocrystal. *Journal of Nanoscience and Nanotechnology*, 6(9-10), 3145-3153.
- Möschwitzer, J., & Müller, R. H. (2007). Drug Nanocrystals—The Universal Formulation Approach for Poorly Soluble Drugs. Dalam D. Thassu, M. Deleers, & Y. Pathak (Penyunt.), *Nanoparticulate Drug Delivery Systems* (hal. 74-76). London: Informa Healthcare.

- Moon, Y. J., Wang, L., Cenzo, R. D., & Morris, M. E. (2008). Quercetin Pharmacokinetics in Humans. *Biopharm. Drug Dispos*, 29(4), 205–217.
- Mu, X., & Zhong, Z. (2006). Preparation and Properties of Poly(vinylalcohol)-Stabilized Liposomes. *Int J Pharm*, 318(1–2), 55–61.
- Noyes, A. A., & Whitney, W. R. (1897). The rate of solution of solid substances in their own solutions. *J Am Chem Soc*, 19(12), 930–934.
- Palla, B. J., & Shah, D. O. (2002). Stabilization of high ionic strength slurries using surfactant mixtures: molecular factors that determine optimal stability. *J Colloid Interface Sci*, 256(1), 143–152.
- Peltonen, L., & Hirvonen, J. (2010). Pharmaceutical Nanocrystals by *Nanomilling*: Critical Process Parameters, Particle Fracturing and Stabilization Methods. *Journal of Pharmacy and Pharmacology*, 62(11), 1569–1579.
- Reimar, L. (1998). *Scanning Electron Microscopy : Physics of Image Formation and Microanalysis* (ed. 2). London: Springer.
- Sahoo, N. G., Kakran, M., Shaal, L. A., Li, L., Muller, R. H., Pal, M., & Tan, L. P. (2011). Preparation and Characterization of Quercetin Nanocrystals. *Journal of Pharmaceutical Sciences*, 100(6), 2379–2390.
- Sanchez-Gonzalez, P. D., Lopez-Hernandez, F. J., Perez-Barriocanal, F., Morales, A. I., & Lopez-Novoa, J. M. (2011). Quercetin Reduces Cisplatin Nephrotoxicity in Rats Without Compromising Its Anti-Tumour Activity. *Nephrol Dial Transplant*, 26(11), 3484–3495.
- Scheler, S. (2013). Micro- and Nanosizing of Poorly Soluble Drug by Grinding Techniques. Dalam D. Douroumis, & A. Fahr, *Drug Delivery Strategies for Poorly Water-Soluble Drugs* (hal. 509–550). Chichester: John Wiley & Sons.
- Shargel, L., & Yu, A. (1988). *Applied Biopharmaceutics and Pharmacokinetics* (ed. 2). New York: Appleton & Lange.
- Sharma, P., Denny, W. A., & Garg, S. (2009). Effect of Wet Milling Process on The Solid State of Indomethacin and Simvastatin. *International Journal of Pharmaceutics*, 380(1-2), 40–48.
- Sweetman, S. C. (Penyunting). (2009). *Martindale The Complete Drug Reference* (ed. 36). London: Pharmaceutical Press.

- Syofyan, Lucida, H., & Bakhtiar, A. (2008). Peningkatan Kelarutan Quercetin Melalui Pembentukan Kompleks Inklusi dengan β -SikBKEkstrin. *Jurnal Sains dan Teknologi Farmasi*, 13(2), 43 - 48.
- Tzouwara-Karayanni, S. M., & Philianos, S. M. (1983). Kinetic Study of The Chemical Behavior of Quercetin and Kaempferol in Alkaline Media. *Mikrochimica Acta*, 2(1), 151-157.
- West, A. R. (2001). *Basic Solid State Chemistry* (ed. 2). Toronto: John Wiley & Sons.
- Wu, T.-H., Yen, F.-L., Lin, L.-T., Tsai, T.-R., Lin, C.-C., & Cham, T.-M. (2008). Preparation, Physicochemical Characterization, and Antioxidant Effects of Quercetin Nanoparticles. *International Journal of Pharmaceutics*, 346(1-2), 160–168.
- Zhu, J., Yang , Z. G., Chen, X. M., Sun, J. B., Awuti, G., Zhang, X., & Zhang , Q. (2007). Preparation and Physicochemical Characterization of Solid Dispersion of Quercetin and Polyvinylpyrrolidone. *Journal of Chinese Pharmaceutical Science*, 16(1), 51-56.

