

DAFTAR PUSTAKA

- Abdou, H. M. 1989. *Dissolution, bioavailability and bioequivalence*. Pennsylvania: Mark Publishing Company Easton.
- Alamgir, M., Khuhawar, M. Y., Memon, S. Q., Hayat, A., & Zounr, R. A. 2015. Spectrofluorimetric analysis of famotidine in pharmaceutical preparations and biological fluids by derivatization with benzoin. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 134, 449-452.
- Alatas, F., Sundani, N.S., Lucy, S., Ismunandar, Hidehiro, U. 2013. Cocrystal Formation between Didanosine and Two Aromatic Acids. *Int J of Pharmacy and Pharm Scie*, 5(3), 275-280, 2013.
- Al-Marzouqi, A. H., Elwy, H. M., Shehadi, I., & Adem, A. 2009. Physicochemical properties of antifungal drug–cyclodextrin complexes prepared by supercritical carbon dioxide and by conventional techniques. *Journal of pharmaceutical and biomedical analysis*, 49(2), 227-233.
- Amiji, M. M., & Sandmann, B. J. 2003. Applied Physical Pharmacy. New York: McGraw Hill.
- Ankit, M., Manish, Y., & Dinesh, C. 2014. Solid dispersion: A technique to improve solubility of poorly water soluble drug. *Indo Am J Pharm Res*, 4(6), 2855-66.
- Ansel, H. C. 2008. *Pengantar Bentuk Sediaan Farmasi*. Jakarta: Universitas Indonesia Press.
- Anwar, J. 2000. Obat-obat saluran cerna. Dalam S. G. Ganiswarna, R. Setiabudy, F.D. Suyatna, Purwantyastuti, Nafrialdi: *Farmakologi dan terapi*. Jakarta: Hipokrates.
- Aziz, N. 2002. Peran Antagonis Reseptor H-2 Dalam Pengobatan Ulkus Peptikum (PDF). Sari Pediatri, Vol. 3, No. 4. Diakses tanggal 5 Agustus 2016 dari <http://saripediatri.idai.or.id/pdffile/3-4-5.pdf>.
- Baghel, R. S., Singh, S., & Yadav, L. 2011. A review on solid dispersion. *Int J of Pharm & Life Sci*, 2, 1078-1095.
- Banakar, U. V. 1991. *Pharmaceutical dissolution testing*. New York: Marcel Dekker Inc.
- Barzegar-Jalali, M., Valizadeh, H., Shadbad, M. R. S., Adibkia, K., Mohammadi, G., Farahani, A., ... & Nokhodchi, A. 2010. Cogrinding as an approach to enhance dissolution rate of a poorly water-soluble drug (gliclazide). *Powder Technology*, 197(3), 150-158.

- Bhise, S., & Rajkumar, M. 2008. Effect of HPMC on solubility and dissolution of carbamazepine form III in simulated gastrointestinal fluids. *Asian journal of pharmaceutics*, 2(1), 38.
- Bhusnure, O. G., Kazi, P. A., Gholve, S. B., Ansari, M. M. A. W., & Kazi, S. N. 2014. Solid dispersion: an ever green method for solubility enhancement of poorly water soluble drugs soluble drugs. *International Journal Of Research In Pharmacy And Chemistry*, 4(4), 906-918.
- Bhusnure, O. G., Yogita, M., Gholve, S. S., & Sidram, G. P. 2016. Formulation and Evaluation of Poorly Aqueous Soluble Drug by Solid Dispersion Method. *Journal of Pharmacy Research Vol*, 10(1), 33-40.
- BMJ Group. 2011. *British National Formulatory (BNF) 61*. London: BMJ Group and the Royal Pharmaceutical Society of Great Britain.
- Bobe, K. R., Subrahmanyam, C. R., Suresh, S., Gaikwad, D. T., Patil, M. D., Khade, T. S., ... & Gaikwad, U. T. 2011. Formulation and evaluation of solid dispersion of Atorvastatin with various carriers. *Int J Comp Pharm*, 1(2), 1-6.
- British Pharmacopoeia Commision. 2009. British Pharmacopoeia 2009. London: The Pharmaceutical Press.*
- Brittain, H. G. 1999. *Physical Characterization of Pharmaceutical Solids*. New York: Marcel Dekker Inc.
- Chauhan B, Shimpi S, Paradkar A. 2005. Preparation and evaluation of glibenclamidepolyglycolized glycerides solid dispersions with silicon dioxide by spray drying technique. *Eur. J. Pharm. Sci.*, 26: 219–230.
- Chiou, W. L., & Riegelman, S. 1971. Pharmaceutical applications of solid dispersion systems. *Journal of pharmaceutical sciences*, 60(9), 1281-1302.
- Chivate, N., Anuradha, C., Shubhangi, S., Jagdish, S. 2013. Improvement of bioavailability and solubility of telmisartan by solid dispersion technique using various carriers. *Int. J. Pharm. Sci.Rev. Res.*, 19(2), 36-41.
- Choudhary, D., & Kumar, S. 2014. Enhancement of solubility and dissolution of glipizide by solid dispersion (kneading) technique. *Asian Journal of Pharmaceutics (AJP): Free full text articles from Asian J Pharm*, 3(3).
- Craig, D. Q. 2002. The mechanisms of drug release from solid dispersions in water-soluble polymers. *International journal of pharmaceutics*, 231(2), 131-144.
- Dachriyanus. 2004. *Analisis struktur Senyawa organik secara spektroskopi*. Padang: Universitas Andalas.

- Deitzel, J. M., Kleinmeyer, J., Harris, D. E. A., & Tan, N. B. 2001. The effect of processing variables on the morphology of electrospun nanofibers and textiles. *Polymer*, 42(1), 261-272.
- Depkes RI. 1979. *Farmakope Indonesia. Edisi III*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Depkes RI. 1995. *Farmakope Indonesia Edisi IV*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Depkes RI. 2014. *Farmakope Indonesia Edisi V*. Jakarta: Departemen Kesehatan Republik Indonesia.
- DrugBank. Famotidine, diakses pada tanggal 9 Februari 2016 dari <http://www.drugbank.ca/drugs/DB00927>
- Fernandes, N. C., Jagdale, S. C., Chabukswar, A. R., & Kuchekar, B. S. 2009. Superdisintegrants effect on three model drugs from different BCS classes. *Research J. Pharm. and Tech*, 2(2), 335-337.
- Ford, J. L. 1985. The current status of solid dispersions. *Pharmaceutica Acta Helveticae*, 61(3), 69-88.
- Friedrich, H., Nada, A., & Bodmeier, R. 2005. Solid state and dissolution rate characterization of co-ground mixtures of nifedipine and hydrophilic carriers. *Drug development and industrial pharmacy*, 31(8), 719-728.
- Garg, A., Singh, S., Rao, V. U., Bindu, K., & Balasubramaniam, J. 2009. Solid state interaction of raloxifene HCl with different hydrophilic carriers during co-grinding and its effect on dissolution rate. *Drug development and industrial pharmacy*, 35(4), 455-470.
- Geneidi, A. S., ElShamy, A. H., Awad, G. A. S., Hassan, A. O. K., & Eldemerdash, E. 2004. Solid dispersion of famotidine: factorially designed capsule formulation and in vivo evaluation of antiulcer activity. *Saudi Pharm. J*, 12, 119-129.
- Gennaro, A. R. 2000. *Remmington's Pharmaceutical Sciences 20th ed*. Easton: Mack Publishing Company.
- Goldberg, A. H., Gibaldi, M., & Kanig, J. L. 1966. Increasing dissolution rates and gastrointestinal absorption of drugs via solid solutions and eutectic mixtures II: experimental evaluation of a eutectic mixture: urea-acetaminophen system. *Journal of pharmaceutical sciences*, 55(5), 482-487.
- Gunawan, S. G. 2007. *Farmakologi dan Terapi*. Jakarta: FKUI.
- Hancock, B.C., & G. Zografi. 1997. Characteristics and Significance of the Amorphous State in Pharmaceutical Systems. *J. Pharm. Sci*, 86, 1-12.

- Hassan, M. A., Suleiman, M. S., & Najib, N. M. 1990. Improvement of the in vitro dissolution characteristics of famotidine by inclusion in β -cyclodextrin. *International journal of pharmaceutics*, 58(1), 19-24.
- Hayati, I., Bailey, A. I., & Tadros, T. F. 1987. Investigations into the mechanisms of electrohydrodynamic spraying of liquids: I. Effect of electric field and the environment on pendant drops and factors affecting the formation of stable jets and atomization. *Journal of Colloid and Interface Science*, 117(1), 205-221.
- Hilton, J. E., & Summers, M. P. 1986. The effect of wetting agents on the dissolution of indomethacin solid dispersion systems. *International journal of pharmaceutics*, 31(1-2), 157-164.
- Huichao, W., Shouying, D., Yang, L., Ying, L., & Di, W. 2014. The application of biomedical polymer material hydroxy propyl methyl cellulose (HPMC) in pharmaceutical preparations. *J Chem Pharm Res*, 6(5), 155-60.
- Karanth, H., Shenoy, V. S., & Murthy, R. R. 2006. Industrially feasible alternative approaches in the manufacture of solid dispersions: a technical report. *AAPS PharmSciTech*, 7(4), E31-E38.
- Karavas, E., Georgarakis, E., & Bikaris, D. 2006. Application of PVP/HPMC miscible blends with enhanced mucoadhesive properties for adjusting drug release in predictable pulsatile chronotherapeutics. *European Journal of Pharmaceutics and Biopharmaceutics*, 64(1), 115-126.
- Katzung, B. G. 2001. *Farmakologi Dasar dan Klinik Edisi I*. Jakarta: Salemba Medika.
- Kumari, R., Chandel, P., & Kapoor, A. 2013. Paramount role of solid dispersion in enhancement of solubility. *Indo Global J Pharm Sci*, 3, 78-89.
- Leuner, C., & Dressman, J. 2000. Improving drug solubility for oral delivery using solid dispersions. *European journal of Pharmaceutics and Biopharmaceutics*, 50(1), 47-60.
- Levy, G., 1963. Effect of particle size on dissolution and gastrointestinal absorption rates of pharmaceuticals. *Am. J. Pharm. Sci.*, 135: 78–92.
- Lima, A. A. N., Santos, P. B. S., Lyra, M. A. M., Santos, F. L. A., & Rolim-Neto, P. J. 2012. Solid dispersion systems for increase solubility: Cases with hydrophilic polymers in poorly water soluble drugs. *Revista Brasileira de Farmácia*, 92, 269-278.
- Martin, A., Swarbrick, J., & Cammarata, A. 1993. *Physical Pharmacy 3rd Edition*. USA: Lea and Febiger.

- Meinisasti, R., Halim, A., & Zaini, E. 2015. Karakterisasi Fisikokimia Sistem Biner Siprofloksasin HCl–PEG 4000. *Jurnal Sains Farmasi & Klinis*, 2(1), 30-35.
- Mogal, S. 2012. Solid dispersion technique for improving solubility of some poorly soluble drugs. *Scholars Research Library Der Pharmacia Lettre*, 4(5):1574-1586.
- Moyano, J. R., Blanco, M. J. A., Gines, J. M., Giordano, F. 1997. Solid-state characterization and dissolution characteristics of gliclazide-beta cyclodextrin inclusion complexes. *Int J Pharm.* 148:211-7.
- Muhrer, G., Meier, U., Fusaro, F., Albano, S., & Mazzotti, M. 2006. Use of compressed gas precipitation to enhance the dissolution behavior of a poorly water-soluble drug: generation of drug microparticles and drug–polymer solid dispersions. *International journal of pharmaceutics*, 308(1), 69-83.
- Munkhbayar, B., Bat-Erdene, M., Choi, B., Joung, T., Chung, H., & Jeong, H. 2013. Grinding Effect of Rotation Speed on the Surface Changes of Multi-Walled Carbon Nanotubes and Their Dispersion Ability. *Asian Journal of Chemistry*, 25(2), 883.
- Narang, A., & Shrivastava, A. 2002. Melt extrusion solid dispersion technique. *Drug Dev. Ind. Pharm.*, 26(8): 111-115.
- Nielsen, L. H., Rades, T., & Müllertz, A. 2013. Characterization during storage and dissolution of Solid dispersions containing furosemide and hydroxypropyl methylcellulose. *Journal of Drug Delivery Science and Technology*, 23(4), 409-415.
- Nikghalb, L. A., Singh, G., Singh, G., & Kahkeshan, K. F. 2012. Solid dispersion: methods and polymers to increase the solubility of poorly soluble drugs. *Journal of Applied Pharmaceutical Science*, 2(10), 170-175.
- Nokhodchi, A., Talarai, R., Valizadeh, H., & Jalali, M. B. 2007. An investigation on the solid dispersions of chlordiazepoxide. *Int J biomed sci*, 3(3), 211-6.
- Patel, R. P., Patel, D. J., Bhimani, D. B., & Patel, J. K. 2008. Physicochemical characterization and dissolution study of solid dispersions of furosemide with polyethylene glycol 6000 and polyvinylpyrrolidone K30. *Dissolution Technol*, 15(3), 17-25.
- Pralhad, T., & Rajendrakumar, K. 2004. Study of freeze-dried quercetin–cyclodextrin binary systems by DSC, FT-IR, X-ray diffraction and SEM analysis. *Journal of pharmaceutical and biomedical analysis*, 34(2), 333-339.
- Rani, P. S., Sowjanya, G. N., Ajitha, A., & Rao, V. U. M. 2015. Method Development and Validation for Estimation of Famotidine in Bulk and Its Tablet Dosage Form by Rp-Hplc.

- Rasenack, N., & Müller, B. W. 2004. Micron-size drug particles: common and novel micronization techniques. *Pharmaceutical development and technology*, 9(1), 1-13.
- Reddy, V. V., Aswini, M., Harini, P., Prathyusha, B., & Sreevani, M. S. 2013. Design and Characterization of Microcrystals for Enhanced Dissolution Rate of Telmisartan. *International Journal of Innovative Pharmaceutical Research*, 2013, 4(1), 263-268.
- Reimer, L. 1998. *Scanning Electron Microscopy. Physics of Image Formation and Microanalysis*. Springer: Verlag.
- Riekes, M. K., Kuminek, G., Rauber, G. S., de Campos, C. E. M., Bortoluzzi, A. J., & Stulzer, H. K. 2014. HPMC as a potential enhancer of nimodipine biopharmaceutical properties via ball-milled solid dispersions. *Carbohydrate polymers*, 99, 474-482.
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. 2009. *Handbook of pharmaceutical excipient*, (6nd Ed). London: The Pharmaceutical Press.
- Santos, A. S. 2008. *Avaliação das propriedades de estado sólido de dispersões de hidroclorotiazida em polivinilpirrolidona* (Doctoral dissertation, Universidade de São Paulo).
- Sekiguchi, K., & Obi, N. 1961. Studies on Absorption of Eutectic Mixture. I. A Comparison of the Behavior of Eutectic Mixture of Sulfathiazole and that of Ordinary Sulfathiazole in Man. *Chemical and Pharmaceutical Bulletin*, 9(11), 866-872.
- Serajuddin, A. 1999. Solid dispersion technique. *Journal of Pharmaceutical Sciences*, 88(10), 891-900.
- Shargel, L., & Yu, A. B. C. 1999. *Applied Biopharmaceutics and Pharmacokinetics 4th edition*. New York: Appleton & Lange.
- Siswandono & Soekardjo. 1995. *Kimia Medisinal*. Surabaya: Penerbit Airlangga University Press.
- Soewandhi, S.N.& Haryana, A. 2007. Pengaruh Milling Terhadap Laju Disolusi Campuran Metampriron – Fenilbutason (7:3). *Majalah Ilmu Kefarmasian*, 4,73-80.
- Someshwar, K., Rama, G., Harikiran, L., Krishna, K., & Srinivas, A. 2011. Dissolution Enhancement of a poorly water soluble drug using water soluble carriers. *Journal of Advanced Pharmaceutical Sciences Someshwar K et. al*, 1(1).

- Sridhar, I., Doshi, A., Joshi, B., Wankhede, V., & Doshi, J. 2013. Solid dispersions: an approach to enhance solubility of poorly water soluble drug. *Journal of Scientific and Innovative Research*, 2(3), 685-694.
- Swarbrick, J., & Boylan, J. C. 1990. *Encyclopedia of pharmaceutical Technology*, Volume 3. New York: Basel. Hongkong, Marcel Dekker Inc.
- Sweetman, S. C. 2009. *Martindale Ed 36*. London: Pharmaceutical Press.
- Syamsuni. 2007. *Farmasetika Dasar dan Hitungan Farmasi*. Jakarta: EGC Press.
- Tsinontides, S. C., Rajniak, P., Pham, D., Hunke, W. A., Placek, J., & Reynolds, S. D. 2004. Freeze drying—principles and practice for successful scale-up to manufacturing. *International journal of pharmaceutics*, 280(1), 1-16.
- Van den Mooter, G., Wuyts, M., Blaton, N., Busson, R., Grobet, P., Augustijns, P., & Kinget, R. 2001. Physical stabilisation of amorphous ketoconazole in solid dispersions with polyvinylpyrrolidone K25. *European journal of pharmaceutical sciences*, 12(3), 261-269.
- Vasantha vada, M., Tong, W. Q., Joshi, Y., & Kislaoglu, M. S. 2004. Phase behavior of amorphous molecular dispersions I: Determination of the degree and mechanism of solid solubility. *Pharmaceutical research*, 21(9), 1598-1606.
- Verheyen, S., Blaton, N., Kinget, R., & Van den Mooter, G. 2002. Mechanism of increased dissolution of diazepam and temazepam from polyethylene glycol 6000 solid dispersions. *International journal of pharmaceutics*, 249(1), 45-58.
- Vilhelmsen, T., Eliasen, H., & Schæfer, T. 2005. Effect of a melt agglomeration process on agglomerates containing solid dispersions. *International journal of pharmaceutics*, 303(1), 132-142.
- Voight, R. 1995. *Pelajaran Teknologi Farmasi*. Translated by Soendani Noerono Soewandhi 5th edition. Yogyakarta: Gadjah Mada Press.
- Wang, X., Michoel, A., & Van den Mooter, G. 2005. Solid state characteristics of ternary solid dispersions composed of PVP VA64, Myrj 52 and itraconazole. *International journal of pharmaceutics*, 303(1), 54-61.
- West, A. 2001. *Solid State Chemistry and Its Applications*. Singapura: John Wiley and Sons.
- Zaini, E., Halim, A., Soewandhi, S. N., & Setyawan, D. 2011. Peningkatan Laju Pelarutan Trimetoprim Melalui Metode Kokristalisasi dengan Nikotinamida. *Jurnal Farmasi Indonesia*, 5, 195-204.

- Zaini, E., Witarsah, A. S., & Agustin, R. 2014. Enhancement of Dissolution Rate of Meloxicam by Co-grinding Technique using Hydroxypropyl methylcellulose. *Journal of Chemical and Pharmaceutical Research*, 6(11):263-267.
- Zaini, E., Yeyet, C.S., Soewandhi, S.N., & Halim, A. 2010. Identifikasi Interaksi Fisika antara Trimetoprim dan Sulfametoksazol dengan Metode Kontak Kofler dan Reaksi Kristalisasi. *Majalah Farmasi Indonesia*, 21(1), 32 – 39.
- Zhang, W., Yan, E., Huang, Z., Wang, C., Xin, Y., Zhao, Q., & Tong, Y. 2007. Preparation and study of PPV/PVA nanofibers via electrospinning PPV precursor alcohol solution. *European polymer journal*, 43(3), 802-807.
- Zhong, L., Zhu, X., Luo, X., & Su, W. 2013. Dissolution properties and physical characterization of telmisartan–chitosan solid dispersions prepared by mechanochemical activation. *AAPS PharmSciTech*, 14(2), 541-550.

