

DAFTAR PUSTAKA

- Aprilian, E., Roesma, D.I and Tjong, D.H. Morphological Variation Study of Bada Fish *Rasbora maninjau* Lumantobing in Maninjau Lake West Sumatra. *Journal of Entomology and Zoology Studies*
- Barriga-Sosa, I.D.L.A., M.D.L Jimenez-Badillo., A.L Ibanez and J.L Arredondo-Figuero. 2004. Variability of tilapias (*Oreochromis* spp.) introduced in Mexico: Morphometric, meristic and genetic characters. *Journal Applied Ichthyology* 20(1): 7-14.
- Baur, H and C. Leuenberger. 2011. Analysis of ratios in multivariate morphometry. *Systematic Biology Journal* 60(6): 813 – 825.
- Braich, O.S and S. Akhter. 2015. Morphometric characters and meristic Counts of a Fish, *Crossocheilus latius latius* (Hamilton-Buchanan) from Ranjit Sagar Wetland, India. *International Journal of Fisheries and Aquatic Studies* 2(5): 260 – 265.
- Burhanuddin, A.I. 2008. *Peningkatan Pengetahuan Konsepsi Sistematika Dan Pemahaman System Organ Ikan Yang Berbasis SCL Pada Matakuliah Iktiologi*. Lembaga Kajian Dan Pengembangan Pendidikan Universitas Hasanuddin
- Cailliet, G. M., M. S. Love and A. W. Ebeling. 1986. *Fishes. A Field and Laboratory Manual on Their Structure, Identification and Natural History*. Waveland Press, Inc.
- Costa, J.L., P.R. de Almeida and M.J. Costa. 2003. A Morphometric and Meristic Investigation of Lusitanian Toadfish *Halobatrachus didactylus* (Bloch and Schneider, 1801): Evidence of Population Fragmentation on Portuguese Coast. *Sci. Mar.* 67 (2): 219-231.
- Cunha, C., N. Mesquita., T.E. Dowling., A. Gilles., and M.M. Coelho. 2002. Phylogenetic relationships of Eurasian and American cyprinids using cytochrome *b* sequences. *Journal of Fish Biology* 61(4): 929-944.
- de Silva, M. P. K. S. K and N. P. P. Liyanage and S. Hettiarachi. 2006. Intra-specific morphological plasticity in three *Puntius* species in Sri Lanka. *Ruhuna J. Sci.* 1: 82-95.
- Doherty, D and T.K. McCarthy. 2004. Morphometric and meristic characteristics analyses of two Western irish populations of Arctic char, *Salvelinus alpinus* (L.). *Biology and Environment*. 104(1): 75-85.

- Domingues, M.D.S., M.R. Vicari., V. Abilhoa., J.P. Wamser., M.M. Cestari., L.A.C. Bertollo., M.C. de Almeida and R.F. Artoni. 2007. Cytogenetic and comparative morphology of two allopatric populations of *Astyanax altiparanae* Garutti & Britski, 2000 (Teleostei: Characidae) from upper rio Parana basin. *Neotropical Ichthyology* 5(1): 37 – 44.
- Dwivedi, A.K and V.K. Dubey. 2013. Retraction Note: Advancements in morphometric differentiation: a review on stock identification among fish populations. *Reviews in Fish Biology Fisheries* 23: 557- 557.
- Evadeswarni. 2000. *Studi Morfologi Dan Pola Protein Darah Dari Ikan Hampala macrolepidota (Barau) dan Hampala sp. (Sasau) Yang Terdapat Di Danau Singkarak*. Skripsi Sarjana Biologi. Universitas Andalas.
- Fryer, G. 1996. Endemism, Speciation, and Adaptive Radiation in Great Lakes. *Environmental Biology of Fishes* 45: 109-131.
- Futuyama, D.J. 1986. *Evolutionary Biology*. Sunderland. Mass: Sinauer Associates, Inc. Itaca.
- Hamid, M.A., M. Mansor and S.A.M. Nor. 2015. Length-weight Relationship and Condition Factor of Fish Populations in Temengor Reservoir: Indication of Environmental Health. *Sains Malaysiana* 44(1): 61 – 66.
- Haryono and A.H. Tjakrawidjaja. 2005. Morphological Study for Identification Improvement of Tambra Fish (*Tor* spp.: Cyprinidae) from Indonesia. *Journal Biodiversitas* 7(1): 59 – 62.
- Haryono. 2006. Aspek Biologi Ikan Tambra (*Tor tambroides* Blkr.) yang Eksotik dan Langka sebagai Dasar Domestikasi. *Journal Biodiversitas* 7(2): 195-198.
- Hindar, K and B. Jhonson. 1993. Ecological Polymorphism in Arctic Charr. *Biological Journal of the Linnean Society* 48: 63-74.
- Intan, K.Z., A. Christianus., S.M.N. Amin and M. Muhamad Hatta. 2013. Breeding and Embryonic Development of *Hampala macrolepidota* (Van Hasselt and Kuhl, 1823). *Asian Journal of Animal and Veterinary Advances* 8(2): 341-347.
- IUCN. 2015. IUCN Red List of Threatened Species. Version 2015.4. IUCN 2015. IUCN Red List of Threatened Species. Downloaded in 26 January 2016.
- John, Lijo. 2009. *Population Genetic Structure of Indigenous Ornamental Teleosts, Puntius denisonii and Puntius chalakkudiensis from the Western Ghats, India*. PhD Dissertation. Faculty of Marine Sciences of Cochin University of Science and Technology, Kerala, India.

- Kottelat, M., A.J. Whitten., S.N. Kartikasari and S. Wirjoatmodjo. 1993. *Freshwater Fishes of Western Indonesia and Sulawesi*. Periplus Eds. (HK) Ltd and EMDI: Indonesia, Singapore.
- LIPI. 2010. Ikan di Indonesia. *On line at http://www.biologi.lipi.go.id/bio_english*. [akses tanggal 16 September 2015 jam 22:34 WIB].
- Liu, H and Chen, Y. 2003. Phylogeny of the East Asian cyprinids inferred from sequences of the mitochondrial DNA control region. *Canadian Journal Zoology* 81(12): 1938-1946.
- Lubis, N., A. Kasry and N. El-Fajri. 2012. Fish Community and Water Quality in Singkarak Lake Solok Regency Sumatera Barat Province. *Journal of Fisheries and Marine Science*.
- Makmur, S., D. Arfiati., G. Bintoro., and A.W. Ekawati. 2014. Morphological, meristic characteristics and mtDNA analysis of *Hampala* Fish (*Hampala macrolepidota* Kuhl & Van Hasselt 1823) from Ranau Lake, Indonesia. *Journal of Biodiversity and Environmental Sciences (JBES)* 5(2): 447 – 455.
- Mayr, E. 1977. *Principles of Systematic Zoology*. Tata McGraw-Hill Publishing Co. Ltd. New Delhi.
- Murta, A.G. 2000. Morphological variation of horse mackerel (*Trachurus trachurus*) in the Iberian and North African Atlantic: implications for stock identification. *ICES Journal Marine Science* 57(4): 1240 – 1248.
- Musrin., S. Rukayah dan I. Sulisty. 2013. Status Reproduksi Ikan Palung (*Hampala macrolepidota*) di Waduk PB. Soedirman Banjarnegara, Jawa Tengah. *Seminar Nasional XI Pendidikan Biologi FKIP UNS*.
- Nachar, N. 2008. The Mann-Whitney U: A Test for Assessing Whether Two Independent Samples Come From the Same Distribution. *Tutorial in Quantitative Methods for Psychology* 4(1): 13-20.
- Nakamura, T. 2003. Meristic and Morphometric Variations in Fluvial Japanese Charr Between River System and Among Tributaries of a River System. *Environmental Biology of Fishes*. 66: 133-141.
- Nelson, J.S. 2006. *Fishes of the world*. Hoboken, New Jersey: John Wiley & Sons, Inc.
- Ng, H. Ng, H. & H. H. Tan. 1999. The fishes of the Endau drainage, Peninsular Malaysia with descriptions of two new species of catfishes (Teleostei: Akysidae, Bagridae). *Zool Stud* 8: 350-366.
- Ostbye, K., T.F. Naesje., L. Bernatchez., O.T. Sandlud and K. Hindar. 2004. Morphological Divergence and Origin of Sympatric Population of European

- Whitefish (*Coregonus lavaretus* L) in Lake Femund, Norway. *Journal of Evolutionary Biology* 18(3): 683-702.
- Peres-Neto P. R., Magnan P. 2004. The influence of swimming demand on phenotypic plasticity and morphological integration: a comparison of two polymorphic charr species. *Oecologia* 140(1):36–45.
- Pinheiro, A., C.M. Teixeir., A.L. Rego., J.F. Marques and H.N. Cabral. 2005. Genetic and morphological variation of *Solea lascaris* (Risso 1810) along the Portuguese coast. *Fisheries Research* 73(2): 67 – 78.
- Ponce de León, J.L., G. León., R. Rodríguez., C.J. Metcalfe., D. Hernández., D. Casane., and E. García-Machado. 2014. Phylogeography of Cuban Rivulus: Evidence for allopatric speciation and secondary dispersal across a marine barrier. *Molecular Phylogenetics and Evolution Journal* 79: 404–414.
- Putra, A. A. 2014. Diferensiasi *Morfologi Ikan Nemacheilus pfeifferae* Bleeker, 1853 (*Pisces: Balitoridae*) dari Beberapa Populasi Di Sumatera Barat. Skripsi. Jurusan Biologi FMIPA. Universitas Andalas. Sumbar.
- Risdawati, R. 2013. *Cirolana* sp Salah Satu Endoparasit di Danau Singkarak Sumatera Barat. *Journal of STKIP PGRI West Sumatra*.
- Roesma, D.I. 2013. Evaluasi Keanekaragaman Spesies Ikan Danau Maninjau. *Prosiding Semirata FMIPA Universitas Lampung*.
- Roesma, D.I., D.H. Tjong and W. Munir. 2015. *New Record Species And Morphological Description To Distinguish Between Five Species of Tor (Cyprinidae) In West Sumatra*. Laporan Penelitian. Universitas Andalas.
- Roesma. D.I. 2011. *Diversitas Spesies dan Kekerabatan Genetik Ikan-Ikan Cyprinidae di Danau-Danau dan Sungai-Sungai di Sekitarnya di Kawasan Sumatera Barat*. Disertasi. Program Pascasarjana. Universitas Andalas.
- Rohlf, F. J. 2001. *Ntsyst: Numerical Taxonomy and Multivariate Analysis System Version 2.0.2*. Applied Biostatistic Inc. New York.
- Ryan, J.R.J and Y.B. Esa. 2006. Phylogenetic Analysis of *Hampala* Fishes (Subfamily Cyprininae) in Malaysia Inferred from Partial Mitochondrial Cytochrome b DNA Sequences. *Zoological Science Journal* 23(10): 893 – 901.
- Salsabila, A. 1987. Sumber Daya Ikan Danau Singkarak. *Proceding Seminar IV Windu FMIPA Universitas Andalas*.

- Samaradivakara, S.P., N.Y. Hirimuthugoda., R.H.A.N.M. Gunawardana., R.J. Illeperuma., N.D. Fernandopulle., A.D. De Silva and P.A.B.D. Alexander. 2012. Morphological Variation of Four Tilapia Population in Selected Reservoir in Sri Lanka. *Tropical Agricultural Research* 23(2): 105 – 116.
- Santos-Barrera, G. And Urbina-Cardona, J. N. 2011. The Role of the Matrix-edge Dynamics of Amphibian Conservation in Tropical Montane Fragmented Landscapes. *Revista Mexicana de Biodiversidad*. 82:679-687.
- Santoso, P. 2008. *Distribusi Dan Diferensiasi Karakter Morfologi Ikan Baung (Hemibagrus velox Tan et Ng: Bagridae) Pada Beberapa Sungai Dan Danau Di Sumatera Barat*. Tesis. Program Pascasarjana. Universitas Andalas.
- Santoso, P., Syaifullah., D.H. Tjong & D.I. Roesma. 2009. Divergensi Morfologi antar Populasi Simpatrik Ikan Baung (*Hemibagrus velox* Tan et Ng) di Danau Singkarak Sumatera Barat. *Makalah Seminar Nasional Biologi PBI Malang*.
- Sasmita. 2001. *Komposisi dan Struktur Komunitas Fitoplankton pada Zona Litoral Danau Maninjau*. Skripsi Sarjana Biologi. Universitas Andalas. Unpublished.
- Schluter, D and McPhaill, J.D. 1992. Ecological Character Displacement and Speciation in Sticklebacks. *Am. Nat* 140: 85-108.
- Sprent, P. 1989. *Applied Nonparametric Statistical Methods*. Chapman and Hall. New York.
- Stiassny, M.L.J., A. Meyer. 1999. *Cichlids of the Rift lakes: The Ekstraordinary Diversity of Cichlid Fishes Challenges Enthrenched Ideas of How Quiqlly New Species Can Arise*. Scientific American Publisher.
- Turan, C., M. Oral., B. Öztürk., and E. Düzgünes. 2006. Morphometric and meristic variation between socks of Bluefish (*Pomatomus saltatrix*) in the black, Marmara, Aegean and Northeastern Mediterranean Seas. *Fisheries Research Journal* 79: 139–147.
- Wargasasmita, S. 2002. Ikan Air Tawar Endemik Sumatera yang Terancam Punnah. *Jurnal Iktiologi Indonesia* 2(2): 41-49.
- Weber, M. and L.F. Beaufort. 1916. *The fishes of the Indo-Australian archipelago III, Ostariophysii: II. Cyprinoidea, Apodes, Synbranchi*. Leiden. E.J. Brill, Ltd.
- Webster, M and H.D. Sheets. 2010. A Practical Introduction To Landmark-Based Geometric Morphometrics. *Quantitative Methods in Paleobiology Paleontological Society Papers* 16: 163- 188.

Wibowo, Arif dan Marson. 2012. Fenomena Plastisitas Fenotipik Ikan Belida (*Chitala lopis*) di Sungai Kampar, Riau. *Bawal* 4(3): 195-204.

Zainudin, M.R.Y. 2005. *Assessment of fish community distribution and composition in the Perak River in order to determine biological indicators for freshwater health*. Thesis. Universiti Sains Malaysia.

Zakaria, M.Z., Jalal., K.C.A and M.A. Ambak. 2000. Length Weight Relationship and Relative Condition Factor of Sebarau, *Hampala macrolepidota* (Van Hasselt) in Kenyir Lake, Malaysia. *Pakistan Journal of Biological Sciences* 3(5): 721 – 724

