DAFTAR PUSTAKA

- 1. Rosen AB, Gelfand EV. Chapter 1. Pathophysiology of acute coronary syndrome. In: Management of acute coronary syndrome. *United Kingdom: John Wiley and Sons.* 2009:1-12
- 2. Carter AM. Inflammation, thrombosis and acute coronary syndromes. *Diabetes and Cardiovascular Research*. 2005;2(3):113-21
- 3. Demircelik MB, Kultur A, Ocek H, Cakmak M, Ureyen C, Eryonocu B. Association between platelet-to-lymphocyte ratio and contrast-induced nephropathy in patients undergoing percutaneous coronary intervention for acute coronary syndrome. *Cardiorenal Medicine*. 2015;5:96–104
- 4. Kocas C, Yildiz A, Abaci O, Karaca OS, Firdin N, dalgic Y, et al. Platelet-to-lymphocyte ratio predicts contrast-induced nephropathy in patients with non-st-segment elevation acute coronary syndrome. *Angiology*. 2015;66(10):964-8
- 5. Cho KI, Ann SH, Singh GB, Her AY, Shin ES. Combined usefulness of the platelet-tolymphocyte ratio and the neutrophil to lymphocyte ratio in predicting the long-term adverse events in patients who have undergone percutaneous coronary intervention with a drug-eluting stent. *Public Library of Science*. 2015;10(7): e0133934
- 6. Cicek G, Acikgoz SK, Bozbay M, Altay S, Ugur M, Uluganyan M, et al. Neutrophil-lymphocyte ratio and platelet-lymphocyte ratio combination can predict prognosis in patients with st-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. *Angiology*. 2015:66(5):441-7
- 7. Kaya A, Topcu S, Gunaydin ZY, Kurt M, Tanboga IH, Kalkan K, et al. Neutrophil-to-lymphocyte ratio predicts contrast-induced nephropathy in patients undergoing primary percutaneous coronary intervention. *Angiology*. 2014:65(1):51-6
- 8. Akcay A, Nguyen Q, Edelstein CL. Mediators of inflammation in acute kidney injury. *Mediators of inflammation. Hindawi Publishing Corporation*. 2009;2009:137072
- 9. Tepel M, Aspelin P, Lameire N. Contrast-induced nephropathy: A clinical and evidence-based approach. *Circulation*. 2006;113:1799-806
- 10. Chong E, Poh KK, Liang S, Soon CY, Tan HC. Comparison of risks and clinical predictors of contrast-induced nephropathy in patients undergoing emergency versus nonemergency percutaneous coronary interventions. *Journal of interventional cardiology*. 2010;23(5):451-9
- 11. De Ferrari GM, Cornara S, Somaschini A, Covi R, Baldo A, Camporotondo R, et al. Platelet to lymphocyte ratio is an independent risk factor of contrast induced nephropathy in patients with st elevation myocardial infarction undergoing primary percutaneous coronary intervention. *Journal American College of Cardiology*. 2015;65(10S):A247s

- 12. Becker RC. Chapter 1. Platelet biology: The role of platelets in hemostasis, thrombosis and inflammation. In: Platelets in cardiovascular disease. *London: Imperial College Press.* 2008: 1-36
- 13. Cannon P, Braunwald E. Unstable angina. In: Braunwald's heart disease: A textbook of cardiovascular medicine. 6th ed. *Philadelphia*, *Pa: W.B. Saunders*. 2001:1232–63
- 14. Gurbel PA, Becker RC, Mann KG, Steinhubl SR, Michelson AD. Platelet function monitoring in patients with coronary artery disease. *Journal of the American College of Cardiology*. 2007;50(19):1823-34
- 15. Sirol M, Gonzalez JFV, Badimon JJ. Section 1. Background epidemiology and pathology: Platelets and the vulnerable plaque. In:The vulnerable plaque. Second edition. *United Kingdom:Taylor and Francis*. 2007:39-52
- 16. Libby P, Tabas I, Fredman G, Fisher EA. Inflammation and its resolution as determinants of acute coronary syndromes. *Circulation Research*. 2014;114:1867-79
- 17. Wong PCY, Li Z, Guo J, Zhang A. Pathophysiology of contrast-induced nephropathy. *International journal of cardiology*. 2012;158:186-92
- 18. McCullough PA. Contrast-induced acute kidney injury *Journal of the American College of Cardiology*. 2008;51:1419-28
- 19. Thomsen HS, Morcos SK. Contrast media and the kidney: European society of urogenital radiology (esur) guidelines. *The British Journal of Radiology*. 2003;76(908):513-8
- 20. KDIGO Working Group. Section 4. Contrast-induced aki. In: Kdigo clinical practice guideline for acute kidney injury. Kidney international supplements. Official Journal Of The International Society Of Nephrology. 2012;2:S69-88
- 21. Briguori C. Chapter 31. Renal insufficiency and the impact of contrast agents. In: Interventional cardiology, principles and practice. *United Kingdom: Wiley-Blackwell*. 2011:464-73
- 22. Kwasa EA, Vinayak S, Armstrong R. The role of inflammation in contrast-induced nephropathy. *The british journal of radiology*. 2014;87:20130738
- 23. Francuz P, Kowalczyk J, Swoboda R, Przybylska-Siedlecka K, Podolecki T, Świątkowski A, et al. Platelet count and volume indices in patients with contrast-induced acute kidney injury and acute myocardial infarction treated invasively. *Kardiologia Polska*. 2015;73(7):520–6
- 24. Sahin I, Karabulut A, Okuyan E, Biter HI, Yildiz SS, Can MM, et al. Contribution of platelets indices in the development of contrast-induced nephropathy. *Blood Coagulation and Fibrinolysis* 2015;26:246–9
- 25. Gros A, Ollivier V, Ho-Tin-Noe B. Platelets in inflammation: Regulation of leukocyte activities and vascular repair. *Inflammation*. 2015;5:678-86
- 26. Aspelin P, Stacul F, Morcos SK. Effects on the blood and endothelium.In: Contrast media safety issues and esur guidelines. 2nd revised edition. *German: Springer*. 2009:129-38
- 27. Gawaz M, Langer H, May AE. Platelets in inflammation and atherogenesis. *The Journal of Clinical Investigation*. 2005;115:3378-84
- 28. Akboga MK, Canpolat U, Yayla C, Ozcan F, Ozeke O, Topaloglu S, et al. Association of platelet to lymphocyte ratio with inflammation and severity

- of coronary atherosclerosis in patients with stable coronary artery disease. *Angiology*. 2016;67(1):89-95
- 29. Yüksel M, Yıldız A, Oylumlu M, Akyüz A, Aydın M, Kaya H, et al. The association between platelet/lymphocyte ratio and coronary artery disease severity. *The Anatolian Journal of Cardiology*. 2015; 15: 640-7
- 30. Azab B, Shah N, Akerman M, McGinn JT Jr. Value of platelet/lymphocyte ratio as a predictor of all-cause mortality after non-st elevation myocardial infarction. *Journal of Thrombosis and Thrombolysis*. 2012;34(3):326-34
- 31. Kurtul A, Yarlioglues M, Murat SN, Ergun G, Duran M, Kasapkara HA, et al. Usefulness of the platelet-to lymphocyte ratio in predicting angiographic reflow after primary percutaneous coronary intervention in patients with acute st-segment elevation myocardial infarction. *American Journal of Cardiology*. 2014;114(3):342-7
- 32. Balta S, Demirkol S, Kucuk U. The platelet lymphocyte ratio may be useful inflammatory indicator in clinical practice. *Hemodialysis International.* 2013;17(4):665-9
- 33. Barbiere CC. Chapter 5. Contrast media. In: Invasive cardiology. A manual for cath lab personnel. Third edition. *Canada: Jones & Bartlett Learning*. 2011:81-9
- 34. Toprak O. Chapter 16. Contrast-induced nephropathy. In: What should we know about prevented, diagnostic, and interventional therapy in coronary artery disease. *Intechopen*. 2013:321-48
- 35. Persson PB. Section 1. Pathophysiology contrast induced nephropathy. In: Contrast induced nephropathy. *London: Taylor and France*. 2008;3-18
- 36. Stacul F, Van Der Molen AJ, Reimer P. Contrast induced nephropathy: Updated esur contrast media safety committee guidelines. *European radiology*. 2011;21:2527-41
- 37. Calvin AD, Misra S, Pflueger A. Contrast-induced acute kidney injury and diabetic nephropathy. *Nature reviews Nephrology*. 2010;6:679-88
- 38. Mehran R, Nikolsky E. Contrast-induced nephropathy: Definition, epidemiology, and patients at risk. *Kidney International*. 2006;100:S11-5
- 39. Li WH, Li DY, Han F, Xu TD, Zhang YB, Zhu H. Impact of anemia on contrast-induced nephropathy (cin) in patients undergoing percutaneous coronary interventions. *International Urology and Nephrology* 2013;45:1065–70
- 40. Nikolsky E, Mehran R, Lasic Z, Mintz GS, Lansky AJ, Pocock S, et al. Low hematocrit predicts contrast-induced nephropathy after percutaneous coronary interventions. *Kidney International*. 2005;67(2):706-13
- 41. Chang CF, Lin CC. Current concepts of contrast-induced nephropathy: A brief review. *Journal of the Chinese Medical Association*. 2013:76:673-81
- 42. Becker RC, Spencer FA. Part viii. Complications of treatment and their management. In: Fibrinolytic and antithrombotic therapy. Second edition. *New York: Oxford University Press.* 2006:349-86
- 43. Center for Disease Control. Complete blood count (cbc) with five-part differential. In: Laboratory procedure manual. *The National Health and Nutrition Examination Survey (NHANES)*. 2003-2004
- 44. Marenzi G, Lauri G, Assanelli E, Campodonico J, De Metrio M, Marana I, et al. Contrast-induced nephropathy in patients undergoing primary

- angioplasty for acute myocardial infarction. *Journal of the American College of the Cardiology*. 2004;44(9):1780-5
- 45. Wickenbrock I, Perings C, Maagh P, Quack I, Bracht MV, Prull MW, et al. Contrast medium induced nephropathy in patients undergoing percutaneous coronary intervention for acute coronary syndrome: Differences in stemi and nstemi. *Clinical research of cardiology*. 2009;98(12):765-72
- 46. Kumar A, Cannon CP. Acute coronary syndromes: Diagnosis and management. *Mayo Clinic Proceedings*. 2009;84(10):917-38
- 47. Yamashita A, Asada Y. Part 8 clinicals: Thrombosis-related disorders and recent topics: Atherothrombosis and thrombus propagation. In: Recent advances in thrombosis and hemostasis. *Japan: Springer*. 2008:614-24
- 48. Yamashita A, Asada Y. Chapter 1. Pathophysiology of atherothrombosis, thrombus growth, vascular thrombogenicity, and plaque metabolism. In: Thrombosis, atherosclerosis and atherothrombosis new insights and experimental protocols. *Intech.* 2015:1-24
- 49. Velibey Y, Oz A, Kalenderoglu K, Gumusdag A, Akdeniz E, Bozbay M, et al. Platelet-to-lymphocyte ratio predicts contrast-induced acute kidney injury in patients with st-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. *Angiology*. 2016;1-9
- Dangas G, Lakovou I, Nikolsky E, Aymong ED, Mintz GS, Kipshidze NN, et al. Contrast-induced nephropathy after percutaneous coronary interventions in relation to chronic kidney disease and hemodynamic variables. *The American Journal of Cardiology*. 2005;95(1):13-19
- 51. Rihal CS, Textor SC, Grill DE, Berger PB, Ting HH, Best PJ, et al. Incidence and prognostic importance of acute renal failure after percutaneous coronary intervention. *Circulation*. 2002;105(105):2259-64
- 52. Cho JY, Jeong MH, Hwan Park S, Kim IS, Park KH, Sim DS, et al. Effect of contrast-induced nephropathy on cardiac outcomes after use of nonionic isosmolar contrast media during coronary procedure. *Journal of Cardiology*. 2010; 56: 300–6

