

## DAFTAR PUSTAKA

- Anas, S. dan Andy. 2010. Kandungan NDF dan ADF silase campuran jerami jagung (*Zea mays*) dengan penambahan beberapa level daun gamal. Agrisistem. 6(2):77-81.
- Astuti A., A. Ali., P. Subur., B. Sasmito. 2009. The Effect of high quality feed supplement addition on the nutrient consumption and digestibility of early lactating dairy cow. Buletin Peternakan. ISSN 0126-4400 33 (2): 81-87.
- Aye, P.A. 2016. Comparative nutritive value of *Moringa oleifera*, *Tithonia diversifolia* and *gmelina arborea* leaf meals animal production and health sciences department. American Journal of Food and Nutrition 6(1): 23–32.
- Bohn, L., A.S. Meyer and S.K. Rasmussen. 2008. Phytate; impact on environment and human nutrition. A challenge for molecular breeding. J. Zhejiang Univ. Sci. B, 9, 165–191. Doi: 10.1631/Jzus.B0710640.
- Bourlioux, P. and P. Pochart. 1988. Nutritional and health properties of yogurt. World Review of Nutrition and Dietetics 56: 217-258.
- Buckle, K. A., et al. 1985. Ilmu Pangan. Terjemahan oleh H. Purnomo dan Adiono. Universitas Indonesia. Jakarta.
- Church, D. C. 1976. Digestive physiology and nutrition of ruminant. Vol. 2. Oxford Press. Hal: 564
- Church, D. C. and W. G. Pond. 1986. Digestive Animal Physiology and Nutrition. 2nd. Prentice Hall a Division of Simon and Schuster Englewood Clif, New York
- Crampton, E.W. and L.E. Harris. 1969. The Uses of Feedstuffs in The Formulation of Livestocks Ration. Applied Animal Nutrition. W.H. Freeman and Co. San Fransisco.
- Djajanegara A. 1999. Local livestock feed resources. Didalam: Livestock Industries of Indonesia Prior to the Asian Financial Crisis. RAP Publication 1999/37. Bangkok: FAO Regional Office for Asia and the Pacific.29-39.
- El Bashiti, T. A. I. 2010. Production of Yoghurt by Locally Isolated Starters: *Streptococcus thermophilus* and *Lactobacillus Bulgaricus*. Short Research Communication. Journal of Al Azhar University ² Gaza. Natural Sciences (ICBAS Special Issue) 12: 56-58.
- Fasuyi, A.O., Dairo, F.A.S. and Ibitayo, F.J 2010. Ensiling wild sun flower (*Tithonia diversifolia*) leaves with sugar cane molasses. Livestock Research for rural Development. <http://www.Irrd.org/Irrd22/3/fasu220.htm>

- Hakim, N. dan Agustian. 2003. Gulma Tithonia dan pemanfaatannya sebagai sumber bahan organik dan unsur hara untuk tanaman hortikultura. Laporan Penelitian Tahun I Hibah Bersaing XI/I. Proyek Peningkatan Penelitian Pergurua Tinggi DP3M Ditjen Dikti. Lembaga Penelitian Unand, Padang.
- Harfiah, 2007. Nilai Indeks Beberapa Pakan Hijauan Potensial Untuk Ternak Domba. Prosidding. Seminar Nasional Teknologi Peternakan dan veteriner 2007. Universitas Hasanuddin. Makassar.
- Harkin, L. M. 1973. Lignin in Chemistry and Biochemistry of Herbage. Ed. By G., Buttle and R. W. Bailey. Vol 1. Academis Press. Inc. 323-373.
- Has, Hamdan., A. Napirah dan A. Indi. 2014. Efek peningkatan serat kasar dengan penggunaan daun murbei dalam ransum broiler terhadap persentase bobot saluran pencernaan. Jitro 1(1).
- Hewitt, D. and H. J. Bancroft. 1985. Nutritional value of yogurt. J Dairy Res 52: 197-207.
- Ismartoyo. 2011. Ilmu Nutrisi Ruminansia. Jurusan Nutrisi dan Makanan Ternak. Fakultas Peternakan. Universitas Hasanudin. Makasar
- Jaelani, A., W.G. Piliang, Suryahadi dan I. Rahayu, 2008. Hidrolisis bungkil inti sawit (*Ellaeis guineesis, Jacq*) oleh kapang *Trichoderma reesei* Pendegradasi Polisakarida manan. Animal Production Vol: 10(1): 42 – 49.
- Jama, B., C.A. Palm, R.J. Buresh, A. Niang, C. Gachengo.2000. *Tithonia diversifolia* as a green manure for soilfertility improvement in WesternKenya: A review. Agroforestry Syst. 49:201-221.
- Jamarun N, Mardiati Zain, Arief and Roni Pazla. 2017. Populations of Rumen Microbes and the In vitro Digestibility of Fermented Oil Palm Fronds in Combination with Tithonia (*Tithonia diversifolia*) and Elephant Grass (*Pennisetum purpureum*). Pakistan Journal of Nutrition. Hal 1-7
- Jamarun, N., Elihasridas., R. Pazla and Fitriyani. 2017. In Vitro nutrients digestibility of the combination Titonia (*Tithonia difersivolia*) and Napier grass (*Pennisetum purpureum*). Proceedings of the 7th International Seminar on Tropical Animal Production. September 12-14, 2017, Yogyakarta. Indonesia.
- Jin, L. Z., Y. W. Ho, N. Abdullah and S. Jalaldin. 1997. Probiotic in Poultry: Models of action. J. Worlds Poult. Sci. 53: 351-368.
- Kendall, C., C. Leonardi, P.C. Hoffman and D.K. Combs. 2009. Intake and milk production of cows fed diets that differed in dietary neutral detergent fiber and neutral detergent fiber digestibility. J. Dairy Sci. 92:313-323.

- Kusnandar, F. 2010. Kimia Pangan: Komponen Makro. Dian Rakyat. Jakarta.
- Limsowtin, G. K. Y., M. C. Broome and I. B. Powell. 2002. Lactic Acid Bacteria, Taxonomy. in Encyclopedia of Dairy Science, edited by H. Roginski, J. Fuquay, P. Fox. Academic Press, United Kingdom. Pp. 1470-1478.
- Lynd, L., R. 2002. Microbial Cellulose Utilization: Fundamentals and Biotechnology. *Microbiology and Molecular Biology Reviews*, 66(3), pp.506– 577.
- Mc. Donald, P. R. A. Edwards and J.F.D. Green Kalgh. 1986. Animal Nutrition. Third Edition. London
- Meyer, L.H. 1970. Food Chemistry IV Carbohydrat. Modren Asia Edition. 3nd .Ed. Longman, London and New York.
- Mohamed, Rasha Mohamed et al. 2011. “Effect of Legume Processing Treatments Individually or in Combination on Their Phytic Acid Content.” *African Journal of Food Science and Technology* 2(2): 36–46.
- Muchtadi, D. 2001. Vegetables as Sources of Dietary Fiber to Prevent Degenerative Diseases. Teknologi Pangan dan Gizi, Fat & IPB.
- Murugesan, G.S., M. Sathishkumar, K. Swarninathan. 2005. Supplementation of waste tea fungal biomass as a dietary ingredient for broiler chicken. *Bioresource Technology* 96: 1743- 1748.
- NRC, 1988. Nutrition Reguirement of Beef Cattle. 6th. Rev. Ed. National.
- Nuraini, Muslim, Mirzah and Wizna. (2016) Determination of inoculum dose and old fermentation of *Tithonia diversifolia* plants with *Aspergillus ficuumas* feed protein sources of high carotenoid. *International Journal of Veterinary Sciences and Animal Husbandry* 2018; 3(2); 01-07.
- Oktaviani, S. 2012. Kandungan ADF dan NDF Jerami Padi yang Direndam Air Laut dengan Lama Perendaman Berbeda. Skripsi. Fakultas Peternakan. Universitas Hasanuddin. Makassar.
- Oluwasola, T.A and F. A. S. Dairo. 2016. *Proximate composition, amino acid profile and some anti-nutrients of Tithonia diversifolia cut at two different times*. African Journal of Agricultural Research. Vol. 11(38), pp. 3659-3663.
- Pallauf, J. and G. Rimbach. 1999. Effect of Supple-Mental Phytase on Mineral and Trace Elementbioavailability and Heavy Metal Accumulationin Pigs With Different Type of Diets. In: M.B. Coelho and E.T. Kornegay (Eds). Phytase Inanimal Nutrition and Waste Management. Abasf Reference Manual. Ed Ke-2. Basf corporation. Hlm. 481-495.

Pasaribu, T. 2007. Produk fermentasi limbah pertanian sebagai bahan pakan unggas di Indonesia. Wartazoa 17(3): 109-116.

Pazla, R., Adrizal and R. Sriagtula. 2021. Intake, nutrient digestibility and production performance of pesisir cattle fed *Tithonia diversifolia* and *calliandra calothyrus*-based rations with different protein and energy ratios. Advances in Animal and Veterinary Sciences 9(10): 1608–15.

Pearce, L. and S. Flint. 1999. *Streptococcus thermophilus*. in Encyclopedia of Dairy Science, edited by H. Roginski, J. Fuquay, P. Fox. Academic Press, United Kingdom. Pp. 2577-2582.

Pratiwi, Shafira.2017. Pengaruh Lama Fermentasi Dan Dosis Inokulum *Bacillus amyloliquefaciens* Terhadap Kandungan Nutrisi Daun Paitan (*Tithonia diversifolia*). Skripsi Fakultas Peternakan.Universitas Andalas.

Pujaningsih, R. 2004. Aktivitas enzim fitase dalam upaya peningkatan ketersediaan fospor pada fermentasi dedak padi dengan cairan rumen.

Ranjhan, S. K and N. H Pathak. 1979. Management and Feeding of Bufalloes. Vicas Publishing Hause Put. Ltd, New Delhi

Ranjhan, S. K. 1977. *Animal Nutrition and Feeding Practices in India*. Vikas Publishing House PVT. Ltd. New Delhi, Bombay, Bangalore Calcutta Kampar. p. 68-87

Riswandi, L., Priyanto, Imsya, A., Patricia, N.S., 2016. Nilai Kecernaan Neutral Detergent Fiber (NDF), Acid Detergent Fiber (ADF) dan Hemiselulosa pada Ransum Sapi Potong dengan Kandungan Legume yang Berbeda Secara In Vitro dalam Prosiding: Seminar Nasional Lahan Suboptimal. Palembang. 506:515.

Riswandi, Muhakka, dan M. Lehan. 2015. Evaluasi nilai kecernaan serat secara in vitro ransum ternak sapi bali yang disuplementasi dengan *probiotik bioplus*. Jurnal Peternakan Sriwijaya 4(1): 35-46

Sadeli, A. 2011. Pengaruh Coating Minyak Sawit pada Urea terhadap Kecernaan Bahan Kering, Bahan Organik, Neutral Detergent Fiber (NDF) dan Acid Datergent Fiber (ADF) dalam Ransum Domba Lokal Jantan. Fakultas Pertanian, Universitas sebelas maret, Surakarta, hal:1-38.

Said, E. G. 1996. Penanganan dan Pemanfaatan Limbah Kelapa Sawit. Tribus Agriwidya. Cet. 1 Ungaran.

Sari, P.D., Puri, W.A., Hanum, D., 2019. Delignifikasi Bahan Lignoselulosa: Pemanfaatan Limbah Pertanian. Qiara Media, Pasuruan.

- Selle, P.H., V. Ravindran, R.A Caldwell and W.L Bryden. 2021. Phytate and Phytase: Consequences for Protein Utilisation. (2000): 255–78.
- Selle, P.H., V. Ravindran, R.A. Caldwell, and W. L. Bryden.2000. Phytate and Phytase: Consequences for Protein Utilization. Nutr.Res.Rev.,13(2), 255278. doi: 10.1079/095442200108729098
- Sijabat, Samuel Bob Dole.2022. Pengaruh Lama Fermentasi Titonia (Tithonia diversifolia) dengan Lactobacillus plantarum Terhadap Kecernaan In-Vitro BK, BO, NDF, ADF, Selulosa, dan Hemiselulosa Sebagai Pakan Ternak Ruminansia. Skripsi. Fakultas Peternakan. Universitas Andalas.
- Sneath, P. H. A., N. S. Mair, M. E. Sharpe and J. G. Holt. 1994. %HUJH\·V 0DQXDO RI Determinative Bacteriology, Ninth Edition. William and Wilkins. Baltimore.
- Sondakh, E.H.B., M.R. Waani, J.A.D. Kalele, dan S.C. Rimbing. 2018. *Evaluation of dry matter digestibility and organic matter of in vitro unsaturated fatty acid based ration of ruminant*. International. J. current adv. Res. 7(6): 13582-13584
- Steel, C. J. Dan J. H. Torrie. 1995. Prinsip dan Prosedur Statistik. Jakarta: PT. Gramedia. Steel, R. G. D. and J. H. Torrie., 1993. Prinsip dan Prosedur Statistika (Pendekatan Biometrik) Penerjemah B. Sumantri. Gramedia Pustaka Utama, Jakarta.
- Sudirman, Suhubdy, S. D., Hasan, S. H., Dilaga, dan Karda, I. W. 2015. Kandungan Neutral Detergent Fibre (NDF) dan Acid Detergent Fibre (ADF) Bahan Pakan Lokal Ternak Sapi yang Dipelihara pada Kandang Kelompok. Jurnal Ilmu dan Teknologi Peternakan Indonesia 1 (1): 66-70
- Sunarlim, R. Setyanto. H dan Poelongan Masniari. (2007). Pengaruh Kombinasi Starter Bakteri *Lactobacillus Bulgaricus*, *Streptococcus thermophilus* dan *Lactobacillus plantarum* terhadap Sifat Mutu Susu Fermentasi. Makalah disampaikan pada Seminar Nasional Teknologi Peternakan dan Veteriner 2007
- Suparjo. 2010. Peningkatan Kualitas Nutrisi Kulit Buah Kakao Sebagai Pakan Secara Bioproses dengan P. Chrysosporium yang Diperkaya Ion Mn<sup>2+</sup> dan Ca<sup>2+</sup>. Disertasi. Sekolah Pasca Sarjana. Institut Pertanian Bogor.
- Suprihatin. 2010. Teknologi Fermentasi. Surabaya: UNESA Pres.
- Sutardi, T. 1980. Ikhtisar Ruminologi. Bahan Penataran Kursus Peternakan Sapi Perah di Kayu Ambon, Lembang. BPPLP-Dit, Jend. Peternakan – FAO.
- Tamime, A. Y. and R. K. Robinson. 2007. *Yoghurt Scince and Technology*. 3rd ed. Woodhead Publishing in Food Science, Technology and Nutrition. England.

- Tillman, A. D., H. Hartadi. 1989. Ilmu Makanan Ternak Dasar. Cetakan Keenam. Gadjah Mada University Press, Yogyakarta.
- Tillman, A. D., H. Hartadi., S. Reksohadiprodjo., S. Prawirokusumo., dan S. lebdosoekadjo, 1991. Ilmu Makanan Ternak Dasar. Gadjah Mada University Press. Yogyakarta
- Tjitosoepomo, G. (1998). Taksonomi Tumbuhan - *Schizophyta, Thallophyta, Bryophya, Pterydophyta*. Yogyakarta: Gajah Mada University Press.
- Van Soest. P. J., 1982. *Nutritional Ecology of the Ruminant*. Commstock Publishing Associates. A devision of Cornell University Press. Ithaca and London.
- Varga, G. A., and W. H. 1983. Rate and extent of NDF of feedstuff in-situ. *J. Dairy Sci.* 66:2109
- Williams D.J. 1985. Australian Mealybugs. London: British Museum (Natural History).
- Winarno, F. G., dan S. Fardiaz. 1989. Mikrobiologi Pangan. Departemen Pendidikan dan Kebudayaan Direktorat Jenderal Pendidikan Tinggi PAU Pangan dan Gizi IPB.
- Yusondra, A 2018. Pengaruh pemberian ransum pelepasan sawit fermentasi, titonia (*Tithonia diversifolia*) dan rumput gajah (*Pennisetum purpureum*) terhadap konsumsi PK, kecernaan PK, dan kecernaan NDF pada kambing etawa (PE) laktasi. Skripsi. Fakultas Peternakan Universitas Andalas. Padang.

