

DAFTAR PUSTAKA

- [1] W. Nsengiyumva, S. G. Chen, L. Hu, and X. Chen, "Recent advancements and challenges in Solar Tracking Systems (STS): A review," *Renew. Sustain. Energy Rev.*, vol. 81, no. April 2017, pp. 250–279, Jan. 2018, doi: 10.1016/j.rser.2017.06.085.
- [2] M. J. Clifford and D. Eastwood, "Design of a novel passive solar tracker. *Solar Energy*," *Sol. Energy*, vol. 77, pp. 269–280, 2004.
- [3] T. E. Saaed, G. Nikolakopoulos, J. E. Jonasson, and H. Hedlund, "A state-of-the-art review of structural control systems," *JVC/Journal Vib. Control*, vol. 21, no. 5, pp. 919–937, 2015, doi: 10.1177/1077546313478294.
- [4] R. . Christenson, "Semi active control of civil structures for natural hazard mitigation: analytical and experimental studies," in *PhD Thesis*, University of Notre Dame, 2001.
- [5] H. Zsiborács, G. Pintér, A. Vincze, and N. H. Baranyai, "A Control Process for Active Solar-Tracking Systems for Photovoltaic Technology and the Circuit Layout Necessary for the Implementation of the Method," *Sensors*, vol. 22, no. 7, 2022, doi: 10.3390/s22072564.
- [6] W. Indrasari, R. Fahdiran, E. Budi, L. Jannah, L. V. Kadarwati, and Ramli, "Active Solar Tracker Based on the Horizon Coordinate System," *J. Phys. Conf. Ser.*, vol. 1120, no. 1, 2018, doi: 10.1088/1742-6596/1120/1/012102.
- [7] R. F. Fuentes-Morales *et al.*, "Control algorithms applied to active solar tracking systems: A review," *Sol. Energy*, vol. 212, no. July, pp. 203–219, 2020, doi: 10.1016/j.solener.2020.10.071.
- [8] R. Singh, S. Kumar, A. Gehlot, and R. Pachauri, "An imperative role of sun trackers in photovoltaic technology: A review," *Renew. Sustain. Energy Rev.*, vol. 82, no. April, pp. 3263–3278, 2018, doi: 10.1016/j.rser.2017.10.018.
- [9] A. Awasthi *et al.*, "Review on sun tracking technology in solar PV system," *Energy*

- Reports*, vol. 6, pp. 392–405, 2020, doi: 10.1016/j.egyr.2020.02.004.
- [10] A. Z. Hafez, A. M. Yousef, and N. M. Harag, “Solar tracking systems: Technologies and trackers drive types – A review,” *Renew. Sustain. Energy Rev.*, vol. 91, no. June 2017, pp. 754–782, 2018, doi: 10.1016/j.rser.2018.03.094.
- [11] W. Yandi, S. Syafii, and A. B. Pulungan, “Tracker Tiga Posisi Panel Surya untuk Peningkatan Konversi Energi dengan Catu Daya Rendah,” *J. Nas. Tek. Elektro*, vol. 6, no. 3, p. 159, 2017, doi: 10.25077/jnte.v6n3.468.2017.
- [12] A. Abdulrahman;, H. A. Al-Nehari;, A. N. Almakhlafy;, and M. Baggash, “Design and Implementation of Solar Tracking System,” *Int. J. Eng. Tech. Res.*, vol. 4, no. 1, pp. 71–75, 2016, doi: 10.2991/asei-15.2015.152.
- [13] A. B. Pulungan, R. Risfendra, W. Purwanto, H. Maksum, and O. Setiawan, “Design and Development of Real Time Monitoring Single Axis Solar Tracker By Using Internet of Things,” *Int. J. GEOMATE*, vol. 18, no. 69, pp. 81–87, 2020, doi: 10.21660/2020.69.25863.
- [14] H. Wibowo, Y. Bow, and C. R. Sitompul, “Performance Comparison Analysis of Fixed and Solar-Tracker Installed Panel at PV System,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 709, no. 1, 2021, doi: 10.1088/1755-1315/709/1/012003.
- [15] M. Abdollahpour, M. R. Golzarian, A. Rohani, and H. Abootorabi Zarchi, “Development of a machine vision dual-axis solar tracking system,” *Sol. Energy*, vol. 169, no. February, pp. 136–143, 2018, doi: 10.1016/j.solener.2018.03.059.
- [16] J. Zhang, Z. Yin, and P. Jin, “Error analysis and auto correction of hybrid solar tracking system using photo sensors and orientation algorithm,” *Energy*, vol. 182, pp. 585–593, 2019, doi: 10.1016/j.energy.2019.06.032.
- [17] C. S. Chin, A. Babu, and W. McBride, “Design , modeling and testing of a standalone single axis active solar tracker using MATLAB / Simulink,” *Renew. Energy*, vol. 36, no.

- 11, pp. 3075–3090, 2011, doi: 10.1016/j.renene.2011.03.026.
- [18] A. Mansouri, F. Krim, and Z. Khouni, “Design of a prototypical dual-axis tracker solar panel controlled by geared dc servomotors,” *Sci. Iran.*, vol. 25, no. 6D, pp. 3542–3558, 2018, doi: 10.24200/sci.2018.20045.
- [19] F. Z. Baouche *et al.*, “Design and Simulation of a Solar Tracking System for PV,” *Appl. Sci.*, vol. 12, no. 19, 2022, doi: 10.3390/app12199682.
- [20] V. Poulek, “Testing the new solar tracker with shape memory alloy actuators,” in *Proceedings of the IEEE first world conference on photovoltaic energy conversion*, 1994, pp. 1131–1133.
- [21] G. Mwithiga and S. N. Kigo, “Performance of a solar dryer with limited sun tracking capability,” vol. 74, pp. 247–252, 2006, doi: 10.1016/j.jfoodeng.2005.03.018.
- [22] N. Leon, H. Garcia, and C. Ramirez, “Semi-Passive Solar Tracking Concentrator,” *Energy Procedia*, vol. 57, pp. 275 – 284, 2014.
- [23] M. C. Brito, J. M. Pó, D. Pereira, F. Simões, R. Rodriguez, and J. C. Amador, “Passive solar tracker based in the differential thermal expansion of vertical strips,” *J. Renew. Sustain. Energy*, vol. 11, no. 4, 2019, doi: 10.1063/1.5100492.
- [24] H. Mousazadeh, A. Keyhani, A. Javadi, H. Mobli, K. Abrinia, and A. Sharifi, “A review of principle and sun-tracking methods for maximizing solar systems output,” vol. 13, pp. 1800–1818, 2009, doi: 10.1016/j.rser.2009.01.022.
- [25] G. Cristian, M. Longo, M. Roscia, and M. Pagano, “Comparative analysis of fixed and sun tracking low power PV systems considering energy consumption,” *ENERGY Convers. Manag.*, vol. 92, pp. 143–148, 2015, doi: 10.1016/j.enconman.2014.12.046.
- [26] Y. Liu, “Semi-active damping control for vibration isolation of base disturbances,” UNIVERSITY OF SOUTHAMPTON, 2004.
- [27] B. W. N. P. Member, C. Mo, J. Kuehn, and J. Lee, “A Primer on Design of Semiactive

- Vibration Absorbers (SAVA),” vol. 9399, no. January 1998, 2014, doi: 10.1061/(ASCE)0733-9399(1998)124.
- [28] F. Jabbari and J. E. Bobrow, “Vibration Suppression with Resettable Device,” *J. Eng. Mech.*, no. September 2002, pp. 916–924, 2003.
- [29] M. R. Ahmed and I. Kalaykov, “Semi-active compliant robot enabling collision safety for human robot interaction,” *2010 IEEE Int. Conf. Mechatronics Autom. ICMA 2010*, pp. 1932–1937, 2010, doi: 10.1109/ICMA.2010.5589111.
- [30] M. Bellis, “Rocket Stability and Flight Control Systems,” 2019.
- [31] D. Kiehn, “Stability analysis and flight control design of the winged reusable launch vehicle ReFEx,” *CEAS Sp. J.*, vol. 13, no. 1, pp. 51–64, 2021, doi: 10.1007/s12567-020-00319-3.
- [32] V. Avila Guerrero, A. Barranco, D. Conde, and V. Avila, “Active Control Stabilization of High Power Rocket,” Santa Clara University, 2018.
- [33] S. M. Hamidzadeh and R. Esmaelzadeh, “Control and Synchronization Chaotic Satellite using Active Control,” *Int. J. Comput. Appl.*, vol. 94, no. 10, pp. 29–33, 2014, doi: 10.5120/16380-5887.
- [34] E. Rijanto, “Design of Radar Antenna Tracking Servo Using State Feedback Robust Tracking Controller Based on Preview- H_{∞} Control Approach,” in *Prosiding Seminar Radar Nasional*, 2007, pp. 80–85.
- [35] C. Zhao, J. Liu, and Y. Tang, “Design of Shipborne Radar Turntable Servo System,” in *Proceedings of 5th International Conference on Vehicle, Mechanical and Electrical Engineering (ICVMEE 2019)*, 2019, no. Icvmee 2019, pp. 299–305, doi: 10.5220/0008385802990305.
- [36] A. George and W. G. Tingey, “AUTOMATED TELESCOPE WITH DISTRIBUTED ORIENTATION AND OPERATION PROCESSING,” 2006.

- [37] V. Sumathi, R. Jayapragash, A. Bakshi, and P. Kumar, "Solar tracking methods to maximize PV system output – A review of the methods adopted in recent decade," *Renew. Sustain. Energy Rev.*, vol. 74, no. February 2016, pp. 130–138, 2017, doi: 10.1016/j.rser.2017.02.013.
- [38] M. J. Ya'u, "A Review on Solar Tracking Systems and Their Classifications, Journal of Energy," *Environ. Chem. Eng.*, vol. 2, no. 3, pp. 46–50, 2017.
- [39] P. Sharma and N. Malhotra, "Solar Tracking System Using Microcontroller," in *Proceedings of 2014 1st International Conference on Non Conventional Energy (ICONCE 2014)*, 2014, pp. 77–79.
- [40] A. B. Pulungan, L. Son, and Syafii, "A Riview of Solar Tracking Control Strategies," in *EECSI*, 1018, pp. 631–635.
- [41] A. H. Asmarashid Ponniran and M. H. Ali, "A Design of Single Axis Sun Tracking System."
- [42] M. A. Konar A, "Microprocessor based automatic sun-tracker," in *IEE Pro- ceedings Part A Physical Science Measurement and Instrumentation Manage- ment and Education Reviews*, 1991, pp. 237–241.
- [43] N. J. Ajay K, "Micro-controller based sun tracker for line focus concentrating collectors.," *J Sol Energy Soc India*, vol. 13, no. 12, pp. 1–8, 2003.
- [44] B. Huang, W. Ding, and Y. Huang, "Long-term field test of solar PV power generation using one-axis 3-position sun tracker," *Sol Energy*, vol. 85(9), pp. 1935–44, 2011.
- [45] W. Yandi, Syafii, and A. B. Pulungan, "Tracker Tiga Posisi Panel Surya Untuk Peningkatan Konversi Energi Dengan Catu Daya Rendah, Jurnal Nasional Teknik Elektro," *J. Nas. Tek. Elektro*, vol. 6, no. 3, 2017.
- [46] A. J. Beltrán, J. L. G. R. S. y C., and García-Beltrán, "Design, Manufacturing and Performance Test of a Solar Tracker Made by a Embedded Control," in *Fourth Congress*

- of Electronics, Robotics and Automotive Mechanics, CERMA*, 2007, pp. 129–134.
- [47] I. Abadi, A. Soeprijanto, A. Musyafa, and M. Power, “Design Of Single Axis Solar Tracking System At Photovoltaic Panel Using Fuzzy Logic Controller.”
- [48] A. Abdulrahman, H. A. Al-Nehari, A. N. Almakhlafy, and M. Baggash, “Design and Implementation of Solar Tracking System, International Journal of Engineering and Technical Research (IJETR),” *Int. J. Eng. Tech. Res.*, vol. 4, no. 1, pp. 71–75, 2016.
- [49] T. A. Khan, S. M. S. Tanzil, R. Rahman, and S. M. S. Alam, “Design and Construction of an Automatic Solar Tracking System,” no. December, pp. 18–20, 2010.
- [50] T. Tudorache and L. Kreindler, “Design of a Solar Tracker System for PV Power Plants,” *Acta Polytech. Hungarica*, vol. 7, no. 1, pp. 23–39, 2010.
- [51] P. Roth, A. Georgiev, and H. Boudinov, “Design and construction of a system for sun-tracking,” *Renew. Energy*, vol. 29, pp. 393–402, 2004, doi: 10.1016/S0960-1481(03)00196-4.
- [52] B. B. F. S. Jr, S. J. Dyke, A. Member, M. K. Sain, and J. D. Carlson, “Phenomenological Model for Magnetorheological Dampers by B. F. Spencer Jr.,” no. 1992, pp. 230–238, 1997.
- [53] Spencer B.F., Sain M.K., Carlson J.D., “An experimental study of MR dampers for seismic protection,” *Smart Mater. Struct.*, vol. 7, pp. 693–703, 1998.
- [54] Yoshioka H., Ramallo J.C. and Spencer B.F., “Smart” Base isolation Strategies Employing Magnetorheological Dampers,” *J. Eng. Mech.*, vol. 128, no. 5(540), 2002.
- [55] Choi S.B., Song H.J., Lee H.H., Lim S.C., Kim J.H., Choi H.J., “Vibration control of a passenger vehicle featuring magnetorheological engine mounts,” *Int. J. Veh. Des.*, vol. 33, pp. 2–16, 2003.
- [56] Yao G.Z, Yap F.F, Chen G. and Li W.H and Yeo S.H., “MR damper and its application for semi-active control of vehicle suspension system,” *Mechatronics*, vol. 12, pp. 963–

- 973, 2002.
- [57] Choi Y.T., Wereley N.M., Jeon Y.S., “Semi-Active vibration isolation using Magnetorheological isolators,” *J. Aircr.*, vol. 42, pp. 1244–1251, 2005.
- [58] Duan Y.F., Ni Y.Q., Ko J.M., “Cable vibration control using magnetorheological dampers,” *J. Intell. Mater. Syst. Struct.*, vol. 17, pp. 321–325, 2006.
- [59] B. F. Spencer, “Control of Seismically Excited Cable-Stayed Bridge Employing Magnetorheological Fluid Dampers,” vol. 9445, no. July, 2003, doi: 10.1061/(ASCE)0733-9445(2003)129.
- [60] K. I. Gkatzogias and A. J. Kappos, “Semi-active control systems in bridge engineering: A review of the current state of practice,” *Struct. Eng. Int.*, vol. 26, no. 4, pp. 290–300, 2016, doi: 10.2749/101686616X14555429844040.
- [61] A. K. Agrawal, J. N. Yang, and W. L. He, “Applications of some semi-active control systems to benchmark cable-stayed bridge,” *Journal Struct. Eng.*, vol. 129, no. 7, pp. 884–894, 2003.
- [62] J. T. Scruggs and W. D. Iwan, “Control of a civil structure using an electric machine with semi-active capability,” *Journal Struct. Eng.*, vol. 129, no. 7, pp. 951–959, 2003.
- [63] Y. Liu, H. Matsuhisa, H. Utsuno, and J. G. Park, “Vibration Control by a Variable Damping and Stiffness System with Magnetorheological Dampers *,” vol. 49, no. 2, pp. 411–417, 2006.
- [64] L. Li and G. Song, “A Genetic Algorithm-based Two-phase Design for Optimal Placement of Semi-active Dampers for Nonlinear Benchmark Structure,” vol. 16, no. 9, pp. 1379–1392, 2008, doi: 10.1177/1077546309103277.
- [65] M. Takahashi *et al.*, “A Primer on Design of Semiactive Vibration Absorber (SAVA),” *J. Eng. Mech.*, vol. 125, no. 9, pp. 1095–1098, 1999, doi: 10.1061/(asce)0733-9399(1999)125:9(1095).

- [66] K. Ogata, *Modern Control Engineering*, Fourth Edi. New Delhi: Prentice Hall of India, 2002.
- [67] M. C. M. Teixeira, E. Assunção, and E. R. M. D. Machado, “A method for plotting the complementary root locus using the root-locus (positive gain) rules,” *IEEE Trans. Educ.*, vol. 47, no. 3, pp. 405–409, 2004, doi: 10.1109/TE.2004.825068.
- [68] E. D. Bossert, “A Root-Locus Analysis of Quantitative Feedback Theory,” in *IEEE CONFERENCE PUBLICATIONS*, 1993, pp. 1698 – 1702.
- [69] B. Stojiljković, L. Vasov, Č. Mitrović, and D. Cvetković, “The application of the root locus method for the design of pitch controller of an F-104A aircraft,” *Stroj. Vestnik/Journal Mech. Eng.*, vol. 55, no. 9, pp. 555–560, 2009.
- [70] J. M. Joo, “Use of the logarithmic decrement to assess the damping in oscillations,” *Rev. Investig. Física*, vol. 19, no. 161901551, pp. 1–5, 2016.
- [71] William T. Thomson and M. D. Dahleh, *Theory of Vibration with Applications*, Fifth. Pearson Education Asia Limited and Tsinghua University Press, 2005.
- [72] I. SCALEȚCHI, I. VIȘA, and R. VELICU, “MODELING WIND ACTION ON SOLAR TRACKING PV PLATFORMS,” *Bull. Transilv. Univ. Brașov*, vol. 3, no. 52, pp. 115–122, 2010.
- [73] B. Ozerdem and M. Turkeli, “An investigation of wind characteristics on the campus of Izmir Institute of Technology , Turkey,” vol. 28, pp. 1013–1027, 2003.
- [74] EUROPEAN COMMITTEE FOR STANDARDIZATION, *EN 1991-1-4: Eurocode 1: Actions on Structures. General Actions - Part 1-4: Wind Actions*. Avenue Marnix 17, B-1 000 Brussels, 2010.
- [75] *ASCE/SEI 7-02 : Minimum Design Loads for Buildings and Other Structures*. 2002.
- [76] M. A. M. Ramli and H. R. E. H. Boucekara, “Estimation of solar radiation on PV panel surface with optimum tilt angle using vortex search algorithm,” *IET Renew. Power*

Gener., vol. 12, no. 10, pp. 1138–1145, 2018, doi: 10.1049/iet-rpg.2017.0830.

- [77] Y. Uematsu, T. Yambe, and A. Yamamoto, “Wind Loading of Photovoltaic Panels Installed on Hip Roofs of Rectangular and L-Shaped Low-Rise Buildings,” *Wind*, vol. 2, no. 2, pp. 288–304, 2022, doi: 10.3390/wind2020016.

