

DAFTAR PUSTAKA

- Abraham, J., Gulley, J. L., & Allegra, C. J. (2014). *The Bethesda handbook of clinical oncology* (4th ed.). Philadelphia: Wolters Kluwer.
- ACS. (2022). *American cancer society: Breast statistics*.
<https://cancerstatisticscenter.cancer.org>
- Ahmadi, M., Amiri, M., Rezaeian, T., Abdollahi, I., Rezadoost, A. M., Sohrabi, M., & Bakhshi, E. (2021). Different effects of aerobic exercise and diaphragmatic breathing on lower esophageal sphincter pressure and quality of life in patients with reflux: A comparative study. *Middle East Journal of Digestive Diseases*, 13(1), 61–66. <https://doi.org/10.34172/mejdd.2021.205>
- Alligood, M. R. (2017). *Pakar teori keperawatan dan karya mereka* (A. Yani & K. Ibrahim (eds.); 8th ed.). Singapore: Elsevier.
- Astuti, A. N. D. P., Setyani, F. A. R., & Widiarti, C. R. (2022). Faktor - faktor yang mempengaruhi tingkat kecemasan pasien kanker yang menjalani kemoterapi di ruang kemoterapi Rumah Sakit Swasta Yogyakarta. *Jurnal Kesehatan Masyarakat*, 15(2), 53–59.
- Aybar, D. O., Kılıc, S. P., & Çinkır, H. Y. (2020). The effect of breathing exercise on nausea, vomiting and functional status in breast cancer patients undergoing chemotherapy. *Complementary Therapies in Clinical Practice*, 40(101213), 1–9. <https://doi.org/10.1016/j.ctcp.2020.101213>
- Badi'ah, A. (2022). *Keperawatan Onkologi*. Bandung: Media Sains Indonesia.
- Browall, M., Brandberg, Y., Nasic, S., Rydberg, P., Bergh, J., Rydén, A., Xie, H., Eriksson, I., & Wengström, Y. (2017). A prospective exploration of

symptom burden clusters in women with breast cancer during chemotherapy treatment. *Supportive Care in Cancer*, 25(5), 1423–1429.
<https://doi.org/10.1007/s00520-016-3527-1>

Budaya, T. N., & Daryanto, B. (2020). *Kemoterapi kanker urogenital*.
https://www.google.co.id/books/edition/Kemoterapi_Kanker_Urogenital/QigAEAAAQBAJ?hl=id&gbpv=1&dq=kemoterapi+adalah&pg=PA5&printsec=frontcover

Casale, M., Sabatino, L., Moffa, A., Capuano, F., Luccarelli, V., Vitali, M., Ribolsi, M., Cicala, M., & Salvinelli, F. (2016). Breathing training on lower esophageal sphincter as a complementary treatment of gastroesophageal reflux disease (GERD): A systematic review. *European Review for Medical and Pharmacological Sciences*, 20(21), 4547–4552.

Chen, Y. F., Huang, X. Y., Chien, C. H., & Cheng, J. F. (2017). The effectiveness of diaphragmatic breathing relaxation training for reducing anxiety. *Perspectives in Psychiatric Care*, 53(4), 329–336.
<https://doi.org/10.1111/ppc.12184>

Donsu, J. D. T. (2019). *Psikologi keperawatan*. Yogyakarta: Pustaka Baru.

Eliassen, A., Dalhoff, K., Mathiasen, R., Schmiegelow, K., Rechner, C., Schelde, A. B., Perwitasari, D. A., Tsuji, D., & Brok, J. (2020). Pharmacogenetics of antiemetics for chemotherapy-induced nausea and vomiting: A systematic review and meta-analysis. *Critical Reviews in Oncology/Hematology*, 149(102939), 1–15.
<https://doi.org/10.1016/j.critrevonc.2020.102939>

Firmana, D. (2017). *Keperawatan kemoterapi*. Jakarta: Salemba Medika.

- GLOBOCAN. (2018). *New global cancer data: GLOBOCAN 2018*. International Agency for Research on Cancer. <https://www.uicc.org/news/new-global-cancer-data-globocan-2018>
- GLOBOCAN. (2020). The global cancer observatory - All cancers. In *International Agency for Research on Cancer - WHO* (Vol. 419). <https://gco.iarc.fr/today/home>
- Gunawan, R., Nuripah, G., & Nilapsari, R. (2020). Pengaruh mendegarkan murottal al-quran terhadap tingkat kecemasan pasien kanker payudara sebelum menjalani kemoterapi di RSUD Al-IHSAN. *Prosiding Kedokteran*, 6(1), 568–574. <https://karyailmiah.unisba.ac.id/index.php/dokter/article/view/21367/pdf>
- Gupta, K., Walton, R., & Kataria, S. P. (2021). Chemotherapy-induced nausea and vomiting: Pathogenesis, recommendations, and new trends. *Cancer Treatment and Research Communications*, 26(100278), 1–8. <https://doi.org/10.1016/j.ctarc.2020.100278>
- Haiderali, A., Menditto, L., Good, M., Teitelbaum, A., & Wegner, J. (2011). Impact on daily functioning and indirect/direct costs associated with chemotherapy-induced nausea and vomiting (CINV) in a US population. *Supportive Care in Cancer*, 19(6), 843–851. <https://doi.org/10.1007/s00520-010-0915-9>
- Hopper, S. I., Murray, S. L., Ferrara, L. R., & Singleton, J. K. (2019). Effectiveness of diaphragmatic breathing for reducing physiological and psychological stress in adults: A quantitative systematic review. *JBIC Database of Systematic Reviews and Implementation Reports*, 17(9), 1855–

1876. <https://doi.org/10.11124/JBISRIR-2017-003848>

Hosseini, M., Tirgari, B., Forouzi, M. A., & Jahani, Y. (2016). Guided imagery effects on chemotherapy induced nausea and vomiting in Iranian breast cancer patients. *Complementary Therapies in Clinical Practice*, 25(3), 8–12. <https://doi.org/10.1016/j.ctcp.2016.07.002>

Ibrahim, H. A. ., Sebaee, H. A. A., & El-Deen, D. S. (2020). Effect of diaphragmatic breathing exercise on postoperative nausea, vomiting, and retching among orthopedic surgery patients. *Egyptian Nursing Journal*, 17(1), 47–55. <https://doi.org/10.4103/ENJ.ENJ>

Ilyas, A. B., Bahaj, R. K., Shaikh, A. A., Khawandanah, B. S., Al-Foheidi, M., & Omer, T. Y. (2020). Breast cancer patients' perceptions of their experience with chemotherapy-induced nausea and vomiting and its impact on quality of life in Jeddah, Saudi Arabia. *Cureus*, 12(12), 1–9. <https://doi.org/10.7759/cureus.12038>

Jiménez, F. E. L., Ramírez, L. P. G., Delgado, R. M., Betanzos, F. G., Mendoza, A. M., Murillo, P. S., Villanueva, A. O., Ramírez, M. M., & Navarro, A. D. (2018). Efficacy of relaxation techniques in the reduction of tension, anxiety and stress perceived by patients with cancer under chemotherapy treatment. *Gaceta Mexicana de Oncologia*, 17(2), 42–47. <https://doi.org/10.24875/j.gamo.m19000168>

Juwita, D. A., Almahdy, A., & Afdila, R. (2019). Penilaian kualitas hidup terkait kesehatan pasien kanker payudara di RSUP dr. M. Djamil Padang, Indonesia. *Jurnal Ilmu Kefarmasian Indonesia*, 17(1), 114. <https://doi.org/10.35814/jifi.v17i1.682>

- Kurt, B., & Kapucu, S. (2018). The effect of relaxation exercises on symptom severity in patients with breast cancer undergoing adjuvant chemotherapy: An open label non-randomized controlled clinical trial. *European Journal of Integrative Medicine*, 22(827), 54–61. <https://doi.org/10.1016/j.eujim.2018.08.002>
- Ladesvita, F., Sucipto, U., Lisnawati, K., Santi, R. D., & Pratiwi, C. J. (2021). *Asuhan keperawatan onkologi berdasarkan teori Virginia Henderson*. Yogyakarta: Nas Media Pustaka.
- Lim, C. C., Kamala Devi, M., & Ang, E. (2011). Anxiety in women with breast cancer undergoing treatment: A systematic review. *International Journal of Evidence-Based Healthcare*, 9(3), 215–235. <https://doi.org/10.1111/j.1744-1609.2011.00221.x>
- Liu, L., Wu, Y., Cong, W., Hu, M., Li, X., & Zhou, C. (2021). Experience of women with breast cancer undergoing chemotherapy: A systematic review of qualitative research. *Quality of Life Research*, 30(5), 1249–1265. <https://doi.org/10.1007/s11136-020-02754-5>
- Lydia, F. E. P., Choiriyah, M., & Hidayah, R. (2018). Efektifitas akupresur terhadap penurunan mual muntah akibat kemoterapi dan nyeri pada pasien kanker payudara. *JKM*, 3(2), 75–83.
- Mendes, L. P. S., Moraes, K. S., Hoffman, M., Vieira, D. S. R., Ribeiro-Samora, G. A., Lage, S. M., Britto, R. R., & Parreira, V. F. (2019). Effects of diaphragmatic breathing with and without pursed-lips breathing in subjects with COPD. *Respiratory Care*, 64(2), 136–144. <https://doi.org/10.4187/respcare.06319>

- Nindrea, R. D., Aryandono, T., Lazuardi, L., & Dwiprahasto, I. (2021). *Risiko kanker payudara dan model prediksinya*. Yogyakarta: Gosyen Publishing.
- Oetami, F., Thaha, I. L., & Wahiduddin. (2014). Analisis dampak psikologis pengobatan kanker payudara di RS dr. Wahidin Sudirohusodo Makassar. *Hasanuddin University*, 1–16. oai:repository.unhas.ac.id:123456789/10727
- Ong, A. M. L., Chua, L. T. T., Khor, C. J. L., Asokkumar, R., s/o Namasivayam, V., & Wang, Y. T. (2017). Diaphragmatic breathing reduces belching and proton pump inhibitor refractory gastroesophageal reflux symptoms. *Clinical Gastroenterology and Hepatology*, 16(3), 407–416. <https://doi.org/10.1016/j.cgh.2017.10.038>
- Rekam Medik RSUP M.Djamil Padang. (2021). *Kunjungan rawat inap, kunjungan rawat jalan dan kunjungan kemoterapi*.
- Rhodes, V. A., & McDaniel, R. W. (2001). Nausea, vomiting, and retching: Complex problems in palliative care. *CA: A Cancer Journal for Clinicians*, 51(4), 232–248. <https://doi.org/10.3322/canjclin.51.4.232>
- Ruslany, C., Fauzi, T., & Damanik, I. (2019). Analisis faktor-faktor yang mempengaruhi kecemasan pada pasien Ca Mammae yang sedang melakukan tindakan kemoterapi. *Jkm*, 12(1), 1–8. <https://ejournal.methodist.ac.id/index.php/jkm/article/view/621>
<https://ejournal.methodist.ac.id/index.php/jkm/article/download/621/489>
- Samami, E., Shahhosseini, Z., Hamzehgardeshi, Z., & Elyasi, F. (2022). Psychological interventions in chemotherapy-induced nausea and vomiting in women with breast cancer: A systematic review. *Iranian Journal of Medical Sciences*, 47(2), 95–106.

<https://doi.org/10.30476/ijms.2020.86657.1660>

Sembulingam, K., & Sembulingam, P. (2019). *Essentials of medical physiology*.

India: Jaypee Brothers Medical Publishers Pvt. Limited.

Setyani, F. A. R., P, B. D. B., & Milliani, C. D. (2020). Tingkat kecemasan pasien

kanker payudara yang mendapatkan kemoterapi. *Carolus Journal of Nursing*,

2(2),

170–176.

[http://ejournal.stik-](http://ejournal.stik-sintcarolus.ac.id/index.php/CJON/article/view/44)

[sintcarolus.ac.id/index.php/CJON/article/view/44](http://ejournal.stik-sintcarolus.ac.id/index.php/CJON/article/view/44)

Shinta, N., & Surarso, B. (2016). Terapi mual muntah pasca kemoterapi. *Jurnal*

THT - KL, 9(2), 74–83.

Smith, S., & Prewett, S. (2019). Principles of chemotherapy and radiotherapy.

Obstetrics, Gynaecology and Reproductive Medicine, 30(3), 72–78.

<https://doi.org/10.1016/j.ogrm.2019.12.004>

Sommariva, S., Pongiglione, B., & Tarricone, R. (2015). Impact of chemotherapy-

induced nausea and vomiting on health-related quality of life and resource

utilization: A systematic review. *Critical Reviews in Oncology/Hematology*,

99(2), 13–36. <https://doi.org/10.1016/j.critrevonc.2015.12.001>

Song, Q. H., Xu, R. M., Zhang, Q. H., Ma, M., & Zhao, X. P. (2013). Relaxation

training during chemotherapy for breast cancer improves mental health and

lessens adverse events. *International Journal of Clinical and Experimental*

Medicine, 6(10), 979–984.

Stern, R. M., Koch, K. L., & Andrews, P. (2011). *Nausea mechanisms and*

management. New York: Oxford University Press.

Suryono, A., Nugraha, F. S., Akbar, F., & Armiyati, Y. (2020). Combination of

deep breathing relaxation and murottal reducing post chemotherapy nausea

intensity in nasopharyngeal cancer (NPC) patients. *Media Keperawatan Indonesia*, 3(1), 24. <https://doi.org/10.26714/mki.3.1.2020.24-31>

Sutejo. (2018). *Keperawatan jiwa*. Yogyakarta: Pustaka Baru Press.

Ursavas, F., & Catakli, M. (2020). The effect of diaphragmatic breathing exercise on pain, anxiety, and depression in patients undergoing total knee replacement: A randomized controlled trial. *Annals of Medical Research*, 27(9), 2408. <https://doi.org/10.5455/annalsmedres.2020.04.295>



Link jurnal :

<http://ejurnal.stikesprimanusantara.ac.id/index.php/JKPN/article/view/902>