

DAFTAR PUSTAKA

- Abarghuei, A. F., Fadavi-Ghaffar, M., Tousi, S., Amini, M., & Salehi, A. R. (2018). Effect of cawthorne and cooksey exercises on balance and quality of life of 60 to 80 year-old individuals in Shiraz: A randomized clinical trial. *Medical Journal of the Islamic Republic of Iran*, 32, 74.
- Ackley, B. J., Ladwig, G. B., Makic, M. B. F., Martinez-Kratz, M., & Zanotti, M. (2019). *Nursing diagnosis handbook E-book: An evidence-based guide to planning care*: Elsevier Health Sciences.
- Afrasiabifar, A., Karami, F., & Najafi Doulatabad, S. (2018). Comparing the effect of Cawthorne–Cooksey and Frenkel exercises on balance in patients with multiple sclerosis: A randomized controlled trial. *Clinical Rehabilitation*, 32(1), 57-65.
- Afrizal, A. (2018). Permasalahan Yang Dialami Lansia Dalam Menyesuaikan Diri Terhadap Penguasaan Tugas-Tugas Perkembangannya. *Islamic Counseling: Jurnal Bimbingan dan Konseling Islam*, 2(2), 91-106.
- Armayanthi, I. G. A. P., Dewi, A. A. N. T. N., Saraswati, P. A. S., & Muliarta, I. M. (2021). PENAMBAHAN CAWTHORNE COOKSEY EXERCISE PADA SENAM LANSIA MENURUNKAN RISIKO JATUH LANSIA DI KARANG LANSIA MELATI PUTIH JEMBRANA. *Majalah Ilmiah Fisioterapi Indonesia*, 9(2), 106-109.
- Asif, I., Mazhar, K., Afreen, S., Tauseef, K., & Tauseef, S. (2022). An investigation on the effects of Cawthorne Cooksey exercises on both vestibular and non-vestibular balance issues: A Systematic Review of Rehabilitative Services for the Elderly. *Asia Pacific Journal of Allied Health Sciences/ Volume*, 5(1).
- Boyé, N. D., Van Lieshout, E. M., Van Beeck, E. F., Hartholt, K. A., Van der Cammen, T. J., & Patka, P. (2013). The impact of falls in the elderly. *Trauma*, 15(1), 29-35.
- Corna, S., Nardone, A., Prestinari, A., Galante, M., Grasso, M., & Schieppati, M. (2003). Comparison of Cawthorne-Cooksey exercises and sinusoidal support surface translations to improve balance in patients with unilateral vestibular deficit. *Archives of physical medicine and rehabilitation*, 84(8), 1173-1184.
- Cuevas-Trisan, R. (2019). Balance problems and fall risks in the elderly. *Clinics in geriatric medicine*, 35(2), 173-183.
- Dal, B. T., Bumin, G., Aksoy, S., & Günaydın, R. Ö. (2021). Comparison of Activity-Based Home Program and Cawthorne-Cooksey Exercises in

Patients With Chronic Unilateral Peripheral Vestibular Disorders. *Archives of physical medicine and rehabilitation*, 102(7), 1300-1307.

Dayaningsih, D., Astuti, Y., Yuwinda, N. T., & Rahayu, N. D. (2021). GAMBARAN PENGETAHUAN DAN PERILAKU LANSIA DENGAN DIABETES MELLITUS TIPE II DI WILAYAH KOTA SEMARANG. *JURNAL KEPERAWATAN SISTHANA*, 6(2), 44-47.

Divya, S., Arunachalam, R., Kumaresan, A., & Kiruthika, S. (2016). Comparing the effects of modified Epley's maneuver and Cawthorne–Cooksey exercise with Brandt–Daroff exercise in benign paroxysmal positional vertigo. *Int. J. Pharma Bio Sci.*, 7(3), 706-711.

Djamhari, E. A., Ramdlaningrum, H., Layyinah, A., Chrisnahutama, A., & Prasetya, D. (2021). Kondisi kesejahteraan lansia dan perlindungan sosial lansia di Indonesia.

Edelman, C., & Kudzma, E. C. (2021). *Health promotion throughout the life span-e-book*: Elsevier Health Sciences.

Erobathriek, D. (2017). *Pengaruh Latihan Cawthorne-Cooksey Terhadap Penurunan Resiko Jatuh Pada Lansia di Panti Sosial Tresna Werdha Budi Mulia 3 Margaguna Jakarta Selatan*. UIN Syarif Hidayatullah Jakarta: Fakultas Kedokteran dan Ilmu Kesehatan, 2017.

Feshki, F., Banaeifar, A., & Kasbparast, M. (2020). The effects of a 6-week selected balance and Cawthorne–Cooksey exercises on static balance and mobility in female patients with multiple sclerosis. *Physical Treatments-Specific Physical Therapy Journal*, 10(3), 169-176.

Friedman, M. M., & Bowden, V. R. (2010). *Buku ajar keperawatan keluarga*.

Furman, J., Cass, S., & Whitney, S. (2010). *Vestibular disorders: A case study approach to diagnosis and treatment*: Oxford University Press.

Ganz, D. A., & Latham, N. K. (2020). Prevention of falls in community-dwelling older adults. *New England journal of medicine*, 382(8), 734-743.

Kemenkes, R. (2016). Peraturan Menteri Kesehatan Republik Indonesia nomor 25 Tahun 2016 Tentang Rencana Aksi Nasional Kesehatan Lanjut Usia Tahun 2016-2019. *PMK_No. _25_ttg_RencanaAksi_Nasional_Kesehatan_Lanjut_Usia_Tahun_2016-2019.pdf*.

Kiik, S. M., Sahar, J., & Permatasari, H. (2018). Peningkatan kualitas hidup lanjut usia (lansia) di kota depok dengan latihan keseimbangan. *Jurnal Keperawatan Indonesia*, 21(2), 109-116.

- Klein, G. A. (2017). *Sources of power: How people make decisions*: MIT press.
- Marucci, A. R., De Caro, W., Petrucci, C., Lancia, L., & Sansoni, J. (2015). ICNP-International Classification of Nursing Practice: origin, structure and development. *Professioni infermieristiche*, 68(2), 131-140.
- Mendoza, J., & Foundas, A. (2007). *Clinical neuroanatomy: a neurobehavioral approach*: Springer Science & Business Media.
- Miller, T. A., & DiMatteo, M. R. (2013). Importance of family/social support and impact on adherence to diabetic therapy. *Diabetes, metabolic syndrome and obesity: targets and therapy*, 6, 421.
- Moncada, L. V. V., & Mire, L. G. (2017). Preventing falls in older persons. *American family physician*, 96(4), 240-247.
- Müller-Staub, M. (2009). Evaluation of the implementation of nursing diagnoses, interventions, and outcomes. *International journal of nursing terminologies and classifications*, 20(1), 9-15.
- Oinas-Kukkonen, H. (2013). A foundation for the study of behavior change support systems. *Personal and ubiquitous computing*, 17(6), 1223-1235.
- Pengpid, S., & Peltzer, K. (2018). Prevalence and risk factors associated with injurious falls among community-dwelling older adults in Indonesia. *Current gerontology and geriatrics research*, 2018.
- Perry, A. G., Potter, P. A., & Ostendorf, W. (2019). *Nursing Interventions & Clinical Skills E-Book*: Elsevier Health Sciences.
- Potter, P., Boxerman, S., Wolf, L., Marshall, J., Grayson, D., Sledge, J., & Evanoff, B. (2004). Mapping the nursing process: a new approach for understanding the work of nursing. *JONA: The Journal of Nursing Administration*, 34(2), 101-109.
- PPNI, T. P. S. (2019). Standar Luaran Keperawatan Indonesia (SLKI): DPP PPNI.
- PPNI, T. P. S. D. (2017). Standar diagnosis keperawatan indonesia.
- PPNI, T. P. S. D. (2018). Standar intervensi keperawatan indonesia.
- Ribeiro, A. d. S. B., & Pereira, J. S. (2005). Balance improvement and reduction of likelihood of falls in older women after Cawthorne and Cooksey exercises. *Brazilian journal of otorhinolaryngology*, 71(1), 38-46.
- Saftari, L. N., & Kwon, O.-S. (2018). Ageing vision and falls: a review. *Journal of physiological anthropology*, 37(1), 1-14.

- Sharif, S. I., Al-Harbi, A. B., Al-Shihabi, A. M., Al-Daour, D. S., & Sharif, R. S. (2018). Falls in the elderly: assessment of prevalence and risk factors. *Pharmacy Practice (Granada)*, 16(3).
- Shum, G. L., Crosbie, J., & Lee, R. Y. (2007). Movement coordination of the lumbar spine and hip during a picking up activity in low back pain subjects. *European spine journal*, 16(6), 749-758.
- Sitanggang, Y. F., Frisca, S., Sihombing, R. M., Koerniawan, D., Tahulending, P. S., Febrina, C., . . . Paula, V. (2021). *Keperawatan Gerontik: Yayasan Kita Menulis*.
- Soto-Varela, A., Faraldo-García, A., Rossi-Izquierdo, M., Lirola-Delgado, A., Vaamonde-Sánchez-Andrade, I., del-Río-Valeiras, M., . . . Santos-Pérez, S. (2015). Can we predict the risk of falls in elderly patients with instability? *Auris Nasus Larynx*, 42(1), 8-14.
- Sudiartawan, I. W., Yanti, N. L. P. E., & Wijaya, A. N. T. W. (2020). Analisis Faktor Risiko Penyebab Jatuh pada Lanjut Usia. *Jurnal Ners Widya Husada*, 4(3), 95-102.
- Sumarsih, G., Yeni, F., Mansur, A. R., & Irdhani, S. A. (2020). Pelatihan Keseimbangan dengan Penerapan Yoga pada Lansia dengan Risiko Jatuh di Panti Sosial Tresna Werdha Sabai Nan Aluih Sicincin. *Jurnal Warta Pengabdian Andalas*, 27(3), 203-212.
- Taçalan, E., İnal, H. S., Şentürk, M. N., Mengi, E., & Alemdaroğlu-Gürbüz, İ. (2021). Effectiveness of the Epley maneuver versus Cawthorne-Cooksey vestibular exercises in the treatment of posterior semicircular canal benign paroxysmal positional vertigo (BPPV): A randomized controlled trial. *Journal of Bodywork and Movement Therapies*, 28, 397-405.
- Wagner, A. R., Akinsola, O., Chaudhari, A. M., Bigelow, K. E., & Merfeld, D. M. (2021). Measuring vestibular contributions to age-related balance impairment: a review. *Frontiers in neurology*, 12, 635305.
- Wiśniowska-Szurlej, A., Ćwirlej-Sozańska, A., Wołoszyn, N., Sozański, B., & Wilmowska-Pietruszyńska, A. (2019). Association between handgrip strength, mobility, leg strength, flexibility, and postural balance in older adults under long-term care facilities. *BioMed Research International*, 2019.

