

DAFTAR PUSTAKA

1. Wang C, Horby PW, Hayden FG, Gao GF. A novel coronavirus outbreak of global health concern. *Elsevier Public Heal Emerg Collect.* 2020;395(10223):470–3.
2. Susilo A, Rumende CM, Pitoyo CW, Santoso WD, Yulianti M, Herikurniawan H, et al. Coronavirus Disease 2019: Tinjauan Literatur Terkini. *J Penyakit Dalam Indones.* 2020;7(1):45.
3. WHO (2022). COVID-19 weekly epidemiological update. <https://www.who.int/publications/m/item/weekly-epidemiological-update-on-covid-19---22-march-2022> - Diakses 6 April 2022.
4. Satuan Tugas Penanganan Covid-19 dan Badan Nasional Penanggulangan Bencana. Update Penanganan Covid-19. 2022.
5. Data Pantauan Covid-19 Provinsi Sumatera Barat (2022). <https://corona.sumbarprov.go.id/> - Diakses 5 April 2022.
6. Hossain MM, Tasnim S, Sultana A, Faizah F, Mazumder H, Zou L, et al. Epidemiology of mental health problems in COVID-19: A review. *F1000Research.* 2020;9(636):1–16.
7. Mazza MG, Lorenzo R De, Conte C, Poletti S, Vai B, Bollettini I, et al. Anxiety and depression in COVID-19 survivors: Role of inflammatory and clinical predictors. *Brain Behav Immun.* 2020;89:594–600.
8. Bo HX, Li W, Yang Y, Wang Y, Zhang Q, Cheung T, et al. Posttraumatic stress symptoms and attitude toward crisis mental health services among clinically stable patients with COVID-19 in China. *Psychol Med.* 2021;51(6):1–2.
9. Xiang YT, Yang Y, Li W, Zhang L, Zhang Q, Cheung T, et al. Timely mental health care for the 2019 novel coronavirus outbreak is urgently needed. *The Lancet Psychiatry.* 2020;7(3):228–9.
10. Yuan Y, Liu ZH, Zhao YJ, Zhang Q, Zhang L, Cheung T, et al. Prevalence of post-traumatic stress symptoms and its associations with quality of life, demographic and clinical characteristics in COVID-19 survivors during the post-COVID-19 era. *Front Psychiatry.* 2021;12:1–8.
11. Sekowski M, Gambin M, Hansen K, Holas P, Hyniewska S, Wyszomirska J, et al. Risk of developing post-traumatic stress disorder in severe COVID-19 survivors, their families and frontline healthcare workers: What should mental health specialists prepare for. *Front Psychiatry.* 2021;12:1–5.
12. Xiao S, Luo D, Xiao Y. Survivors of COVID-19 are at high risk of posttraumatic stress disorder. *Glob Heal Res Policy.* 2020;5:1–3.
13. Vindegaard N, Benros ME. COVID-19 pandemic and mental health

consequences: Systematic review of the current evidence. *Brain Behav Immun.* 2020;89:531–42.

14. Ju Y, Liu J, Ng RMK, Liu B, Wang M, Chen W, et al. Prevalence and predictors of post-traumatic stress disorder in patients with cured coronavirus disease 2019 (COVID-19) one month post-discharge. *Eur J Psychotraumatol.* 2021;12(1):1–9.
15. Arieh S, Israel L, Charles M. Post-traumatic stress disorder. *N Engl J Med.* 2017;376(25):2459–69.
16. Jakel RJ. Posttraumatic stress disorder in the elderly. *Clin Geriatr Med.* 2020;36(2):353–63.
17. Compean E, Hamner M. Posttraumatic stress disorder with secondary psychotic features (PTSD-SP): Diagnostic and treatment challenges. *Prog Neuropsychopharmacol Biol Psychiatry.* 2019;88:1–26.
18. Farooqui M, Quadri SA, Suriya SS, Khan MA, Ovais M, Sohail Z, et al. Posttraumatic stress disorder: A serious post-earthquake complication. *Trends Psychiatry Psychother.* 2017;39(2):135–43.
19. Chi X, Huang L, Hall DL, Li R, Liang K, Hossain MM, et al. Posttraumatic stress symptoms among chinese college students during the COVID-19 pandemic: A longitudinal study. *Front Public Heal.* 2021;9:1–9.
20. Jellestad L, Vital NA, Malamud J, Taeymans J, Mueller-Pfeiffer C. Functional impairment in posttraumatic stress disorder: A systematic review and meta-analysis. *J Psychiatr Res.* 2021;136:14–22.
21. Cusack SE, Hicks TA, Bourdon J, Sheerin CM, Overstreet CM, Kendler KS, et al. Prevalence and predictors of PTSD among a college sample. *J Am Coll Heal.* 2019;67(2):123–31.
22. Chi X, Becker B, Yu Q, Willeit P, Jiao C, Huang L, et al. Prevalence and psychosocial correlates of mental health outcomes among chinese college students during the coronavirus disease (COVID-19) pandemic. *Front Psychiatry.* 2020;11:803.
23. Sultana MS, Khan AH, Hossain S, Hasan MT. Mental health difficulties in students with suspected COVID-19 symptoms and students without suspected COVID-19 symptoms: A cross-sectional comparative study during the COVID-19 pandemic. *Child Youth Serv Rev.* 2021;128:1–9.
24. Li Y, Wang Y, Jiang J, Valdimarsdóttir UA, Fall K, Fang F, et al. Psychological distress among health professional students during the COVID-19 outbreak. *Psychol Med.* 2021;51(11):1–3.
25. Kannan S, Shaik Syed Ali P, Sheeza A, Hemalatha K. COVID-19 (Novel Coronavirus 2019) - recent trends. *Eur Rev Med Pharmacol Sci.* 2020;24(4):2006–11.

26. Wiersinga WJ, Rhodes A, Cheng AC, Peacock SJ, Prescott HC. Pathophysiology, transmission, diagnosis, and treatment of coronavirus disease 2019 (COVID-19): a review. *J Am Med Assoc.* 2020;324(8):782–93.
27. Dinakaran D, Manjunatha N, Naveen Kumar C, Suresh BM. Neuropsychiatric aspects of COVID-19 pandemic: A selective review. *Asian J Psychiatr.* 2020;53:1–4.
28. Khan M, Adil SF, Alkathlan HZ, Tahir MN, Saif S, Khan M, et al. COVID-19: A global challenge with old history, epidemiology and progress so far. *Molecules.* 2020;26(1):1–25.
29. Kementerian Kesehatan Republik Indonesia. Pedoman pencegahan dan pengendalian COVID-19. Jakarta; 2020.
30. Satuan Tugas Penanganan Covid-19. Analisis Data Covid-19 Indonesia. 2022.
31. Peng M. Outbreak of COVID-19: An emerging global pandemic threat. *Biomed Pharmacother.* 2020;129:1–14.
32. Gallo Marin B, Aghagoli G, Lavine K, Yang L, Siff EJ, Chiang SS, et al. Predictors of COVID-19 severity: A literature review. *Rev Med Virol.* 2021;31(1):1–10.
33. Fernandez-de-las-Peñas C, Palacios-Cena D, Gomez-Mayordomo V, Florencio LL, Cuadrado ML, Plaza-Manzano G, et al. Prevalence of post-COVID-19 symptoms in hospitalized and non-hospitalized COVID-19 survivors: A systematic review and meta-analysis. *Eur J Intern Med.* 2021;92:55–70.
34. Dani M, Dirksen A, Taraborrelli P, Torocastro M, Panagopoulos D, Sutton R, et al. Autonomic dysfunction in ‘long COVID’: Rationale, physiology and management strategies. *Clin Med J R Coll Physicians London.* 2021;21(1):63–71.
35. Lopez-Leon S, Wegman-Ostrosky T, Perelman C, Sepulveda R, Rebolledo PA, Cuapio A, et al. More than 50 long-term effects of COVID-19: A systematic review and meta-analysis. *Sci Rep.* 2021;11(1):16144.
36. Ma K, Wang X, Feng S, Xia X, Zhang H, Rahaman A. From the perspective of traditional chinese medicine: Treatment of mental disorders in COVID-19 survivors. *Biomed Pharmacother J.* 2020;132:1–7.
37. Huang C, Huang L, Wang Y, Li X, Ren L, Gu X, et al. 6-month consequences of COVID-19 in patients discharged from hospital: A cohort study. *Lancet.* 2021;397(10270):220–32.
38. Wulan N, Keliat BA. Kesehatan mental pada penyintas Covid-19: A literature review. *J Ilmu Kesehat Bhakti Husada Heal Sci J.* 2021;12(2):215–

- 25.
39. Park HY, Jung J, Park HY, Lee SH, Kim ES, Kim H Bin, et al. Psychological consequences of survivors of COVID-19 pneumonia 1 month after discharge. *J Korean Med Sci.* 2020;35(47):1–5.
40. Sadock BJ, Sadock VA, Ruiz P. Kaplan & Sadock's Synopsis Of Psychiatry. 11th ed. Pataki CS, Sussman N, editors. Wolters Kluwer; 2015. 437–446 p.
41. Torres F (2020) . What is posttraumatic stress disorder. American Psychiatric Association. <https://www.psychiatry.org/patients-families/ptsd/what-is-ptsd> - Diakses 2 Februari 2022.
42. Spottswood M, Davydow DS, Huang H. The prevalence of posttraumatic stress disorder in primary care: A systematic review. *Harv Rev Psychiatry.* 2017;25(4):1–23.
43. National Institute of Mental Health (2019). Post-Traumatic Stress Disorder. <https://www.nimh.nih.gov/health/topics/post-traumatic-stress-disorder-ptsd> - Diakses 2 Februari 2022.
44. Dadang Hawari. Manajemen Stres Cemas dan Depresi. 2nd ed. Jakarta: Badan Penerbit FKUI; 2016. 44–52 p.
45. Elvira SD, Hadisukanto G, editors. Buku Ajar Psikiatri. 3rd ed. Jakarta: Badan Penerbit FKUI; 2018. 310 p.
46. Tarsitani L, Vassalini P, Koukopoulos A, Borrazzo C, Alessi F, Di Nicolantonio C, et al. Post-traumatic stress disorder among COVID-19 survivors at 3-month follow-up after hospital discharge. *J Gen Intern Med.* 2021;36(6):1702–7.
47. Sherin JE, Nemeroff CB. Post-traumatic stress disorder: The neurobiological impact of psychological trauma. *Dialogues Clin Neurosci.* 2011;13(3):263–78.
48. Nisar S, Bhat AA, Hashem S, Syed N, Yadav SK, Uddin S, et al. Genetic and neuroimaging approaches to understanding post-traumatic stress disorder. *Int J Mol Sci.* 2020;21(12):1–21.
49. Weinberg M, Gil S, Gilbar O. Forgiveness, coping, and terrorism: Do tendency to forgive and coping strategies associate with the level of posttraumatic symptoms of injured victims of terror attacks? *J Clin Psychol.* 2014;70(7):2–11.
50. Jiang Y, Hu B, Tu B, Zhuang Q. Late-onset PTSD and coping strategies for frontline nurses during the COVID-19 epidemic in China. *Nurs Open.* 2021;8(6):3055–64.
51. Wu G, Feder A, Cohen H, Kim JJ, Calderon S, Charney DS, et al. Understanding resilience. *Front Behav Neurosci.* 2013;7:1–15.

52. Thompson NJ, Fiorillo D, Rothbaum BO, Ressler KJ, Michopoulos V. Coping strategies as mediators in relation to resilience and posttraumatic stress disorder. *J Affect Disord.* 2018;225:2–17.
53. Weiss NH, Risi MM, Sullivan TP, Armeli S, Tennen H. Post-traumatic stress disorder symptom severity attenuates bi-directional associations between negative affect and avoidant coping: A daily diary study. *J Affect Disord.* 2019;259:1–26.
54. Cofini V, Carbonelli A, Cecilia MR, Binkin N, di Orio F. Post traumatic stress disorder and coping in a sample of adult survivors of the Italian earthquake. *Psychiatry Res.* 2015;229(1–2):353–8.
55. Thelertitis C, Psarros C, Mantonakis L, Roukas D, Papaioannou A, Paparrigopoulos T, et al. Coping and its relation to PTSD in greek firefighters. *J Nerv Ment Dis.* 2020;208(3):252–9.
56. Littleton H, Grills A. Changes in coping and negative cognitions as mechanisms of change in online treatment for rape-related posttraumatic stress disorder. *Physiol Behav.* 2019;32(6):1–14.
57. Miao XR, Chen QB, Wei K, Tao KM, Lu ZJ. Posttraumatic stress disorder: From diagnosis to prevention. *Mil Med Res.* 2018;5(1):1–7.
58. Depkes RI. 2000. Pedoman Penggolongan dan Diagnosis Gangguan Jiwa III (PPDGJ-III). Direktorat Kesehatan Jiwa Depkes RI.
59. Jorge RE. Posttraumatic stress disorder. *Contin Lifelong Learn Neurol.* 2015;21(3):789–805.
60. Blevins CA, Weathers FW, Davis MT, Witte TK, Domino JL. The posttraumatic stress disorder checklist for DSM-5 (PCL-5): Development and initial psychometric evaluation. *J Trauma Stress.* 2015;28:489–98.
61. Morrison K, Su S, Keck M, Beidel DC. Psychometric properties of the PCL-5 in a sample of first responders. *J Anxiety Disord.* 2021;77:1–9.
62. Sveen J, Bondjers K, Willebrand M. Psychometric properties of the PTSD checklist for DSM-5: A pilot study. *Eur J Psychotraumatol.* 2016;7:1–7.
63. Simani L, Ramezani M, Darazam IA, Sagharichi M, Aalipour MA, Ghorbani F, et al. Prevalence and correlates of chronic fatigue syndrome and post-traumatic stress disorder after the outbreak of the COVID-19. *J Neurovirol.* 2021;27:154–9.
64. Chang MC, Park D. Incidence of post-traumatic stress disorder after coronavirus disease. *Healthc.* 2020;8(4):1–7.
65. Tu Y, Zhang Y, Li Y, Zhao Q, Bi Y, Lu X, et al. Post-traumatic stress symptoms in COVID-19 survivors: a self-report and brain imaging follow-up study. *Mol Psychiatry.* 2021;26(12):7475–80.

66. Weathers, F.W., Litz, B.T., Keane, T.M., Palmieri, P.A., Marx, B.P., & Schnurr PP (2013). The PTSD Checklist for DSM-5 (PCL-5). <https://www.ptsd.va.gov/professional/assessment/adult-sr/ptsd-checklist.asp> - Diakses 25 April 2022.
67. Peranin-angin S. Penanganan Kekerasan Dalam Berpacaran Dengan Menggunakan Metode Terapi Kognitif Perilaku dan Participatory Action Research. 2019;
68. Rudd B, Last B, Gregor C, Jackson K, Berkowitz S, Zinny A, et al. Benchmarking treatment effectiveness of community delivered trauma-focused cognitive behavioral therapy. 2020;64(3-4):1-20.
69. Suprataba, Saleh A, Tahir T. Penatalaksanaan psikologis pada penderita post traumatic stress disorder. *J Ilmu Keperawatan Jiwa*. 2021;4(1):9-20.
70. Megnin-Viggars O, Mavranezouli I, Greenberg N, Hajioff S, Leach J. Post-traumatic stress disorder: What does NICE guidance mean for primary care. *Br J Gen Pract*. 2019;69(684):328-9.
71. Watkins LE, Sprang KR, Rothbaum BO. Treating PTSD: A review of evidence-based psychotherapy interventions. *Front Behav Neurosci*. 2018;12:1-9.
72. Peterson AL, Foa EB, Riggs DS (2019). Prolonged exposure therapy. <https://psycnet.apa.org/record/2019-09244-003> - Diakses 15 Desember 2021.
73. Zepeda Méndez M, Nijdam MJ, ter Heide FJJ, van der Aa N, Olf M. A five-day inpatient EMDR treatment programme for PTSD: pilot study. *Eur J Psychotraumatol*. 2018;9(1):1-10.
74. Forbes D, Nickerson A, Bryant RA, Creamer M, Silove D, McFarlane AC, et al. The impact of post-traumatic stress disorder symptomatology on quality of life: The sentinel experience of anger, hypervigilance and restricted affect. *Aust N Z J Psychiatry*. 2019;53(4):1-14.
75. Janiri D, Carfi A, Kotzalidis GD, Bernabei R, Landi F, Sani G. Posttraumatic stress disorder in patients after severe COVID-19 infection. *JAMA Psychiatry*. 2021;78(5):567-9.
76. Sulistyono KT. Art therapy untuk korban sexual abuse yang mengalami posttraumatic stress disorder (PTSD). 2018.
77. Junaedi M, Wirasto R, Sumarni. Uji validitas dan reliabilitas instrumen posttraumatic stress disorder checklist for DSM-V (PCL-5) versi Indonesia. 2021;
78. Gunlu A, Koç H, Asici E, Oral T. Positivity and post-traumatic stress disorder (PTSD) in COVID-19 survivors: mediating role of rumination and fear of COVID-19. *Psychiatr Danub*. 2022;34(3):578-86.

79. Rohmawati DL. Gambaran stigma penyintas Covid-19 dan faktor sosiodemografi. *J Penelit Perawat Prof.* 2022;4(2):537–48.
80. Conia PDD, Nurmala MD. Gambaran tingkat kecemasan pada mahasiswa penyintas Covid-19 saat menghadapi kembali proses pembelajaran. *J Penelit Bimbing dan Konseling.* 2022;7(1):12–20.
81. Nia Ayuni Putri, Andani Eka Putra, Rinang Mariko. Hubungan usia, jenis kelamin dan gejala dengan kejadian COVID- 19 di Sumatera Barat. *Maj Kedokt Andalas.* 2021;44(2):104–11.
82. Pradhan A, Olsson PE. Sex differences in severity and mortality from COVID-19: are males more vulnerable? *Biol Sex Differ.* 2020;11(53):1–11.
83. Ortona E, Pierdominici M, Rider V. Editorial: Sex hormones and gender differences in immune responses. *Front Immunol.* 2019;10(1076):1–2.
84. Alwani M, Yassin A, Al-Zoubi RM, Aboumarzouk OM, Nettleship J, Kelly D, et al. Sex-based differences in severity and mortality in COVID-19. *Rev Med Virol.* 2021;31(6):1–11.
85. Voinsky I, Baristaite G, Gurwitz D. Effects of age and sex on recovery from COVID-19: Analysis of 5769 Israeli patients. *J Infect.* 2020;81(2):102–3.
86. Dehingia N, Raj A. Sex differences in COVID-19 case fatality: do we know enough? *Global. Lancet.* 2021;9(1):14–5.
87. Pakau EV, Huwae A. Hubungan antara social support dengan resiliensi pada mahasiswa rantau penyintas COVID-19. *J Ilmu Kesehat Masy.* 2022;11(06):502–10.
88. Simanjuntak DR, Mamangkey J, Tungkup NWSL, Anggi, Mahaswari I, Amalia T, et al. Gambaran kejadian ikutan pasca imunisasi COVID-19 pada mahasiswa Fakultas Kedokteran UKI penyintas Covid-19 dan non penyintas COVID-19. *J Pendidik Biol.* 2022;9(1):347–64.
89. Supandi TP, Kandou GD, Langi FLFG, Kesehatan F, Universitas M, Ratulangi S. Karakteristik penderita Coronavirus Disease 2019 di Kota Kotamobagu. *J kesmas.* 2021;10(8):41–9.
90. Zulisda Z. Karakteristik kasus covid-19 klaster reaktif di lokasi non fasilitas kesehatan (Wisma Asrama Haji). *Wellness Heal Mag.* 2020;2(2):349–59.
91. Ma X, Li A, Jiao M, Shi Q, An X, Feng Y, et al. Characteristic of 523 COVID-19 in Henan Province and a death prediction model. *Front Public Heal.* 2020;8:1–13.
92. Guines A. Gambaran karakteristik klinis penderita Covid-19 di satu rumah sakit rujukan Covid-19 di Tangerang: Studi dokumentasi. *J Bionursing.* 2022;4(2):92–103.
93. Yanti B, Syahputra TA, Rahma FA, Katuri RA, Safitri RM.

- Keanekaragaman manifestasi klinis pada Coronavirus Disease 2019 (COVID-19). *J Heal Sci (Jurnal Ilmu Kesehatan)*. 2020;5(2):47–54.
94. Arief ilham, sumarny ros, sumiyati yati kusuma indra. Hubungan karakteristik klinis dan profil pengobatan dengan parameter hematologi dan lama rawat pasien COVID-19 di rumah sakit yarsi jakarta. *J Ilm Indones*. 2021;6(11):5693–706.
 95. Chen Y, Klein SL, Garibaldi BT, Li H, Wu C, Osevala NM, et al. Aging in COVID-19: Vulnerability, immunity and intervention. *Ageing Res Rev J*. 2021;65:1–11.
 96. Bajaj V, Gadi N, Spihlman AP, Wu SC, Choi CH, Moulton VR. Aging, immunity, and COVID-19: How age influences the host immune response to coronavirus infections? *Front Physiol*. 2021;11:1–23.
 97. Hazumi M, Usuda K, Okazaki E, Kataoka M, Nishi D. Differences in the course of depression and anxiety after COVID-19 infection between recovered patients with and without a psychiatric history: A cross-sectional study. *Int J Env Res Public Heal*. 2022;19(18):1–11.
 98. Wu K, Lee D, Sze AM, Ng VN, Cho VW, Cheng JP, et al. Posttraumatic stress, anxiety, and depression in COVID-19 survivors. *East Asian Arch Psychiatry*. 2022;32:5–10.
 99. Dixit S, Musa A, Sillva AB, Reddy RS, Abohashrh M, Kakaraparathi VN, et al. The impact of post-traumatic stress of SARS-CoV-2 affliction on psychological and mental health of student survivors: Cross sectional study. *Front Public Heal*. 2022;1–8.
 100. Li X, Fu P, Fan C, Zhu M, Li M. COVID-19 stress and mental health of students in locked-down colleges. *Int J Environ Res Public Health*. 2021;18(2):1–12.
 101. Nagarajan R, Krishnamoorthy Y, Basavarachar V. Prevalence of post-traumatic stress disorder among survivors of severe COVID-19 infections: A systematic review and meta-analysis. *J Affect Disord*. 2022;15:52–9.
 102. Bellan M, Soddu D, Balbo PE, Baricich A, Zeppegno P, Avanzi GC, et al. Respiratory and psychophysical sequelae among patients with Covid-19 four months after hospital discharge. *JAMA Netw Open*. 2021;4(1):1–12.
 103. Song X, Fu W, Liu X, Luo Z, Wang R, Zhou N. Mental health status of medical staff in emergency departments during the Coronavirus disease 2019 epidemic in China. *Brain Behav Immun*. 2020;88:60–5.
 104. Azoulay E, Resche-Rigon M, Megarbane B, Reuter D, Labbé V, Cariou A, et al. Association of COVID-19 acute respiratory distress syndrome with symptoms of posttraumatic stress disorder in family members after ICU discharge. *JAMA*. 2022;327(11):1042–50.

105. Cai X, Hu X, Ekumi IO, Wang J, An Y, Li Z, et al. Psychological distress and its correlates among COVID-19 survivors during early convalescence across age groups. *Am J Geriatr Psychiatry*. 2020;28(10):1030–9.
106. Fonkoue IT, Michopoulos V, Park J. Sex differences in post-traumatic stress disorder risk: autonomic control and inflammation. *Clin Auton Res*. 2020;30(5):1–22.
107. Perrin M, Vandeleur CL, Castela E, Rothen S, Glaus J, Vollenweider P, et al. Determinants of the development of post-traumatic stress disorder, in the general population. *Soc Psychiatry Psychiatr Epidemiol*. 2014;49(3):447–57.
108. Liang L, Ren H, Cao R, Hu Y, Qin Z, Li C, et al. The effect of COVID-19 on youth mental health. *Psychiatr Q*. 2020;91(3):841–52.
109. Liang L, Gao T, Ren H, Cao R, Qin Z, Hu Y, et al. Post-traumatic stress disorder and psychological distress in Chinese youths following the COVID-19 emergency. *J Health Psychol*. 2020;25(9):1164–75.
110. Bell TM, Vektor AN, Zarzaur BL. Prevalence and treatment of depression and posttraumatic stress disorder among trauma patients with non-neurological injuries. *J Trauma Acute Care Surg*. 2018;85(5):1–15.
111. Lorenzo R De, Conte C, Lanzani C, Benedetti F, Roveri L, Mazza MG, et al. Residual clinical damage after COVID-19: A retrospective and prospective observational cohort study. *PLoS One*. 2020;15(10):1–16.
112. Putri C, Arisa J, Hananto JE, Hariyanto TI, Kurniawan A. Psychiatric sequelae in COVID-19 survivors: A narrative review. *World J Psychiatry*. 2021;11(10):821–9.
113. Peng P, Hao Y, Liu Y, Chen S, Wang Y, Yang Q, et al. The prevalence and risk factors of mental problems in medical students during COVID-19 pandemic: A systematic review and meta-analysis. *J Affect Disord*. 2023;321:167–81.
114. Yunitri N, Chu H, Linda X, Jen H ju, Pien L chung. Global prevalence and associated risk factors of posttraumatic stress disorder during COVID-19 pandemic: a meta-analysis. *Int J Nurs Stud*. 2022;126:1–19.
115. Liu D, Baumeister RF, Veilleux JC, Chen C, Liu W. Risk factors associated with mental illness in hospital discharged patients infected with COVID-19 in Wuhan, China. *Psychiatry Res J*. 2020;292:1–8.
116. Jafri MR, Zaheer A, Fatima S, Saleem T, Sohail A. Mental health status of COVID-19 survivors: a cross sectional study. *Virol J*. 2022;19(1):1–5.
117. Zhang J, Lu H, Zeng H, Zhang S, Du Q, Jiang T, et al. The differential psychological distress of populations affected by the COVID-19 pandemic. *Brain Behav Immun*. 2020;87:49–50.

118. Chamberlain SR, Grant JE, Trender W, Hellyer P, Hampshire A. Post-traumatic stress disorder symptoms in COVID-19 survivors: online population survey. *BJPsych Open*. 2021;7(2):1–4.
119. Alshehri FS, Alatawi Y, Alghamdi BS, Alhifany AA, Alharbi A. Prevalence of post-traumatic stress disorder during the COVID-19 pandemic in Saudi Arabia. *Saudi Pharm J*. 2020;28(12):1666–73.
120. Asnakew S, Shumet S, Ginbare W, Legas G, Haile K. Prevalence of post-traumatic stress disorder and associated factors among Koshe landslide survivors, Addis Ababa, Ethiopia: A community-based, cross-sectional study. *BMJ Open*. 2019;9(6):1–8.
121. Pandi-Perumal SR, Zaki NFW, Qasim M, Morsy NE, Manzar MD, BaHammam AS, et al. Neuropsychiatric consequences of COVID-19 pandemic: A synthetic review from a global perspective. *Alpha Psychiatry*. 2022;23(4):144–54.
122. Wang PR, Oyem PC, Viguera AC. Prevalence of psychiatric morbidity following discharge after COVID-19 hospitalization. *Gen Hosp Psychiatry J*. 2021;69:131–2.
123. Xiong LJ, Zhong BL, Cao XJ, Xiong HG, Huang M, Ding J, et al. Possible posttraumatic stress disorder in Chinese frontline healthcare workers who survived COVID-19 6 months after the COVID-19 outbreak: prevalence, correlates, and symptoms. *Transl Psychiatry*. 2021;11(1):1–6.
124. Speth MM, Singer-Cornelius T, Oberle M, Gengler I, Brockmeier SJ, Sedaghat AR. Mood, anxiety and olfactory dysfunction in COVID-19: Evidence of central nervous system involvement. Vol. 130, *Laryngoscope*. 2020. p. 2520–5.
125. Liu CH, Zhang E, Tin G, Ba W, Hyun S. Factors associated with depression, anxiety, and PTSD symptomatology during the COVID-19 pandemic: Clinical implications for U.S. young adult mental health. *Psychiatry Res*. 2020;290:1–7.
126. Clark KD, Lunn MR, Sherman ADF, Bosley HG, Lubensky ME, Obedin-Maliver J, et al. COVID-19 news and its association with the mental health of sexual and gender minority adults: Cross-sectional study. *JMIR Public Heal Surveill*. 2022;8(5):34710.
127. Tang W, Hu T, Hu B, Jin C, Wang G, Xie C, et al. Prevalence and correlates of PTSD and depressive symptoms one month after the outbreak of the COVID-19 epidemic in a sample of home-quarantined Chinese university students. *J Affect Disord*. 2020;274:1–7.
128. Semo BW, Frissa SM. The mental health impact of COVID-19. *Psychol Res Behav Manag*. 2020;13:713–20.
129. Horesh D, Brown AD. Traumatic stress in the age of Covid-19: A call to

close critical gaps and adapt to new realities. *Psychol Trauma Theory, Res Pract Policy*. 2020;12(4):331–5.

130. Lahav Y. Psychological distress related to COVID-19 – The contribution of continuous traumatic stress. *J Affect Disord J*. 2020;277:129–37.
131. Wang X, Zhang N, Pu C, Li Y, Chen H, Li M. Anxiety, Depression, and PTSD among college students in the post-COVID-19 era: A cross-sectional study. *Brain Sci*. 2022;12(11):1–12.

