

DAFTAR PUSTAKA

1. Burket LW, Greenberg MS, Glick M. *Burkett's Textbook of Oral Medicine*. 10th ed. Philadelphia, PA: Lippincott.
2. K. Hanoch Kumar¹, P. Elavarasi. Definition of pain and classification of pain disorders. *Journal of Advanced Clinical & Research Insights* (2016), 3, 87–90
3. Sriwatanakul K, Kelvie W, Lasagna L. (1999). The quantification of pain: an analysis of words used to describe pain and analgesia in clinical trials. *Clin Pharmacol Ther* 32: 143-148.
4. American Society of Anesthesiologists. Task Force on Acute Pain Management (2012) Practice guidelines for acute pain management the perioperative setting: an updated report by the American Society of Anesthesiologists Task Force on Acute Pain Management. *Anesthesiology*. 116: 248-273
5. Schug SA, Lavand'homme P, Barke A, Korwisi B, Rief W, Treede R-D dkk. IASP Taskforce for the Classification of Chronic Pain. The IASP classification of chronic pain for ICD-11. *Pain* 2019; 160: 45–52.
6. McMahon SB, Koltzenburg M, Tracey I, Turk DC. *Wall and Melzack's Textbook of Pain* (6th edn). Elsevier: Philadelphia, 2013
7. Chapman CR, Donaldson GW, Davis JJ, Bradshaw DH. Improving individual measurement of postoperative pain: the pain trajectory. *J Pain* 2011; 12: 257–262.
8. Brennan F, Carr DB, Cousins M. Pain management: a fundamental human right. *Anesth Analg* 2007; 105: 205–221.
9. Walker EMK, Bell M, Cook TM, Grocott MPW, Moonesinghe SR; Central SNAP-1 Organisation; National Study Groups. Patient reported outcome of adult perioperative anaesthesia in the United Kingdom: a cross-sectional observational study. *Br J Anaesth* 2016; 117: 758–766

10. National Institute of Academic Anaesthesia (NIAA). Health Services Research Centre. *Perioperative Quality Improvement Programme Annual Report 2017–18*. NIAA: London, 2018
11. National Institute of Academic Anaesthesia (NIAA). Health Services Research Centre. *Perioperative Quality Improvement Programme Annual Report 2018–19*. NIAA: London, 2019.
12. Gerbershagen HJ, Aduckathil S, van Wijck AJM, Peelen LM, Kalkman CJ, Meissner W. Pain intensity on the first day after surgery: a prospective cohort study comparing 179 surgical procedures. *Anesthesiology* 2013; 118: 934–944
13. Kehlet H, Jensen TS, Woolf J. Persistent postsurgical pain: risk factors and prevention. *Lancet* 2006; 367: 1618–1625.
14. Chapman CR, Vierck CJ. The transition of acute postoperative pain to chronic pain: an integrative overview of research on mechanisms. *J Pain* 2017; 18: 359.e1–359.e38.
15. Glare P, Aubrey KR, Myles PS. Transition from acute to chronic pain after surgery. *Lancet* 2019; 393: 1537–1546
16. Apfelbaum JL, Chen C, Mehta SS, Gan TJ: Postoperative pain experience: Results from a national survey suggest postoperative pain continues to be undermanaged. *Anesth Analg* 97:534-540, 2003
17. Kehlet H, Jensen T, Woolf C: Persistent postsurgical pain: Risk factors and prevention. *Lancet* 367:1618-1625, 2006
18. Roger Chou,* Debra B. Gordon,y Oscar A. de Leon-Casasola,z Jack M. Rosenberg,x Stephen Bickler,{ Tim Brennan,k Todd Carter. Guidelines on the Management of Postoperative Pain Management of Postoperative Pain: A Clinical Practice Guideline From the American Pain Society, the American Society of Regional Anesthesia and Pain Medicine, and the American Society of Anesthesiologists' Committee on Regional Anesthesia, Executive Committee, and

Administrative Council. *The Journal of Pain*, Vol 17, No 2 (February), 2016: pp 131-157

19. White PF. Multimodal analgesia: its role in preventing postoperative pain. *Curr Opin Invest Drugs*. 2008;9:76-82.
20. Rashidi Ahmad , Mohd Ghazali Abd Rashid , Nasir Mohamad , Kamarul Aryffin Baharuddin. A study on the effectiveness of intravenous tramadol in the management of severe traumatic pain in emergency department. *Journal of Hainan Medical University*. 2010,16(7)
21. Scott LJ, Perry CM (2000) Tramadol: A review of its use in perioperative pain. *Drugs* 60: 139-176.
22. Duggan ST, Scott LJ (2009) Intravenous Paracetamol (acetaminophen) *Drugs* 69: 101-113.
23. Kaur T, Singh R, Kumari A (2020) Comparative Study in the Management of postoperative Pain with High Dose Intravenous Paracetamol versus Tramadol. *J Reprod Med Gynecol Obstet* 5: 056.
24. Kela M, Umbarkar S, Sarkar M, Garasia M (2011) Comparative study of efficacy of IV Paracetamol vs IV tramadol for postoperative pain relief after cardiac surgery. *Bombay Hospital Journal* 53: 582-586.
25. Akcali GE, Iskender A, Demiraran Y, Kayikci A, Yalcin GS, et al. (2010) Randomized comparison of efficacy of Paracetamol, lornoxicam, and tramadol representing three different groups of analgesics for pain control in extracorporeal shockwave lithotripsy. *J Endourol* 24: 615-620
26. Shahid M, Manjula BP, Sunil BV (2015) comparative study of intravenous Paracetamol and intravenous tramadol for postoperative analgesia in laparotomies. *Anesth Essays Res* 9: 314-319.
27. Sinatra RS, Jahr JS, Reynolds LW, Viscusi ER, Groudine SB, et al. (2005) Efficacy and safety of single and repeated administration of 1 gram intravenous

acetaminophen injection (Paracetamol) for pain management after major orthopedic surgery. *Anesthesiology* 102: 822-831.

28. Singh B, Singh I, Singh A (2015) The Efficacy of Intravenous Paracetamol Versus Tramadol for Postoperative Analgesia after Elective Surgery. *Int J of Medical and Dental Sciences* 4: 547.
29. Xunbao Wang, Qiongxiang Ye, Xinguo Liu, Jinjun Chen, Zhiyong Wang, Wanfeng Xu, Pengfei Zhao and Baozhou Tao. Comparison of the clinical efficacy of sonography guided percutaneous nephrolithotomy (PCNL) under local and general anesthesia. *Journal of International Medical Research* 2019, Vol. 47(9) 4143–4150
30. Rayner, Hugh & Thomas, Mark & Milford, David. (2016). *Kidney Anatomy and Physiology*. 10.1007/978-3-319-23458-8_1.
31. Alelign T, Petros B. Kidney Stone Disease: An Update on Current Concepts. *Adv Urol*. 2018;2018:3068365. Published 2018 Feb 4. doi:10.1155/2018/3068365
32. Palak Thakore, Terrence H.Liang. *Urolithiasis : Continuing Medical Education*. 2020. NCBI Bookshelf. National Library of Medicine, NIH
33. Kohjimoto Y, Sasaki Y, Iguchi M, Matsumura N, Inagaki T, Hara I: Association of metabolic syndrome traits and severity of kidney stones: results from a nationwide survey on urolithiasis in Japan. *Am J Kidney Dis* 2013; 61: 923–9.
34. Eisner BH, Eisenberg ML, Stoller ML: Relationship between body mass index and quantitative 24-hour urine chemistries in patients with nephrolithiasis. *Urology* 2010; 75: 1289–93.
35. Julka S, Gupta SK, Srivastava A: Protocol-based metabolic evaluation in high-risk patients with renal stones in North India. *Indian J Endocrinol Metab* 2012; 16: 283–7.
36. Laube N, Berg W, Bernsmann F, Gravius S, Klein F, Latz S, et al.: Induced urinary crystal formation as an analytical strategy for the prediction and monitoring of

urolithiasis and other metabolism- related disorders. *EPMA J* 2014; 5: 13. doi: 10.1186/1878-5085-5-13. eCollection 2014.

37. Kavanagh JP, Laube N: Why does the Bonn Risk Index discriminate between calcium oxalate stone formers and healthy controls? *J Urol* 2006; 175: 766–70.
38. Sorensen MD, Chi T, Shara NM, Wang H, Hsi RS, Orchard T, et al.: Activity, energy intake, obesity, and the risk of incident kidney stones in postmenopausal women: a report from the Women’s Health Initiative. *J Am Soc Nephrol* 2014; 25: 362–9.
39. Straub M, Hautmann RE: Developments in stone prevention. *Curr Opin Urol* 2005; 15: 119–26.
40. Khan SR, Pearle MS, Robertson WG, et al. Kidney stones. *Nat Rev Dis Primers* 2016;25:16008.
41. Oddsson A, Sulem P, Helgason H, et al. Common and rare variants associated with kidney stones and biochemical traits. *Nat Commun* 2015;14:1–9
42. Hans-Goran Tiselius a*, Michel Daudon b , Kay Thomas c , Christian Seitz. Metabolic Work-up of Patients with Urolithiasis: Indications and Diagnostic Algorithm . March 21, 2017. *European Urology Focus* 3 (2017) 62 – 71
43. Trinchieri A. Diet and renal stone formation. *Minerva Med* 2013;104:41–5
44. Tiselius HG. A hypothesis of calcium stone formation: an interpretation of stone research during the past decades. *Urol Res* 2011;39:231–43.
45. Gambaro G, Croppi E, Coe F, et al. Metabolic diagnosis and medical prevention of calcium nephrolithiasis and its systemic manifestations: a consensus statement. *J Nephrol* 2016;29:715–34
46. Fisang C, Anding R, Muller SC, Latz S, Laube N. Urolithiasis—an interdisciplinary diagnostic, therapeutic and secondary preventive challenge. *Deutsches Arzteblatt international*. 2015;112(6):83–91.

47. Tiselius H-G. Solution chemistry of supersaturation. In: Coe FL, Favus MJ, Pak CYC, Parks JH, Preminger GM, editors. *Kidney stones. Medical and surgical management*. Philadelphia: Lippincott-Raven Publishers; 1996. p. 33–64.
48. Daudon M, Frochot V. Crystalluria. *Clin Chem Lab Med* 2015;53 (Suppl 2):s1479–87
49. Tiselius HG. Medical evaluation of nephrolithiasis. *Endocrinol Metab Clin North Am* 2002;31:1031–50
50. Semins MJ, Matlaga BR. Kidney stones during pregnancy. *Nat Rev Urol*. 2014 Mar;11(3):163-8
51. Brisbane W, Bailey MR, Sorensen MD. An overview of kidney stone imaging techniques. *Nat Rev Urol*. 2016 Nov;13(11):654-662
52. Bryniarski, P.; Bialka, S.; Kepinski, M.; Szelka-Urbanczyk, A.; Paradysz, A.; Misiolak, H. Erector Spinae Plane Block for perioperative Analgesia after Percutaneous Nephrolithotomy. *Int. J. Environ. Res. Public Health*. 2021, 18, 3625. <https://doi.org/10.3390/ijerph18073625>
53. Ramin Haghghi, Hossein Zeraati, Maryam Ghorban Zade. Ultra-mini-percutaneous nephrolithotomy (PCNL) versus standard PCNL: A randomised clinical trial. *Arab Journal of Urology* (2017) 15, 294–298
54. Sherwood L. *Introduction to human physiology-8th ed*. US:Brooks/Cole cengage learning;2013.
55. Guyton AC, Hall JE. *Textbook of medical physiology-11th ed*. Philadelphia:Elsevier saunders;2006
56. Brook P, Connel J, Pickering T.ed. *Oxford handbook of pain management*. New York:Oxford university press;2011
57. De Nunzio C, Aronson W, Freedland SJ, Giovannucci E, Parsons JK. The correlation between metabolic syndrome and prostatic diseases. *Eur Urol*. 2012 Mar;61(3):560-7

58. Efficacy of parecoxib on the level of IL-6, CRP, and postoperative pain relief after percutaneous nephrolithotomy Zhichao Huang, Hongyi Jiang, Hongqing Zhao, Ziting Liu, Zhitao Dong, Bin Zhu. *Int J Clin Exp Med* 2016;9(10):19454-19460
59. Garg GR. *Review of pharmacology*. New delhi : Jaypee brothers medical publishers. 9th ed; 2015
60. Ba Chan A., Hepp P. *Centralbl. Klein. Med.* 7, 1886:561.
61. Leung L.: *J. Prim. Health Care* 4, 2012;254.
62. Hinz B., Brune K.: *J. Pharmacol. Exp. Ther.* 2002:300-367.
63. Maghsoudi R, Tabatabai M, Radfar MH, Movasagi G, Etemadian M, Shati M, dkk Opioid-sparing effect of intravenous Paracetamol after percutaneous nephrolithotomy: a double-blind randomized controlled trial. *J Endourol.* 2014;28:23-7
64. Hao-Tian Wu, Tian-fu Ding, Huan Zhang. Risk factors for moderate-to-severe postoperative pain after percutaneous nephrolithotomy: A retrospective study . Preprint. *Research Square*
65. Bannakij Lojanapiwat, Tanarit Chureemas, Pruit Kittirattarakarn. The efficacy of peritubal analgesic infiltration in postoperative pain following percutaneous nephrolithotomy – A prospective randomized controlled study. *Vol. 41 (5): 945-952, September - October, 2015.* doi: 10.1590/S1677-5538.IBJU.2014.0471
66. Abdurrosid LMK, Maulana A, Hapsari Y, et al. Evaluasi Angka Bebas Batu pada Pasien Batu Ginjal yang Dilakukan ESWL Berdasarkan Letak dan Ukuran Batu di Rumah Sakit Harapan Keluarga Mataram Periode 2015-2016. *Jurnal Kedokteran Unram.* 6 (3); 11-7.
67. Wagner CA. Etiopathogenic factors of urolithiasis. *Arch Esp Urol.* 2021;74(1):16-23.

68. Dwyer ME, Krambeck AE, Bergstralh EJ, Milliner DS LJ and RA. Temporal trends in incidence of kidney stones among children: a 25-year population based study. *J Urol*. 2012;188(1):247-252.
69. Edvardsson VO, Indridason OS, Haraldsson G KO and PR. Temporal trends in the incidence of kidney stone disease. *Kidney Int*. 2013;83(1):146-152.
70. Croppi E, Ferraro PM, Taddei L, Gambaro G. Prevalence of renal stones in an Italian urban population: A general practice-based study. *Urol Res*. 2012;40(5):517-522. doi:10.1007/s00240-012-0477-z
71. Sorokin I, Mamoulakis C, Miyazawa K, Rodgers A, Talati J, Lotan Y. Epidemiology of stone disease across the world. *World J Urol*. 2017;35(9):1301-1320. doi:10.1007/s00345-017-2008-6.
72. Knoll T, Schubert AB, Fahlenkamp D, Leusmann DB, Wendt-Nordahl G, Schubert G. Urolithiasis through the ages: Data on more than 200,000 urinary stone analyses. *J Urol*. 2011;185(4):1304-1311. doi:10.1016/j.juro.2010.11.073
73. Christeven. Studi Evaluasi: Pelaksanaan Terapi Percutaneous Nephrolithotomy Di Rsup H. Adam Malik Medan Tahun 2013-2014 [Thesis]. Universitas Sumatera Utara. Medan; 2015. 10.
74. Pearle MS, Lotan Y. Urinary Lithiasis: Etiology, Epidemiology, and Pathogenesis. In: Campbell-Walsh Urology. 10th ed. Philadelphia: Elsevier Saunders; 2012. p. 1257–86
75. Pearle MS, Lotan Y. Urinary Lithiasis: Etiology, Epidemiology, and Pathogenesis. In: Campbell-Walsh Urology. 10th ed. Philadelphia: Elsevier Saunders; 2012. p. 1257–86.

76. Warli MH. Karakteristik Pasien Batu Saluran Kemih yang Dilakukan Tindakan Extracorporeal Shock Wave Lithotripsy (ESWL) di RSUP. Haji Adam Malik Medan Tahun 2012 [Thesis]. Universitas Sumatera Utara. Medan; 2013.
77. Trinchieri A. Epidemiology of urolithiasis: an update. *Clinical Cases in Mineral and Bone Metabolism*. 2008;5(2):101–106.
78. Cristopher L Wu, Srinivasa N Raja. Treatment of acute postoperative pain [internet]. *The lancet* (377).2011 [cited Desember 2018]. Available from:[https://doi.org/10.1016/s014-67036\(11\)60245-6](https://doi.org/10.1016/s014-67036(11)60245-6)
79. Krueger, M. Martindale: The Complete Drug Reference. 35th ed. London: Pharmaceutical Press;2007.
80. Ulfa NN, Jatmiko HD. Efektivitas Paracetamol Untuk Nyeri Pasca Operasi Dinilai Dari *Visual Analog Scale*. 2014;4(2)
81. Toms L, HJ, S Derry, Moore RA. Single Dose Oral Paracetamol (Acetaminophen) For Post Operative Pain In Adult (Review). *The Cochrane Library* [Internet].2012.
82. M. Hyllested. Comparative Effect of Paracetamol, NSAIDs or Their Combination In Postoperative Pain Management. *British Journal of Anaesthesia* 2002;88:199-214.
83. Ahmad R, Rashid MGA, Mohamad N et al. A studi on the effectiveness of intravenous tramadol in the management of severe traumatic pain in emergency department. *Journal of Hainan Medical University*. 2010. 16(7);838-41.
84. Handayani S, Arifin H, Manjas M. Kajian Penggunaan Analgetik pada Pasien Pasca Operasi Bedah Fraktur di Trauma Center RSUP Dr. M. Djamil Padang. *Jurnal Sains Farmasi & Klinis*. 2019;6(2).113-120.

85. Minkowitz, H, et. al, IV Tramadol – A New Treatment Option for Management of Post-Operative Pain in the US: An Open-Label, Single-Arm, Safety Trial Including Various Types of Surgery. *Journal of Pain Research* 2020;13 1155–1162
86. Price, Sylvial. *Patofisiologi*, vol. II edisi 6. Nyeri. Jakarta: Penerbit Buku Kedokteran EGC 2006.
87. Muhammad I, Alvarino, Puar N et al. Perbedaan Efektivitas Paracetamol Oral Dengan Tramadol Oral Sebagai Tatalaksana Nyeri Pasca Operasi Transurethral Resection of The Prostate. *Jurnal Kesehatan Andalas*. 2013;2(1). 38-41
88. (Smail Muhammad, Alvarino, Nasman Puar, Hafni Bachtiar. Perbedaan Efektivitas Paracetamol Oral Dengan Tramadol Oral Sebagai Tatalaksana Nyeri Pasca Operasi Transurethral Resection of The Prostate. *Jurnal Kesehatan Andalas*. 2013;2(1)
89. Gülen B, Dur A, Serinken M, Karcioğlu O, Sonmez E. Pain treatment in patients with acute pancreatitis: a randomized controlled trial. *Turk J Gastroenterol*. 2016;27(2):192-6. DOI | PubMed | GoogleScholar
90. Kaur MJ, Jain K, Bhatia N, Jain V, Mal MS. Comparison of analgesic efficacy of Paracetamol and tramadol for pain relief in active labor. *J Clin Anesth*. 2015;2:159-63. DOI | PubMed | GoogleScholar
91. Shahid M, Manjula BP, Sunil BV. A comparative study of intravenous Paracetamol and intravenous tramadol for postoperative analgesia in laparotomies. *Anesth Essays Res*. 2015;9(3):314-9. DOI | PubMed | GoogleScholar
92. Kara. C, Resorlu B, et al. Analgesic Efficacy and safety of Nonsteroid Anti Inflammatory Drugs after Transurethral Resection of Prostate. Department of

Urology, kecioren Training and Research Hospital, Ankara,Turkey. International Braz J Urol, vol. 36(1):49-54, January-February 2010.

93. Sun Yeul Lee MD, et al : The Effects of Paracetamol, Ketorolac, and Paracetamol Plus Morphine on Pain Control after Thyroidectomy. Department of Anesthesiology and Pain Medicine, Chungnam National University School of Medicine, Daejeon, Korea. Juni 2010

94. Shrestha R, Khanal A, Paudel N, et al. Intravenous Paracetamol vs tramadol for pain management in patients with acute pancreatitis. Journal of Patan Academy of Health Sciences. 2020Aug;7(2):64-69.

95. LangleyPC,PatkarAD,BoswellKA,BensonCJ, Schein JR. Adverse event profile of tramadol in recent clinical studies of chronic osteoarthritis pain. Curr Med Res Opin. 2010;26(1):239-51. DOI | PubMed | GoogleSchola

