

## DAFTAR PUSTAKA

1. Munadi R. Analisis Komponen Kimia Dan Uji Antioksidan Ekstrak Rimpang Merah (*Zingiber officinale* Rosc. Var. rubrum). Cokroaminoto J Chem Sci. 2018;2(1):1–6.
2. Maryam S, Baits M, Nadia A. Pengukuran Aktivitas Antioksidan Ekstrak Etanol Daun Kelor (*Moringa oleifera* Lam.) Menggunakan Metode FRAP (Ferric Reducing Antioxidant Power). J Fitofarmaka Indones. 2016;2(2):115–8.
3. Tritanti A, Pranita I. The making of red ginger (*Zingiber officinale* rovb. var. Rubra) natural essential oil. J Phys Conf Ser. 2019;1273(1).
4. Marwati M, Taebe B, Tandilolo A, Nur S. Pengaruh Tempat Tumbuh dan Profil Kandungan Kimia Minyak Atsiri dari Rimpang Jahe Merah (*Zingiber officinale* Linn. var. rubrum). J Sains dan Kesehat. 2021;3(2):248–54.
5. Rinanda T, Isnanda RP, Zulfitri. Chemical analysis of red ginger (*Zingiber officinale* Roscoe var. Rubrum) Essential oil and its antibiofilm activity against candida albicans. Nat Prod Commun. 2018;13(12):1587–90.
6. Zhang S, Kou X, Zhao H, Mak KK, Balijepalli MK, Pichika MR. *Zingiber officinale* var. Rubrum: Red Ginger's Medicinal Uses. Molecules. 2022;27(3).
7. Barra A. Factors affecting chemical variability of essential oils: A review of recent developments. Nat Prod Commun. 2009;4(8):1147–54.
8. Umar AH, Syahrini R, Ranteta'dung I, Rafi M. FTIR-based fingerprinting combined with chemometrics method for rapid discrimination of *Jatropha* spp. (Euphorbiaceae) from different regions in South Sulawesi. J Appl Pharm Sci. 2022;13(01):139–49.
9. Dhanik J, Verma A, Arya N, Nand V. Chemical profiling and antioxidant activity of essential oil of *Zingiber officinale* Roscoe from two different

- altitudes of Uttarakhand. *J Essent Oil-Bearing Plants*. 2017;20(6):1547–56.
10. Supu RD, Diantini A, Levita J. Red Ginger (*Zingiber officinale* var. rubrum): Its Chemical Constituents, Pharmacological Activities and Safety. *Fitofarmaka J Ilm Farm*. 2019;8(1):23–9.
  11. Imtiyaz S, Rahman K, Sultana A, Tariq M, Chaudhary SS. *Zingiber officinale* Rosc.: A traditional herb with medicinal properties. *Tang [Humanitas Med]*. 2013;3(4):26.1-26.7.
  12. Juliastuti H. Berwarna Merah, Antioksidan Penangkal Radikal Bebas. 20221. 57–58 p.
  13. Lentera T. Khasiat & Manfaat Jahe Merah si Rimpang Ajaib. 2002.
  14. Sarangnga Y, Wijayanto T. Karakterisasi Morfologi Tumbuhan Jahe -Jahean (Zingiberaceae) di Daerah Aliran Sungai Katangana Tiworo Selatan. *Morphological Characterization of Gingers (Zingiberaceae) In the Area of Katangana River in South Tiworo Oleh : Berk Penelit Agron*. 2013;2(2):87–93.
  15. Asni A, Risda W. Eksplorasi Ilmiah Jahe Sebagai Obat Tradisional Dari Sisi Agama, Kesehatan, dan Ekonomi. Solok: Insan Cendekia Mandiri; 2021.
  16. Suciyati SW, Adnyana IK. Red ginger (*Zingiber officinale* Roscoe var. Rubrum): A review. *Pharmacologyonline*. 2017;2:60–5.
  17. Liu Y, Liu J, Zhang Y. Research Progress on Chemical Constituents of *Zingiber officinale* Roscoe. *Biomed Res Int*. 2019;2019.
  18. Putri M. Khasiat dan Manfaat Jahe Merah. Semarang: ALPRIN; 2019.
  19. Redi Aryanta IW. Manfaat Jahe Untuk Kesehatan. *Widya Kesehat*. 2019;1(2):39–43.
  20. Admin, Zakinah Arlina. Pengaruh Pemberian Kompres Hangat Memakai Parutan Jahe Merah Terhadap Penurunan Skala Nyeri Pada Wanita Lansia

Penderita Gout Arthritis Di Panti Sosial Tresna Werdha Teratai Palembang Tahun 2018. *J Kesehat dan Pembang*. 2019;9(18):130–6.

21. Pujiasmanto B. Sepintas Jahe Merah dan Hasil Riset Peran Media Tanam Terhadap Pertumbuhan Jahe Merah di Polybag. Yayasan Kita Menulis; 2021.
22. Bellik Y. Total antioxidant activity and antimicrobial potency of the essential oil and oleoresin of *Zingiber officinale* Roscoe. *Asian Pacific J Trop Dis*. 2014;4(1):40–4.
23. Tirta IG, Wibawa IPAH. Eksplorasi Tumbuhan Yang Berpotensi Sebagai Penghasil Minyak Atsiri Di Lombok Timur-Ntb Plant Exploration As Potentially Essential Oil Producer in East Lombok-Ntb. *J Biol Udayana*. 2017;21(1):12–6.
24. Anto. Rempah-Rempah dan Minyak Atsiri. Klaten: Penerbit Lakeisha; 2020.
25. Fadlilah M. Sitotoksik Ekstrak dan Fraksi Jahe Merah Penghambatan Pertumbuhan Sel Hela. Pascal Books; 2022.
26. Sofiani V, Pratiwi R. Pemanfaatan Minyak Atsiri Pada Tanaman Sebagai Aromaterapi Dalam Sediaan-Sediaan Farmasi. *Farmaka*. 2013;15:121.
27. Journal I, Advanced ON. Application of Ginger Essential Oil. 2022;1(1):1–10.
28. A. Johnson S. Evidence-Based Essential Oil Therapy: The Ultimate Guide To The Therapeutic and Clinical Application Of Essential Oil. Scott A. Johnson Professional Writing Services; 2015.
29. Ferrentino G, Morozova K, Horn C, Scampicchio M. Extraction of Essential Oils from Medicinal Plants and their Utilization as Food Antioxidants. *Curr Pharm Des*. 2020;26(5):519–41.
30. Irawan A, Barleany DR, Jayanudin, Yulvianti M, Maulana RC, Fitriani LY. Chitosan active films containing red ginger extract for shelf-life extension and

quality retention of milkfish (*chanos chanos*). AIP Conf Proc. 2019;2085(April).

31. S Julianto T. Minyak Atsiri Bunga Indonesia. Yogyakarta: Deepublish; 2016.
32. M Yunus R, H. Nour A, H. A. Rassem H. Techniques For Extraction of Essential Oils From Plants: A Review. Aust J Basic Appl Sci. 2016;10(16):117–27.
33. Akdağ A, Öztürk E. Distillation Methods of Essential Oils. SÜ Fen Fakültesi Fen Derg. 2019;45(1):22–31.
34. Rassem HHA, Nour AH, Yunus RM. Techniques for extraction of essential oils from plants: A review. Aust J Basic Appl Sci. 2016;10(16):117–27.
35. Nur S, Baitanu JA, Gani SA. Pengaruh Tempat Tumbuh dan Lama Penyulingan secara Hidrodestilasi terhadap Rendemen dan Profil Kandungan Kimia Minyak Atsiri Daun Kemangi (*Ocimum canum Sims L.*). J Fitofarmaka Indonesia. 2019;6(2):363–7.
36. Widayat W, Dita AS, Bambang C, Hantoro S. Study of Rendement of Red Ginger Essential Oil from Red Ginger Waste by Using Steam Distillation Process. E3S Web Conf. 2018;73:0–3.
37. Astuti E, Sunarminingsih R, Jenie UA, Mubarika S, Sismindari. PENGARUH LOKASI TUMBUH, UMUR TANAMAN DAN VARIASI JENIS DESTILASI TERHADAP KOMPOSISI SENYAWA MINYAK ATSIRI RIMPANG *Curcuma mangga* PRODUKSI BEBERAPA SENTRA DI YOGYAKARTA. J Mns dan Tumbuh. 2014;21(3):2–7.
38. Yuliani S, Satuhu S. Panduan Lengkap Minyak Atsiri. Jakarta: Penerbit Swadaya; 2012.
39. Priyono K, Rudi F, Rachmawati S. Pengambilan Minyak Atsiri dari Rimpang Jahe Merah menggunakan Metode Distilasi Uap dan Ekstrasi Air dengan

- Pemanas Microwave. Pros Semin Nas Tek Kim “Kejuangan” Pengemb Teknol Kim untuk Pengolah Sumber Daya Alam Indones. 2018;1(1):1–7.
40. Silviyah S, S C, Masruroh. Penggunaan Metode FT-IR untuk mengidentifikasi gugus fungsi pada proses pembaluran penderita mioma. *Pharm Res.* 2019;(0274):1–9.
  41. Boughendjioua H. Fourier Transformed Infrared Spectroscopy Analysis of Constituents of Lemon Essential Oils from Algeria. *Am J Opt Photonics.* 2017;5(3):30.
  42. Rusydi SM. Sulhatun Mah m ud Rusydi Editor: Prof. DR. IR. Rosdanelli Hasibuan, M:I. 2019;1–93.
  43. Puspitasari L, Mareta S, Thalib A. Karakterisasi Senyawa Kimia Daun Mint ( *Mentha sp.* ) dengan Metode FTIR dan Kemometrik. 2021;14(1):5–11.
  44. Syafri S, Jaswir I, Yusof F, Rohman A, Ahda M, Hamidi D. The use of instrumental technique and chemometrics for essential oil authentication: A review. *Results Chem.* 2022;4(August):100622.
  45. Shafirany MZ, Susilawati Y, Musfiroh I. Aplikasi Kemometrik dalam Penentuan Mutu Tumbuhan Obat. *Pharmauho J Farm Sains, dan Kesehat.* 2019;4(2).
  46. Agatonovic-Kustrin S, Ristivojevic P, Gegechkori V, Litvinova TM, Morton DW. Essential oil quality and purity evaluation via ft-ir spectroscopy and pattern recognition techniques. *Appl Sci.* 2020;10(20):1–12.
  47. Kartini K, Hardianti D, Hadiyat MA. Identification of *Phyllanthus niruri* by FTIR Spectroscopy with Chemometrics. *Pharmaciana.* 2021;11(2):251.
  48. Mahdavi B, Yaacob WA, Din LB. Antioxidant and antimicrobial activity of the extracts from different parts of *etlingera sayapensis* (Zingiberaceae). *Sains Malaysiana.* 2017;46(9):1565–71.

49. Wahdaningsih S, Prawita Setyowati E, Wahyuono S, Studi Farmasi Fakultas Kedokteran dan Ilmu Kesehatan Universitas Tanjungpura Pontianak P, Biologi Farmasi Fakultas Farmasi UGM B, Abstrak J. Free Radical Scavenging Activity of *Alsophila glauca* J. Sm. Maj Obat Tradis. 2011;16(3):2011.
50. Anuj Yadav, Kumari R, Ashwani Yadav, J.P. Mishra, Seweta Srivatva, Shashi Prabha. Antioxidants and its functions in human body - A Review. Res Environ Life Sci. 2016;9(11):1328–31.
51. Sehwaq S, Das M. Antioxidant activity: An overview. J Food Sci Technol. 2013;2(3):1–10.
52. Chemistry A. African Journal of Pure and Applied Chemistry. 2010;4(August):1–4.
53. Martin AF, Aviana A, Hapsari BW, Rantau DE, Ermayanti TM. Uji Fitokimia dan Aktivitas Antioksidan Pada Tanaman Ex Vitro dan In Vitro *Tacca leontopetaloides*. Pros Semin Nas XV “Kimia dalam Pembangunan.” 2012;(October):373–8.
54. ARIF R. Uji Aktivitas Antioksidan Ekstrak Etanol Kayu Secang (*Caesalpinia sappan* L.) Menggunakan Metode DPPH. 2021;(December 2018).
55. Sharopov FS, Wink M, Setzer WN. Radical scavenging and antioxidant activities of essential oil components. An experimental and computational investigation. Nat Prod Commun. 2015;10(1):153–6.
56. Echegaray N, Pateiro M, Munekata PES, Lorenzo JM, Chabani Z, Farag MA, et al. Measurement of antioxidant capacity of meat and meat products: Methods and applications. Molecules. 2021;26(13).
57. Wicaksono B, Pratimasari D, Lindawati NY. Uji Aktivitas Antioksidan Ekstrak Etanol, Fraksi Polar, Semi Polar dan Non Polar Bunga Telang (*Clitoria ternatea* L.) dengan Metode ABTS. J Kesehat Kartika. 2021;16(3):28–39.

58. Maesaroh K, Kurnia D, Al Anshori J. Perbandingan Metode Uji Aktivitas Antioksidan DPPH, FRAP dan FIC Terhadap Asam Askorbat, Asam Galat dan Kuersetin. *Chim Nat Acta*. 2018;6(2):93.
59. Jatmika C, Maggadani BP, Hayun H. Evaluasi Aktivitas Antioksidan Senyawa 4- [( E ) -2- ( 4-okso- Analognya Abstrak. *Pharm Sci Res*. 2015;2(3):143–51.
60. Nabavi SM, Ebrahimzadeh MA, Nabavi SF, Eslami B, Dehpour AA. Antioxidant and antihaemolytic activities of *Ferula foetida* regel (Umbelliferae). *Eur Rev Med Pharmacol Sci*. 2011;15(2):157–64.
61. Xu X, He J, Liu G, Diao X, Cao Y, Ye Q, et al. Hemolysis assessment and antioxidant activity evaluation modified in an oxidized erythrocyte model. *J Agric Food Chem*. 2014;62(9):2056–61.
62. Feriani A, Tir M, Hamed M, Sila A, Nahdi S, Alwasel S, et al. Multidirectional insights on polysaccharides from *Schinus terebinthifolius* and *Schinus molle* fruits: Physicochemical and functional profiles, in vitro antioxidant, anti-genotoxicity, antidiabetic, and antihemolytic capacities, and in vivo anti-inflammatory. *Int J Biol Macromol*. 2020;165:2576–87.
63. Ziaee M, Khorrami A, Ebrahimi M, Nourafcan H, Amiraslazadeh M, Rameshrad M, et al. Cardioprotective effects of essential oil of *Lavandula angustifolia* on isoproterenol-induced acute myocardial infarction in rat. *Iran J Pharm Res*. 2015;14(1):279–89.
64. Rohaeti E, Karunina F, Rafi M. Ftir-based fingerprinting and chemometrics for rapid investigation of antioxidant activity from *syzygium polyanthum* extracts. *Indones J Chem*. 2021;21(1):128–36.
65. Raharjo D, Haryoto. Antioxidant Activity of Mangrove *Sonneratia caseolaris* L using the FRAP Method. *Int Summit Sci Technol Humanit*. 2019;623–9.
66. S. Mann R, E. Kaufman P. *Natural Product Pesticides: Their Development,*

- Delivery and Use Against Insect Vectors. *Mini Rev Org Chem*. 2012;9(2):185–202.
67. Subaryanti, Sulistyaningsih YC, Iswantini D, Triadiati T. Essential oil components, metabolite profiles, and idioblast cell densities in galangal (*Kaempferia galanga* l.) at different agroecology. *Agrivita*. 2021;43(2):245–61.
68. Jeremia K, Zain S, Nurjanah S, Widyasanti A, Harsena Putri S. Pengaruh Lama Ekstraksi Terhadap Rendemen Dan Mutu Minyak Bunga Melati Putih Menggunakan Metode Ekstraksi Pelarut Menguap (Solvent Extraction). *J Teknotan*. 2016;10.
69. Nandi S, Saleh-e-In M, Rahim M, Bhuiyan M, Sultana N, Ahsan M, et al. Quality Composition and Biological Significance of the Bangladeshi and China Ginger (*Zingiber Officinale* Rosc.). *J Microbiol Biotechnol Food Sci*. 2016;2016(vol. 6):2283–90.
70. Indriati D, Wiendarlina IY, Carolina AS. Formulation and Evaluation of Anti-Acne Lotion Containing Red Ginger (*Zingiber officinale* Roscoe) Essential Oil. *Pharmacol Clin Pharm Res*. 2018;3(3):57–61.
71. Truzzi E, Marchetti L, Bertelli D, Benvenuti S. Attenuated total reflectance–Fourier transform infrared (ATR–FTIR) spectroscopy coupled with chemometric analysis for detection and quantification of adulteration in lavender and citronella essential oils. *Phytochem Anal*. 2021;32(6):907–20.
72. Syafri S, Jaswir I, Yusof F, Rohman A, Hamidi D. the Use of Gc-Ms and Ftir Spectroscopy Coupled With Multivariate Analysis for the Detection of Red Ginger Oil Adulteration. *Rasayan J Chem*. 2231;15(4):2231–6.
73. Catauro M, Bollino F, Tranquillo E, Sapio L, Illiano M, Caiafa I, et al. Chemical analysis and anti-proliferative activity of Campania *Thymus Vulgaris* essential oil. *J Essent Oil Res*. 2017;29(6):461–70.

74. Burhan A, Tumiwa AM, Syahrini R, Tinggi S, Farmasi I, Perintis J, et al. Metabolite Profiling of Temelekar Root (*Coptosapelta tomentosa* Valetton ex . K . Heyne ) Using Chemometric Methods Profil Metabolit Akar Temelekar (*Coptosapelta tomentosa* Valetton ex K . Heyne ) Dengan Metode Kemometrik. 2020;5(1):19–23.
75. Puspitasari L, Mareta S, Thalib A. Karakterisasi Senyawa Kimia Daun Mint (*Mentha* sp.) dengan Metode FTIR dan Kemometrik. Sainstech Farma. 2021;14(1):5–11.
76. Amin A. Determinasi dan Analisis Finger Print Daun Miana (*Coleus scutellarioides* Linn.) Sebagai Bahan Baku Obat Tradisional Dengan Metode Speltrofotometri FT-IR dan Kemometrik. Jf Fik Uinam. 2016;4(2):58–64.
77. Floegel A, Kim DO, Chung SJ, Koo SI, Chun OK. Comparison of ABTS/DPPH assays to measure antioxidant capacity in popular antioxidant-rich US foods. J Food Compos Anal. 2011;24(7):1043–8.
78. Kusmiati, Wijaya IGAK, Yadi. Uji Potensi Antioksidan Ekstrak Lutein Bunga Kenikir (*Tagetes erecta*) Berwarna Kuning dan Jingga Dengan metode FRAP dan DPPH. Pros Sem Nas Masy Biodiv Indon. 2018;4:274–9.
79. Jeena K, Liju VB, Kuttan R. Antioxidant, anti-inflammatory and antinociceptive activities of essential oil from ginger. Indian J Physiol Pharmacol. 2013;57(1):51–62.
80. Ratnavathi C V., Komala V V. Sorghum Grain Quality. Sorghum Biochemistry: An Industrial Perspective. 2016. 1–61 p.
81. Martysiak-Zurowska D, Wenta W. A comparison of abts and dpph methods for assessing the total antioxidant capacity of human milk. Acta Sci Pol Technol Aliment. 2012;11(1):83–9.
82. Assadpour S, Nabavi SM, Nabavi SF, Dehpour AA, Ebrahimzadeh MA. In

vitro antioxidant and antihemolytic effects of the essential oil and methanolic extract of *Allium rotundum* L. *Eur Rev Med Pharmacol Sci.* 2016;20(24):5210–5.

83. Bellik Y, Benabdesselam F, Ayad A, Dahmani Z, Boukraa L, Nemmar A, et al. Antioxidant activity of the essential oil and oleoresin of zingiber officinale roscoe as affected by chemical environment. *Int J Food Prop.* 2013;16(6):1304–13.

84. Zhong Y, Shahidi F. Methods for the assessment of antioxidant activity in foods. *Handbook of Antioxidants for Food Preservation.* Elsevier Ltd; 2015. 287–333.

