

DAFTAR PUSTAKA

- Abidin RR (1992). The determinants of parenting behaviour. *Journal of Clinical Child Psychology*, 21:407-412.
- Aceto G, Penza R, Delvechio M, Chiozza ML, Cimador M, Caione P (2004). Sodium fraction of excretion rate in nocturnal enuresis correlates with nocturnal polyuria and osmolality. *J Urol*, 171: 2567-2570.
- American Family Physician (1999). Primary nocturnal enuresis : current concepts. www.aafp.org – Diakses Desember 2016
- Ammari T, Morris MR, Schoenebeck SY (2014). Accesing social support and overcoming judgement on social media among parents of children with special needs. Paper presented at the Eighth International AAAI Conference on Weblogs and Social Media.
- Austin PF, Ferguson G, Yan Y, Campigotto MJ, Royer ME, Coplen DE (2008). Combination therapy with desmopressin and an anticholinergic medication for nonresponders to desmopressin for monosymptomatic nocturnal enuresis: A randomized, double blind, Placebo-controlled trial. *Pediatrics*, 122: 1027-1032.
- Baron V, Muriel P (1999). Role of glutathione, lipi peroxidation and antioxidants on acute bile-duct obstruction in the rat. *Biochim Biophys Acta*, 1472: 173-180.
- Beeber LS, Schwartz TA, Holditch-David D, Casuno R, Lewis V, Hall HW (2013). Parenting enhancement, interpesonal psychotherapy to reduce depression in low-income mothers of infants and toddlers: A randomized trial. *Nursing Research*, 62(2): 82-90.
- Belsy J, Woodworth S, Crnic K (1996). Trouble in the second year: Three questions about family interactions. *Child Development*, 67: 556-578.
- Berry JD, Jones WH (1995). The parental stress scale : Initial psychometric evidance. *Journal of Social and Personal Relationship*, 12 : 463-472.
- Bruyne ED, Hoecke EV, Gompel KV, Beken SV, Baeyens D, Hoebeke P, Walle JW (2009). Problem behavior, parental stress and enuresis. *The Journal of Urology*, 182: 2005-2012.
- Bonfiglio JJ, Inda C, Refojo D, Holsboer F, Artz E, Silberstein S (2011). The corticotropine-releasing hormone network and the hypothalamic-pituitary-adrenal axis : Molecular and cellular mechanisms involved. *Neuroendocrinology*, 94: 12-20.
- Bower WF, Diao M, Tang JL, Yeung CK (2005). Acupunture for nocturnal enuresis in children: A systematic review and exploration for rationale. *Neurourol Urodyn*, 24: 267-272.

- Butler RJ, McKenna S (2002). Overcoming parental intolerance in childhood enuresis : a survey of professional opinion. *BJUI*, 89: 295-297.
- Chang SS, Ng CF, Wong SN (2002). Behavioural problems in children and parenting stress associated with primary nocturnal enuresis in Hong Kong. *Acta Paediatr*, 91(4): 457-459.
- Chen KW, Berger CC, Forde DP, Adamo C, Weintraub E, Gandhi D (2011). Benzodiazepine use and misuse among patients in a methadine programme. *BMC Psychiatry*, 11: 90.
- Chrousos GP, Gold PW (1992). The concepts of stress and stress system disorders. *JAMA*, 267: 1244-1252.
- Crnic KA, Greenberg MT, Ragozin AS, Robinson NM, Basham RB (1983). The effects of stress and social support on mothers on premature and full term infants. *Child Development*, 45: 209-217.
- Crnic KA, Low C (2002). Everyday stresses and parenting. In Bornstein MH (ed). *Handbook of parenting volume 5 practical issues in parenting*. New Jersey : Lawrence Erlbaw Associates, Inc., pp : 243-268.
- Cronin S, Becher EH, Meher M, Dibb S (2015). Parents and stress : Understanding experiences, context and responses. *Childrens Mental Health eReview*, pp : 1-15.
- Dahlan S (2010). *Besar sampel dan cara pengambilan sampel*. Edisi ke 3. Jakarta : Salemba Medika
- Deckard KD (2004). Hello baby, hello stress : Introduction and overview. In Deckard KD. *Parenting stress*. United States : The Composing Room of Michigan, Inc., pp : 1-26.
- Dibianco JM, Morley C, Omar O (2014). A topic review and instalation experiece. *Avicenna J Med*, 4 (4): 77-86.
- Djurhuus JC, Rittig S (1998). Current trends, diagnosis, and treatment of enuresis. *Eur Urol*, 33 (3): 30-33.
- East PL, Malthaw KL, Felice ME (1994). Qualities of adolescent mothers parenting. *Journal of Adolescent Health*, 15: 163-168.
- Eccleston C, Palermo TM, Fisher E, Law E (2012). Psychological interventions for parents of children and adolescents with chronic illness. *Cochtane Database of Systemic Reviews*.
- Emde RN (1991). The wonder of our complex enterprise: Steps enable by attachment and the effects of relationships on relationships. *Infant Mental Health Journal*, 12: 164-173.
- Fleming E (2012). Supporting children with nocturnal enuresis. *Nursing Time*, 108 (4): 22-25.

- Forsythe WI, Butler RJ (1989). Fifty years of enuretic alarms. *Arch Dis Child*, 64: 879-885.
- Freitag CM, Rohling D, Seifen S, Pukrop R, von Gontard A (2006). Neurophysiology of nocturnal enuresis: Evoked potentials and prepulse inhibition of the startle reflex. *Dev Med Child Urol*, 48: 278-284.
- Friedman E, Billick SB (2014). Unintentional child neglect: Literature review and observational study. *Psychiatric Quarterly*, 86: 253-259.
- Fuchs E, Flugge G (1998). Stress, glucocorticoids and structural plasticity of the hippocampus. *Neurosci Biobehav Rev*, 23: 295-300.
- Glazener CM, Evans JH (2004). Simple behavioral and physical interventions for nocturnal enuresis in children. *Cochrane Database Syst Rev*
- Glazener CM, Evans JH, Peto RE (2003). Tricyclic and related drugs for nocturnal enuresis in children. *Cochrane Database Syst Rev*, 3.
- Glazener CM, Evans JH, Peto RE (2005). Alarm interventions for nocturnal enuresis in children. *Cochrane Database Syst Rev*.
- Goin RP (1998). Nocturnal enuresis in children. *Child: Care, Health and Development*, 34(4): 277-288.
- Goldstein DS (1995). Stress as a scientific idea: A homeostatic theory of stress and distress. *Homeostasis in Health and Disorders*, 36: 177-215.
- Haber R, Montreal, Quebec (2005). Management of primary nocturnal enuresis. *Paediatr Child Health*, 10 (10): 611-614.
- Hastings RP, Kovshoff H, Brown T, Ward NJ, Espinosa FD, Remington B (2005). Coping strategies in mothers and fathers of preschool and school age children with autism 9 (4): 377-391.
- Hidangmayun N (2010). Parenting stress of normal children and mentally challenged children. *University of Agriculture Science*. Thesis.
- Iskan A, Ozkul Y, Unal D, Soran M, Kati M, Bozlar S (2002). Abnormalities event-related potential and brainstem auditory evoked response in children with nocturnal enuresis. *Brain Dev*, 24: 681-687.
- Jalkut MW, Lerman SE, Churchill BM (2001). Enuresis. *Pediatr Clin North Am*, 48: 1461-1488.
- Jhonson M (1998). Nocturnal enuresis. *Urologic Nursing*, 18 (9) : 259-273.
- Joshi R, Kumar MS, Satyamoorthy K, Unnikrisnan MK, Murkherjee T (2005). Free radical reactions and antioxidants activities of sesamol: Pulse radiolytic and biochemical studies. *J Afric Food Chem*, 53: 2696-2703.

- Joussement M, Mageau GA, Koestner R (2014). Promoting optimal parenting and children's mental health: A preliminary evaluation of the how-parenting program. *Journal of Child and Family Studies*, 23 (6): 949-964.
- Kawauchi A, Watanabe H, Nakagawa S, Miyoshi K (1993). Development of bladder capacity, nocturnal enuresis volume and urinary behaviour in nonenuretic and enuretic children, *Nihon Hinyokika Gakkai Sashi*, 84: 1811-1820.
- Kiser LJ, Backer PM, Winkles J, Medoff D (2015). Strengthening family coping resources: Practice-based evidence for a promising trauma interventions. *Couple and Family Psychology: Research and Practice*, 4 (1): 49-59.
- Klinik Community Health Centre (2010). Stress and stress management, <http://stressmgt.pdf> – Diakses Maret 2015.
- Koff SA (1983). Estimating bladder capacity in children. *Wis Med J*, 21: 248.
- Koh H, Lee MJ, Kim MJ, Shin JI, Chung KS (2010). Simple diagnostic approach to childhood fecal retention using the Leech score and Bristol stool form scale in medical practice. *J Gastroenterol Hepatol*, 25: 334-338.
- Kumar A, Rinwa P, Kour G, Machawal L (2013). Stress : Neurobiology, consequences and management. *J Pharm Bioallied Sci.*, 5 (2): 91-97
- Kulik L, Heine-Cohen E (2011). Coping resources, perceived stress and adjustment to divorce among israeli women: Assessing effects. *The Journal of Social Psychology*, 15 (1): 5-30.
- Lane W, Robson M (2008). Current management of nocturnal enuresis. *Curr Opin Urol*. 18: 425-430.
- Lavee Y, Sharlin S, Katz R (1996). The effect of parenting stress on marital equality: An integrated mother-father model. *Journal of Family Issues*, 17: 114-135.
- Lazarus RS (1993). From psychological stress to the emotions: A history of changing outlooks. *Annual Review of Psychology*, 44 (1): 1-22.
- Lazarus RS (1999). *Stress and emotion: A new synthesis*. New York: Springer.
- Leininger LJ, Kalil A (2014). Economic strain and children's behavior in the aftermath of the great recession. *Journal of Marriage and Family*, 76: 998-1010.
- Loening-Baucke V (2007). Prevalence rate for constipation and fecal and urinary incontinence. *Arch Dis Child*, 92: 486-489.
- Machmoozadeh H, Amestejani M, Karamyar M, Nikibakhsh AA (2013). Prevalence of nocturnal enuresis in school aged children. *Ran J Pediatr*, 23 (1): 59-64.

- Maier KJ, Waldstein SR, Synowski SJ (2003). Relation of cognitive appraisal to cardiovascular reactivity, affect, and task engagement. *Annals of Behavioral Medicine*, 26 (1): 32-41.
- Mandrioli R, Mercolini L, Raggi MA (2010). Metabolism of benzodiazepines and non-benzodiazepines anxiolytic-hypnotic drugs: An analytical point of view. *Curr Drug Metab*, 11: 815-829.
- Mash EJ, Jonston C (1990). Determinant of parenting stress: Illustrations from families of hyperactive children and families of physically abused children. *Journal of Clinical Child Psychology*, 19:313-328.
- Mathew JL (2010). Evidence based management of nocturnal enuresis : An overview of systemic reviews. *Indian Pediatrics*, 47: 777-780.
- Naiwen D, Baskin LS (2014). Nocturnal enuresis in children, <http://www.uptodate.com> – Diakses Maret 2015.
- National Kidney Foundation. Secondary nocturnal enuresis. www.kidney.org – Diakses Desember 2016.
- Neveus T, Egert P, Evans J, Macedo A, Rittig S, Tekgul S (2010). Evaluation of and treatment for monosymptomatic enuresis: A standardization document from the International Children's Continence Society. *J Urol*, 183: 441-447.
- Ng C, Wong S (2004). Primary nocturnal enuresis : Patient attitudes and parental perceptions. *HKJ Paediatr*, 9: 54-58.
- Nikolaus S, Antke C, Beu M, Muller HW (2010). Cortical GABA, striatal dopamine, and midbrain serotonin as the key players in compulsive and anxiety disorders. *Rev Neurosci*, 21: 119-139.
- Quintero L, Cardenas R, Suarez RH (2011). Stress-induced hyperalgesia is associated with a reduced and delayed GABA inhibitory control that enhances post-synaptic NMDA receptor activation in the spinal cord. *Pain*, 152: 1909-1922.
- Ornits EM, Russell AT, Hanna GL, Gabikian P, Gehricke JG, Song D (1999). Prepulse inhibition of startle and the neurobiology of primary nocturnal enuresis. *Biol Psychiatry*, 45: 1455-1466.
- Patnaik G (2014). Life skill enhancement strategies to minimize stress. *Social Science International*, 30 (2): 281-289.
- Pomeranz A, Abu Kheat G, Korzetz Z, Wolach B (2000). Night-time polyuria and urine hypoosmolality in enuretics identified by nocturnal sequential urine sampling: Do they represent a subset of relative ADH-deficient subjects?. *Scand J Urol Nephrol*, 34:199-202.
- Robson WLM (2008). Clinical practice: Evaluation and management of enuresis. *N Engl J Med*, 360: 1429-1436.

- Robson WLM, Leung AKC (2002). Urotherapy recommendation for bedwetting. *J Natl Med Assoc*, 94: 577-580.
- Robson WLM, Leung AKC, van Howe R (2005). Primary and secondary nocturnal enuresis: Similarities in presentation. *Pediatrics*, 115: 956-959.
- Schmitt BD (1997). Nocturnal enuresis. *Pediatr rev*, 18: 183-190.
- Schulman SL, Stokes A, Salzman PM (2001). The efficacy and safety of oral desmopressin in children with primary nocturnal enuresis. *J Urol*, 166: 2427-2431.
- Shaw DS, Owens EB, Giovanelli J, Winslow EB (2001). Infants and toddler pathway to early externalizing disorders. *Journal of The American Academy of Child and Adolescent Psychiatry*. 40: 36-43.
- Solanki AN (2014). Prevalence and risk factors of nocturnal enuresis among school age children in rural areas. *International Journal of Research in Medical Sciences*, 2(1): 202-205.
- Sonbron KM (2002). Nocturnal enuresis in children. Menomonie. Wisconsin, University of Wisconsin. Thesis.
- Sugimoto Y, Yamada J, Noma T (1998). Effects of anxiolytics, diazepam and tandospirone, on immobilization stress induced hyperglycemia in mice. *Life Sci*, 63: 1221-1226.
- Theos Medical Systems (2010). Impact of bed wetting. www.theosmedical.com - Diakses Desember 2016
- Temel Y, Helmy A, Pinnock S, Herbert J (2003). Effect of serotonin depletion of the neural, endocrine and behavioral response to corticotropine releasing factor in the rat. *Neurosci Lett*, 338: 139-142.
- Texel SJ, Camandola S, Ladenheim B, Rothman SM, Mughal MR, Unger EL (2012). Ceruloplasmin deficiency results in an anxiety phenotype involving deficits in hippocampal iron, serotonin, and BDNF. *J Neurochem*, 120: 125-134.
- Torres IL, Gamaro GD, Vasconcellos AP, Silveria R, Dalmaz C (2002). Effects of chronic restraint stress on feeding behavior and on monoamine levels in different brain structure in rats. *Neurochem Res*, 27: 519-525.
- Troup CW, Hodgson NB (1971). Nocturnal functional bladder capacity in enuretic children. *Wis Med J*, 70: 171-173.
- Tu ND, Baskin LS, Arnhyam AM (2014). Etiology and evaluation of nocturnal enuresis in children. In: Torchia MM : Waltham.
- Unalacak M, Sogut A, Aktunc E, Demircan N, Altin R (2004). Enuresis nocturna prevalence and risk factors among school age children in northwest turkey. *Eur J Gen Med*, 1(3): 21-25.

- von Gontard A (2012). Enuresis. In Rey JM (ed). IACAPAP e-textbook of child and adolescent mental health. Geneva : International Association for Child and Adolescent Psychiatry and Allied Professions.
- von Gontard A, Pluck J, Berber W (1999). Clinical behavioral problems in day and night wetting children. *Peiatric Nephrology*, 13: 662-667.
- von Gontard A, Schaumburg H, Hollmann E (2001). The genetics of enuresis – a review. *Journal of Urology*, 166: 2438-2443.
- Watanabe H, Azuma Y (2003). A proposal of classification system of enuresis based on overnight simultaneous monitoring of electroencephalography and cystometry. *Sleep*, 12:257-264.
- Windiani IG (2008). Angka kejadian dan faktor risiko enuresis pada anak taman kanak-kanak di Kotamadya Denpasar. *Sari Pediatri*, 10 (3): 151-157.
- Yeung CK, Sit FK, To LK, Chiu HN, Sihoe JD, Lee E (2002). Reduction in nocturnal bladder capacity is a common factor in athogenesis of refractory nocturnal enuresis. *BJU Int*, 90: 302-307.

