

DAFTAR PUSTAKA

- Angelovich T, Churchill M, Wright E, Brew B. 2021. New potential axes of HIV neuropathogenesis with relevance to biomarkers and treatment. Springer. *Current Topic and behavioe neuroscience*. 50:3-40.
- Antinori A, Arendt G, Grant I, Letendre S, Muñoz-Moreno JA, Eggers C, et al. 2013. Assessment, diagnosis, and treatment of HIV-associated neurocognitive disorder: a consensus report of the mind exchange program. *Clinical Infectious Diseases*. 56: 1004-1017.
- Archibald S, Masliah E, Fennema N, Marchotte T, Ellis R, Mccutchan, et al. 2004. correlation of in vivo neuroimaging abnormalities with postmortem HIVE and dendritic loss. *Archives oof neurology*. 61: 369-376.
- Arthur JC. HIV dementia: an evolving disease. 2004. *J Neuroimmunol*; 157:3-10.
- Asher I, Guri KM, Elbirt D, Bezalel SR, Maldarelli F, Mor O et al. 2016. Characteristics and outcome of patients diagnosed with HIV at older age. *Medicine*. 95(1): 2327.
- Aung HL. 2019. How all type dementia risk factor and modifiable risk interventions may be relevant to first generation aging with HIV infection? *Eur Geriatr Med*. 10(2): 227-238.
- Bandera A, Taramasso L, Bozzi G, Muscatello A, Robinson JA, Burdo TH, et al. 2019. HIV-Associated Neurocognitive Impairment in the Modern ART Era: are we close to discovering reliable biomarkers in the setting of virological suppression ?. *Aging Neuroscience*. 11:187. 1-20.
- Benedict RH, Mezhir JJ, Walsh K, Hewitt RG. 2000. Impact of human immunodeficiency virus type-1-associated cognitive dysfunction on activities of daily living and quality of life. *Arch Clin Neuropsychol*. 15(6):535–544.
- Berg L, Eckardt J, Maseck O. 2019. Enhanced activity of pyramidal neurons in the infralimbic cortex drives anxiety behaviour. *Plos One*.14.
- Bloch M, Kamminga J, Jayewardene A. 2016. A screening strategy for HIV-associated neurocognitive disorders that accurately identifies patients requiring neurological review. *Clin Infect Dis*. 63:687–693.
- Boonyagars L, Kiatsongsong N, Winitprichagul. 2022. HIV associated dementia: associated factors and characteristics of cognitive domain abnormalities in elderly people living with HIV treated with Highly active antiretroviral therapy. 107 (6). 1250-1257.
- Centers for Disease Control and Prevention (CDC). 2017. HIV surveillance report, 2016.
- Chan LG, Ho MJ, Lin YC, Ong Y, Wong CS. 2019. Development of a neurocognitive test battery for HIV-associated neurocognitive disorder (HAND) screening. *AIDS Res Ther*. 16:1-9.
- Chan P, Brew BJ. 2014. HIV associated neurocognitive disorders in the modern antiviral treatment era : prevalence, characteristics, biomarkers, and effects of treatment. *curr HIV/AIDS Rep*. 11(3):317-324.
- Chae WJ, Bothwell ALM. 2019. Dickkopf 1: An immunomodulatory ligand and Wnt antagonist in pathological inflammation. *Differentiation*. 108.33-39.

- Chen L, Khodr C, Al-Harathi L, Hu XT. 2019. Aging and HIV-1 alter the function of specific K(+) channels in prefrontal cortex pyramidal neuron. *Neurosci Lett.* 708: 134-341.
- Cherner M, Ellis R, Lazzarett D, Young C, Mindt MR, Atkinson JH, et al. 2004. Effect of HIV infection and aging on neurobehavioral functioning : preliminary findings. *AIDS.* 18: 27-34.
- Chu HY, Chen Z, Wang L, Zhang ZK, Tan X, Liu S, et al. 2021. Dickkopf-1: a promising target for cancer immunotherapy. *Frontiers in Immunology*, 12, 1850-1858.
- Cicarelli N, Fabbiani M, Grima P. 2013. Comparison of cognitive performance in HIV or HCV mono-infected and HIV-HCV co-infected patients. *Infection.*41(6): 1103-1109.
- Cirino T, Harden S, McLaughlin J, Frazier C. 2020. Region-specific effects of HIV-1 Tat on intrinsic electrophysiological properties of pyramidal neurons in mouse prefrontal cortex and hippocampus. *Journal of neurophysiology.* 123(4): 1332-1341.
- Clifford, D. B. & Ances, B. M. 2013. HIV-associated neurocognitive disorder. *The Lancet infectious diseases*, 13, 976-986.
- Cohen RA. 2010. Effect of nadir CD4 count and duration of HIV on brain volume in the highly active antiretroviral therapy era. *J neurovirol.* 16(1): 25-32.
- Cohen RA, Seider TR & Navia B. 2015. HIV effects on age-associated neurocognitive dysfunction: premature cognitive aging or neurodegenerative disease? *Alzheimer's research & therapy.* 7: 1-10.
- Dahlan MS. 2010. Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan. Edisi 3. Penerbit salemba medika.
- Defelipe J. 2002. Microstructure of the neocortex : comparative aspects. *J Neurocytol.* 31: 299-316.
- Deluca G, Yates R, Beale H, Morrow S. 2015. Cognitive impairment : clinical, radiologic, and pathologic insight. *Brain pathology.* 25: 79-98.
- Dinas Kesehatan Provinsi Sumatera Barat. 2017. Revisi Rencana Strategis (Renstra) Dinas Kesehatan Provinsi Sumatera Barat tahun 2016-2021.
- Dore G, McDonald A, Li Y. 2003. Marked improvement in survival following AIDS dementia complex in the era of highly active antiretroviral therapy. *AIDS.* 17: 1539-1545.
- Ellis RJ, Moore DJ, Childer ME. 2002. Progression to neuropsychological impairment in HIV infection predicted by elevated cerebrospinal fluid levels in HIV RNA. *Arch Neurol.* 59:923-928.
- Ellis RJ, Badiee J, Vaida F. 2011. CD4 nadir is predictor of HIV neurocognitive impairment in the era of combination antiretroviral therapy. *Aids.* 25(14): 1747-1751.
- Erdmann N, Whitney N, Zheng J. 2007. Potentiation of excitotoxicity in HIV-1 associated dementia and the significance of glutaminase. *Clin Neurosci Res.* 6(5): 315-328.
- Estiasari R, Imran D, Lastr DN, Price P, Prawiroharjo P. 2015. Cognitive impairment among Indonesia HIV naïve patients. *Neurology Asia.* 20(2):155-160.
- European AIDS Clinical Society 2021. *EACS Guidelines Version 11.0, October 2021*, London, European AIDS Clinical Society.

- Falasca K, Reale M, Di Nicola M, Ucciferri C, Zecca IA, Santilli F, et al. 2019. Circulating CD40 ligand, Dickkopf-1 and P-selectin in HIV-infected patients. *HIV Med* . 20(10):681-690.
- Festa L, Gutoskey C, Graziano A, Waterhouse B, Meucci O. 2015. Induction of interleukin 1 beta by HIV - 1 viral protein lead to increased level of neuronal ferritin heavy chain, synaptic injury, and deficit in flexible attention. *J neurosci*. 35(29): 10550-10561.
- Festa L, Irollo E, Plat B, Tian Y, Floresco S, Meucci O. 2020. CXCL 12-indeced rescue of cortical dendritic spines and cognitive flexibility. *Elife*.1-8.
- Fitting S, Ignatowska B, Bull C, Skoff R, Lichtman A, Wise L, et al. 2013. synaptic dysfunction in the hippocampus accompanies learning and memory deficits in HIV type-1 Tat transgenic mice. *Biol Psychiatry*. 75(5): 443-453.
- Gendelman, H. E. 2020. Predictive biomarkers for cognitive decline during progressive HIV infection. *EBioMedicine*. 51-62.
- Gisslen M, Price RW, Andreasson U, Norgren N, Nilsson S, Hagberg L, et al. 2016. Plasma concentration of the neurofilament light protein (NFL) is a biomarker of CNS injury in HIV infection : a cross sectional study. *Ebiomedicine*. 3:135-140.
- Halassa M. 2023. The thalamus. Cambridge university press.
- He CW, Liao CP, Pan CL. 2018. Wnt signaling in the development of axon, dendrites, and synapses. *Open Biology*. 8:1-12.
- Heaton RK, Marcotte TD, Mindt MR, Sadek J, Moore DJ, Bentley H, et al. 2004. The impact of HIV-associated neuropsychological Impairment on everyday functioning. *J Int Neuropsychol Soc*; 10(3):317–331.
- Herculano H. 2017. Numbers of neuron as biological correlates of cognitive capability. *Curr Opin Behav Sci*. 16: 1-7.
- Hinkin C, Castellon S, Durvasula R, Hardy D, Lam M, Mason K, et al. 2002. Medication dherence among HIV+ adults effects of cognitive dysfunction and regimen complexity. *Neurology*; 12 :1944–1950.
- Hogan, C. 2011. Neurological complications in HIV. *Clinical Medicine*. 11; 571-583.
- Husein N, Lumempoue S, Ramli Y, Herqutanto. 2010. Uji validitas dan reliabilitas montreal cognitive assesment versi Indonesia (MoCA-INA) untuk skrining gangguan fungsi kognitif. *Neurona*. 27(4): 15-22.
- Hult B, Chana G, Masliah E, Everall I. 2008. Neurobiology of HIV. *International Review of Psychiatry*. 20: 3-13.
- Irollo E, Luchetta J, Ho C, Nash B, Meucci O. 2020. Mechanism of neural dysfunction in HIV associated neurocognitive disorders. *Cellular and molecular life science*. 78: 4283-4303.
- Iswahyudhi. 2021. Faktor-faktor yang mempengaruhi gangguan fungsi kognitif pada pasien infeksi human immunodeficiency virus (HIV) di Makasar. Universitas Hasanudin.
- Jiang X, Guan Y, Zhao Z, Meng F, Wang X, Gao X, et al . 2021. Potential Roles of the WNT Signaling Pathway in Amyotrophic Lateral Sclerosis. *Cells*. 8;10(4):839.
- Jin Fan. 2014. An information theory account of cognitive control. *Frontier in human neuroscience*. 8: 1-16.

- Kaul M. 2009. HIV-1 associated dementia: update on pathological mechanism and therapeutic approach. *Curr Opin Neurol.* 22(3):315-320.
- Kelly CM, Van JJ, Ngwalo C, Stewart RC, Benjamin L, Robertson KR, et al. 2014. HIV associated neurocognitive disorders (HAND) in Malawian adults and effect on adherence to combination anti-retroviral therapy: a cross sectional study. *PloS one.* 9: e98962.
- Kementerian Kesehatan Republik Indonesia. 2019. Pedoman nasional pelayanan kedokteran tatalaksana HIV.
- Kementerian Kesehatan Republik Indonesia. 2020. Infodatin HIV.
- Kiely, K. M. 2014. Cognitive function. *Encyclopedia of quality of life and well-being research*, 508:974-978.
- Kinai E, Komatsu K, Sakamoto M, Taniguchi T, Nakao A, Igari H, et al. 2017. HIV-associated neurocognitive disorders in Japanese (J-HAND study group). Association of age and time of disease with HIV-associated neurocognitive disorders: a Japanese nationwide multicenter study. *J Neurovirol*; 23, 864e74.
- Kolson, D. 2017. Neurologic complications of HIV infection in the era of antiretroviral therapy. *Topics in antiviral medicine.* 25:97.
- Lena A H. 2012. Wnt/B-catenin and its Diverse Physiological Cell Signaling Pathway in Neurodegenerative and Neuropsychiatric Disorder. *J Neuroimmune Pharmacol.* 7(4): 725-30.
- Lescure FX, Omland LH, Engsig FN, Roed C, Gerstoft J, Pialoux G, et al. 2011. Incidence and impact on mortality of severe neurocognitive disorders in persons with and without HIV infection: a Danish nationwide cohort study. *Clin Infect Dis.* 52(2):235–243.
- Letendre SL, McCutchan JA, Childer ME. 2004. Enhancing antiretroviral therapy for HIV cognitive disorder. *Ann Neurol.* 56: 416-423.
- Letendre SL, Ellis RJ, Ances BM, McCutchan JA. 2010. Neurologic complications of HIV disease and their treatment. *Top HIV Med.* 18(2): 45-55.
- Levine AJ, Martin E, Sacktor N, Munro C, Becker J, For the multicenter ACS-NWG. 2017. Predictors and impact of self-reported suboptimal effort on estimates of prevalence of HIV-associated neurocognitive disorders. *J Acquir Immune Defic Syndr.* 75(2):203–210.
- Levine, D. A., Gross, A. L., Briceno, A. M., Tilton, N., Giordani, B. J., Sussman, J. B., et al. 2021. Sex differences in cognitive decline among US adults. *JAMA Network Open* 4(2) : e210169
- Li W, Handerson LJ, Major EO, Al-Harhi L. 2011. IFN-gamma mediates enhancement of HIV replication in astrocytes by inducing an antagonist of the beta catenin pathway (DKK-1) in a STAT 3- dependent manner. *J Immunol.* 186:6771-6778.
- Liu, B. & Li, W. 2020. Association between education level and HIV-associated neurocognitive disorder: a systematic review and meta-analysis. *Sexual Health.* 17:475-484.
- Lopes M, Marques P, Silva B, Cruz G, Serra JE, Ferreira E, et al. 2021. Guillain-Barré syndrome as the first presentation of human immunodeficiency virus infection. *BMC neurology*, 21, 1-4.

- Ma Q, Vaida F, Wong J. 2016. Long term efavirenz use is associated with worse neurocognitive functioning in HIV-infected patients. *J neurovirol.* 22(2):170-178.
- Maki PM & Martin-Thormeyer E. 2009. HIV, cognition and women. *Neuropsychology review.* 19: 204-214.
- Marchetti B, Tirolo C, L'Episcopo F, Caniglia S, Testa N, Smith JA, et al . 2020. Parkinson's disease, aging and adult neurogenesis: Wnt/ β -catenin signalling as the key to unlock the mystery of endogenous brain repair. *Aging Cell.* 19(3):e13101.
- Masliah E, Deteresa R, Mallory M, Hensen L. 2000. Changes in pathological finding in autopsy in AIDS cases for the last 15 years. *AIDS.* 14: 69-74.
- McIntosh E, Tureson K, Rotblatt L, Singer E, Thames A. 2021. HIV , Vascular Risk Factors, and Cognition in the Combination Antiretroviral Therapy Era: A systematic review and meta analysisn. *J intern Neuropsychol Soc.* 27(4): 365-381.
- Mediouni S, Marcondes MC, Miller C, McLaughlin JP, Valente ST. 2015. The cross-talk of HIV-1 Tat and methamphetamine in HIV-associated neurocognitive disorders. *Front Microbiol.* 6:1164.
- Miura Y & Kishida S. 2013. Neurological complications with HIV infection. *Brain and Nerve= Shinkei Kenkyu no Shinpo.* 65:275-281.
- Mohamed AA, Oduor C & Kinyanjui D. 2020. HIV-associated neurocognitive disorders at Moi teaching and referral hospital, Eldoret, Kenya. *BMC neurology.* 20: 1-11.
- Moore RC, Paolillo EW, Heaton A. 2017. Clinical utility of the UCSD performance-based skills assessment – brief (UPSA-B) in adults living with HIV: associations with neuropsychological impairment and patient-reported everyday functioning difficulties. *PLoS One.* 12:1–14.
- Morgan, E. E., Woods, S. P., Smith, C., Weber, E., Scott, J. C. & Grant, I. 2012. Lower cognitive reserve among individuals with syndromic HIV-associated neurocognitive disorders (HAND). *AIDS and Behavior.* 16:2279-2285.
- Mukherjee T, Sakthivel R, Fong HY et al (2018) Utility of using the Montreal cognitive assessment (MoCA) as a screening tool for HIV-associated neurocognitive disorders (HAND) in multi ethnic Malaysia. *AIDS Behav.* 22:3226–3233.
- Nasnonudin. 2014. Virologi HIV dalam Buku Ajar Penyakit Dalam. Edisi 6. InternaPublishing. 898-901.
- Nasreddine ZS, Philips NA, Bedirian V, Charbonneau S, Whitehead V, Collin I, et al. 2005. The montreal cognitive assesment, MoCA: a brief screening tool for mild cognitive impairment. *J Am Geriatr Soc.* 53:695-699.
- Niida A, Hiroko T, Kasai M, Furukawa Y, Nakamura Y, Suzuki Y, et al. 2004. DKK1, a Negative Regulator of Wnt Signaling, is a Target of the b-Catenin/TCF Pathway. *Oncogene.* 23(52):8520–8526.
- Njamnshi A, Bissek AZK, Ongolo-Zogo P, Tabah E, Lekoubou A, Yepnjio F, et al . 2009. Risk factors for HIV-associated neurocognitive disorders (HAND) in sub-Saharan Africa: the case of Yaounde-Cameroon. *Journal of the neurological sciences.* 285:149-153.

- Olivier, I. S., Cacabelos, R. & Naidoo, V. 2018. Risk factors and pathogenesis of HIV-associated neurocognitive disorder: the role of host genetics. *International journal of molecular sciences*. 19:3594.
- Oemijati S, Samsudin, Sutan AM, Tamaela LA, Nasar SS. 2010. Penerapan etika penelitian kedokteran , dalam Buku ajar dasar-dasar metologi penelitian klinis. Edisi 3. Penerbit Sagung Seto. 332-340.
- Okamoto, S., Kobayashi, E., Murayama, H., Liang, J., Fukaya, T. and Shinkai, S. 2021. Decomposition of gender differences in cognitive functioning: National Survey of the Japanese elderly. *BMC Geriatrics* 21 : 38.
- Orellana JA, Saez JC, Bennett MVL, Berman JW, Morgello S, Eugenin EA. 2014. HIV increases the release of dickkopf-1 protein from human astrocytes by a Cx43 hemichannel-dependent mechanism. *J Neurochem*. 128; 752-63.
- Paul R, Yiannoutsos C , Miller E, Chang L, Marra C, Schifitto G, et al. 2007. Proton MRS and neuropsychological correlates in AIDS dementia complex: evidence of subcortical specificity. *Journal of neuropsychiatry and clinical neuroscience*. 19(3): 283-292.
- Paris J, Singh H, Ganno M, Jackson P, McLaughlin J. 2014. Anxiety-like behaviour of mice produced by conditional central express of the HIV-1 regulatory protein, Tat. *Psychopharmacology*. 231: 2349-2360.
- Purro SA, Galli S, Salinas PC. 2014. Dysfunction of Wnt signaling and synaptic disassembly in neurodegenerative disease. *J mol Cell Biol*.6:75-80.
- Ren C, Gu X, Li H, Lei S, Wang Z, Wang J, et al. 2019. The role of DKK1 in Alzheimer's disease: A potential intervention point of brain damage prevention?. *Pharmacol Res*. 144:331-5.
- Ropper AH, Samuels MA, Klein JP. 2014. Viral infection of nervous system, chronic meningitis, and prion diseases , dalam Adams and Vectors *Principles of Neurology*. Tenth ed. McGraw-Hill education. 758-762.
- Ross RD, Shah RC, Leurgans S, Bottiglieri T, Wilson RS, Sumner DR. 2018. Circulating Dkk1 and TRAIL Are Associated With Cognitive Decline in Community-Dwelling, Older Adults With Cognitive Concerns. *J Gerontol A Biol Sci Med Sci* ;73(12):1688-1694.
- Rubin LH, Cook JA, Cohen MH, Martin E, Valcor V, Milam J, et al. 2015. The association of perceived stress and verbal memory is greater in HIV-infected versus HIV uninfected women. *J Neurovirol*. 21(4):422-432.
- Sakai K, Smith M, Lenardo M. 2006. *Nonapoptotic HIV-Induced Cell Death*. Taylor and Francis Group. New York. 279-291.
- Santerre, M., Wang, Y., Arjona, S., Allen, C. & Sawaya, B. E. 2019. Differential contribution of HIV-1 subtypes B and C to neurological disorders: Mechanisms and possible treatments. *AIDS reviews*, 21, 76.
- Saylor, D., Dickens, A. M., Sacktor, N., Haughey, N., Slusher, B., Pletnikov, M., Mankowski, J. L., Brown, A., Volsky, D. J. & McArthur, J. C. 2016. HIV-associated neurocognitive disorder—pathogenesis and prospects for treatment. *Nature Reviews Neurology*, 12, 234-248.
- Scutari R, Alteri C, Perno CF, Svicher, Aquaro S. 2017. The role of HIV infecton in neurologic injury. *Brain science*. 7:1-17.
- Simioni S, Cavassini M, Annoni JM. 2010. Cognitive dysfunction in HIV patients despite long-standing suppression of viremia. *AIDS* ; 24(9): 1243-1250.
- Snell RS. 2011. *Neuroanatomiklinik*. Edisi 7. Jakarta: EGC. 404-25.

- Speidell A, Asuni G, Wakulski R, Mocchestti I. 2020. up-regulation of the p75 neurotrophin receptor is an essential mechanism for HIV-gp120 mediated synaptic loss in the striatum. *Brain Behav Immun.*
- Steinbrink F, Evers S, Buerke B. 2013. Cognitive impairment in HIV infection is associated with MRI and CSF pattern of neurodegeneration. *Eur J Neurol.* 20: 420-428.
- Sukarini NP, Sudewi AAR, Laksmidewi AAPL. 2017. Kadar CD4 sebagai faktor risiko gangguan kognitif pada penderita HIV pra-antiretroviral. *Neurona.* 34(2):70-76.
- Takahashi N. 2020. Active dendritic current gate descending cortical output in perception. *Nat Neurosci.* 23: 1277-1285.
- The Joint United Nations Programme on HIV/ AIDS (UNAIDS). 2022. Global AIDS Update 2022.
- Ton H, Xiong H. 2013. Astrocyte dysfunction and HIV-1 neurotoxicity. *J Aids ClinRes.* 4(11):1-13.
- Vandenbos GR. 2015. Cognition in APA dictionary of psychology. Second ed. American Psychological Association.
- Wang, Y., Liu, M., Lu, Q., Farrell, M., Lappin, J. M., Shi, J., Lu, L. & Bao, Y. 2020. Global prevalence and burden of HIV-associated neurocognitive disorder: a meta-analysis. *Neurology.* 95: e2610-e2621.
- Waymack, J. R. & Sundareshan, V. 2019. Acquired Immune Deficiency Syndrome.
- Widyastuti, K. 2011. Angka CD4+ nadir sebagai Faktor Risiko Kejadian Kognitif pada Penderita HIV di RSUP Sanglah Denpasar. Universitas Udayana.
- Wong M, Robertson K, Nakasujja N, Skolasky R, Musisi S, Katabira E et al. 2007. Frequency of and risk factors for HIV dementia in an HIV clinic in sub-Saharan Africa. *Neurology;* 68 (5):350–355.
- Woods S, Moore D, Weber E, Grant I. 2009. Cognitive Neuropsychology of HIV associated neurocognitive disorders. *Neuropsychol Rev.* 19: 152-168.
- World Health Organization. 2005. Interim WHO clinical staging of HIV/ AIDS and HIV/ AIDS case definition for surveillance: African region.
- World Health Organization. 2021. HIV/AIDS Fact Sheet.
- Wright EJ, Brew B, Arayawichanont A. 2008. Neurologic disorder are prevalent in HIV-positive outpatient in the Asia-Pacific region. *Neurology.* 71:50-56.
- Wright EJ, Grund B, Robertson K. 2010. Cardiovascular risk factors associated with lower baseline cognitive performance in HIV-positive persons. *Neurology.* 5(10):864–873
- Yu, C., Seaton, M., Letendre, S., Heaton, R. & Al-Harhi, L. 2017. Plasma dickkopf-related protein 1, an antagonist of the Wnt pathway, is associated with HIV-associated neurocognitive impairment. *AIDS.* 31: 1379.
- Zhang J. 2019. COgnitive function on the brain: perception, attention, and memory.