

## DAFTAR KEPUSTAKAAN

- Ayudianti, P, Indramaya D. M, (2014). Faktor pencetus akne vulgaris : Periodical of dermatology and venerology, Vol 26, No 1.
- Chiu, A, Chon, S.Y, Kimball, A. B (2003). The response of skin disease to stress. Changes in the severity of acne vulgaris as affected by examination stress. Arch dermatol. 139 : 897-700.
- Dahlan M Sopiudin (2010). Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan. Jakarta : Salemba Medika. pp : 46-60.
- Division of mental health and prevention of substance abuse (1997). WHOQOL measuring quality of life. pp : 11-19.
- Drug Utilization Research Unit (DURU) (2009). SA Pharmaceutical Journal. Department of Pharmacy Nelon Mandela Metropolitan University. pp : 12-19.
- Fulton James (2009). Acne vulgaris. Medscape available. <http://emedicine.medscape.com/article/1069804.overview>. Diakses maret 2016.
- Ghaderi, R, Saadatjoo, A, Ghaderi, F (2013). Evaluating of life quality in patients with acne vulgaris using genetic and specific questionnaires. Dermatology research and practice. pp : 1-6.
- Graham Brown, Burn (2005). Akne, Erupsi, Akneiformis, Rosasea. In : lecture notes dermatology. Edisi ke 8 : Erlangga medical series. pp : 55-65.
- Hanisah, A, Omar, K, Shah, S (2009). Prevalance of acne and its impact on the quality of life in school aged adolescents in Malaysia. Journal of primary health care, 1 (1) : 20-25.
- Hanna, S, Sharma, J, Klotz (2003). Acne vulgaris: more than skin deep. Dermatology online journal 9 (3) : 8.
- Henshaw, E, Ogedegbe, E (2014). Severity and impact of acne vulgaris on the quality of life of adolescents in Nigeria. Clinical cosmetic and investigational dermatology (7). pp: 329.
- James, W (2005). Acne. New England journal of medicine. 352 (14). pp: 1463-1472.
- Kaymak, H.M.A (2007). Quality of life acne in acne vulgaris patients. Vol 44 Diakses maret 2016.
- Kellet, Gawkrödger (1999). Glucocorticoid and insulin resistance. Old component, new target. Clin Sci, 18: 241-268.
- Kokandi, A (2010). Evaluation of acne quality of life and clinical severity in acne female adults. Dermatology research and practice. pp : 1-3.

- Lehmann HP, Robinson KA, Andrew JS (2002). Acne therapy. A methodologic review. *Journal American Academy Dermatology* 47 : 231-40.
- Magin, P, Adams, J, Heading, G, Pond, D, Smith, W (2006). Psychological sequelae of acne vulgaris results of qualitative study Canadian family physician, (52) : 978-979.
- Mosam, A, Vawda, N.B, Gordhan, A.H (2005). Quality of life issues for south Africans with acne vulgaris. *Clin exp dermatol.* 30 (1) : 6-9.
- Noorbala, M (2013). Prevalance of acne and its impact on the quality of life in highschool aged adolescents in yanzd, Iran. *Journal of Pakistan association of dermatologist*, 23 (2) : 168-172.
- Notoadmojo S (2010). *Metodologi Penelitian Kesehatan*. Jakarta : PT Asdi Mahasatya. pp : 180-7.
- O'Donoghue, M.N (2003). Piloosebaceous and sweat gland disorders. In: *Dermatolgy just the facts*, Mc Graw-hill companies, inc.
- Potacka, A, Turczyn-Jablonska, K, Merez D (2009). Psychological correlate of quality of life in dermatology patients: the role of mental health and self acceptance. *Acta Dermatoven APA*, Vol 18, No 2.
- Purwaningdyah, R, Yusuf, N (2013). Profil penderita akne vulgaris pada siswasiswi SMA Shafiyatul Amaliyah Medan. *E-journal FK USU*
- Rachmawati, S (2013). Kualitas hidup pasien akne vulgaris. *Universitas Muhammadiyah Malang. Jurnal Sains dan Praktik Psikologi*. Vol. 1 (1) No. 48-62.
- Ravi, T (2015). Kualitas hidup pada pasien akne vulgaris. *E-journal FK USU*
- Ritvo E, Del Rosso, J, Shilman, M, La Riche, C (2011). Psychosocial judgements and perceptions of adolescents with acne vulgaris. A blinded controlled comparison of adult and peer evaluation. *Bio psychosocial med*, 5 (1) : 1-14.
- Rubin, H (2008). Self consciousness, friendship quality, and adolescent internalizing problem. *The British Psychological Society. University at Buffalo, The state University of New York USA*. Vol. 27. No. 249-267.
- Safitri, Y, Sukanto, H, Ervianti, E (2010). Profil kualitas hidup penderita akne vulgaris di RSUD Dr. Soetomo Surabaya studi menggunakan Cardiff acne disability index (CADI). *Departemen ilmu kesehatan kulit dan kelamin*, (22) : 25-23.
- Safizadeh H, Shamsi-Meymandy, S. and Naeimi, A (2012). Quality of life in Iranian patients with acne. *Dermatology research and practice*. pp : 1-4.
- Setiabudy, R (2012). *Farmakologi dan terapi*. Edisi ke 5. Jakarta : Badan Penerbit Fakultas Kedokteran Indonesia. pp : 694-704.

- Sites.cardiff.ac.uk (2015). Cardiff Acne Disability Index (CADI). Department of dermatology Cardiff University. [online] Available at:<http://sites.cardiff.ac.uk/dermatology/quality-of-lifecardiff-acne-disability-index-cadi/> Diakses maret 2016
- Tahir, M (2010). Pathogenesis of acne vulgaris simplified. Journal of Pakistan association of dermatologist. pp :93-97.
- Tosula eleni, Gregoriu stamatis (2012). The impact of acne vulgaris on quality of life and psychic health in young adolescents in greece. An brasileiros de deramtologia 87 (6) : 862-869.
- Wasitaatmadja, S (2007). Ilmu penyakit kulit dan kelamin. Edisi ke 5. Jakarta: Badan Penerbit Fakultas Kedokteran Indonesia.pp :253-259.
- Wasitaatmadja, S (2015). Ilmu penyakit kulit dan kelamin. Edisi ke 7. Jakarta: Badan Penerbit Fakultas Kedokteran Indonesia. pp : 253-259.
- Wolff, K, Johnson, RA (2009). Fitzpatrick's Color Atlas and Sinopsis of Clinical Dermatology 5th Edition. McGraw-Hill. USA. pp : 2-6.
- Yandi RA, Sibero HT, Fiana DN (2013). Quality of life of acne vulgaris patients in RSUD DR. H. Abdul Moeloek hospital at Lampung. ISSN: 2337-3736.
- Zaenglein, A.L, Graber, E.M, Thibootot,D.M, Strauss, J.S (2008). Acne vulgaris and acneiform eruptions. In : Fitzpatrick dermatology in general medicine, vol 1, 7 th edition, mc graw-hill companies, inc. pp : 690-702.

