

## DAFTAR PUSTAKA

1. Jha, V. *et al.* Chronic kidney disease: Global dimension and perspectives. *Lancet* 382, 260–272. [https://doi.org/10.1016/S0140-6736\(13\)60687-X](https://doi.org/10.1016/S0140-6736(13)60687-X) (2013).
2. Harrison's Principles of Internal Medicine, 20e Jameson J, Fauci AS, Kasper DL, Hauser SL, Longo DL, Loscalzo J New York: The McGraw-Hill Companies, Inc.; 2018
3. PERNEFRI. 10<sup>th</sup> Report of Indonesian Renal Registry. 2017.
4. Bailey, R. A., Wang, Y., Zhu, V. & Rupnow, M. F. Chronic kidney disease in US adults with type 2 diabetes: An updated national estimate of prevalence based on Kidney Disease: Improving Global Outcomes (KDIGO) staging. *BMC Res. Notes* 7, 415. <https://doi.org/10.1186/1756-0500-7-415> (2014).
5. Atlas IDFD. What is diabetes? In: International Diabetes Federation. Ninth Edition. 2019. p 10-21.
6. Wong, C. W., Wong, T. Y., Cheng, C. Y. & Sabanayagam, C. Kidney and eye diseases: Common risk factors, etiological mechanisms, and pathways. *Kidney Int.* 85, 1290–1302. <https://doi.org/10.1038/ki.2013.491> (2014).
7. Cantor LB, Rapuano CJ. The Eye. In : Fundamentals and Principles of Ophthalmology: Basic and Clinical Science Course. San Fransisco; 2019-2020. p47-104.
8. Retina and Vitreous. 2019–2020. BCSC. Basic and Clinical Science Course. 2019 American Academy of Ophthalmology.
9. The Egyptian Journal of Hospital Medicine (July 2018) Vol. 72 (11), Page 5640-5646 5640 Received: 21/6/2018 Accepted: 30/6/2018 Abnormal Ocular Findings in Chronic Renal Failure Patients on Hemodialysis Dina E. Mansour, Ahmed M. El-Bayomi, Aml M. El-Azab
10. Sayin N, Kara N, Pekel G. Ocular complication of diabetes mellitus. *World J Diabetes.* 2015;6(1):92-108
11. Huang X, Zhang P, Zou X, Xu Y, Zhu J, He J, et al. Thinner average choroidal thickness is a risk factor for the onset of diabetic retinopathy. *Ophthalmic res.* 2020;63(3):259-70
12. Wong TY, Coresh J, Klein R, Muntner P, Couper DJ, Sharrett AR, et al. Retinal microvascular abnormalities and renal dysfunction: the atherosclerosis risk in communities study. *J Am Soc Nephrol.* 2004;15:2469–76.
13. Leigh H. Spielberg and Anita M. Leys, J. Fernando A (Ed). *Retinal and choroidal Manifestations of Selected Systemic Disease.* 2013. New York : Springer.
14. Wong CW, Wong TY, Cheng C-Y, Sabanayagam C. Kidney and eye diseases: common risk factors, etiological mechanisms, and pathways. *Kidney Int.* 2014;85:1290-302
15. Lai S, Perrota AM, Mazzaferro S, Mene P. Literature review on the cross-link between ocular and renal disease: renin angiotensin aldosterone system is a main actor. *European review for medical and pharmacological sciences.* 2022;26:4774-4788.

16. Evans RD, Rosner M: Ocular abnormalities associated with advanced kidney disease and haemodialysis. *Review Semin Dial* 2005; 18:252–257.
17. M. Necai Demir<sup>1</sup> , Umit Eks<sup>1</sup> , lo G Lu<sup>1</sup> , Mustafa Altay<sup>2</sup> , Özlem Tök<sup>1</sup> , F. Gül Yılmaz<sup>1</sup> , Mehmet A. Acar<sup>1</sup> , Murat Duranay<sup>2</sup> , Sunay Duman. Retinal nerve fiber layer thickness in chronic renal failure without diabetes mellitus *European Journal of Ophthalmology* / Vol.19 no. 6, 2009 / pp. 1034-1038
18. Hemodialysis-Induced Alterations in Macular Thickness Measured by Optical Coherence Tomography in Diabetic Patients with End-Stage Renal Disease Panagiotis G. Theodossiadis a Sofia Theodoropoulou e Georgia Neamonitou a Vlassis Grigoropoulos c Vasilios Liarakos a Eleni Triantou dGeorge P. Theodossiadis c Demetrios V. Vlahakos *Ophthalmologica* 2012;227:90–94 DOI: 10.1159/000331321
19. Kalantar-Zadeh K, Regidor DL, Kovesdy CP, van Wyck D, Bunnapradist S, Horwich TB, Fonarow GC: Fluid retention is associated with cardiovascular mortality in patients undergoing long-term hemodialysis. *Circulation* 2009; 119: 671–679
20. Auyanet I, Rodríguez LJ, Bosch E, et al. Measurement of foveal thickness by optical coherence tomography in adult haemodialysis patients with diabetic nephropathy. *Nefrologia* 2011;31(1):66–9.
21. Vrabec, R. *et al.* Ocular findings in patients with chronic renal failure undergoing haemodialysis. *Coll. Antropol.* 29(Suppl 1), 95–98 .
22. Pahor, D., Gracner, B., Gracner, T. & Hojs, R. Optical coherence tomography findings in hemodialysis patients. *Klin. Monbl Augenheilkd.* 225, 713–717 (2008).
23. Teodossiadis, P. G. *et al.* Hemodialysis-induced alterations in macular thickness measured by optical coherence tomography in diabetic patients with end-stage renal disease. *Ophthalmologica. J. Int. d’ophtalmologie. Int. J. ophthalmology. Z. fur Augenheilkunde* 227, 90–94 (2012).
24. Van Dijk, H. W. *et al.* Early neurodegeneration in the retina of type 2 diabetic patients. *Investig. Ophthalmol. Vis. Sci.* 53, 2715–2719 .
25. Li, S. T., Wang, X. N., Du, X. H. & Wu, Q. Comparison of spectral-domain optical coherence tomography for intra-retinal layers thickness measurements between healthy and diabetic eyes among Chinese adults. *Plos one* 12, e0177515 (2017).
26. Demir, M., Oba, E., Sensoz, H. & Ozdal, E. Retinal nerve fiber layer and ganglion cell complex thickness in patients with type 2 diabetes mellitus. *Indian. J. Ophthalmol.* 62, 719–720 (2014).
27. Sogawa K, Nagaoka T, Takahashi A, et al. Relationship between choroidal thickness and choroidal circulation in healthy young subjects. *Am J Ophthalmol.* 2012;153(6):1129-1132.e1.
28. Nickla DL, Wallman J. The multifunctional choroid. *Prog Retin Eye Res.* 2010;29(2):144-168.
29. Tan K-A, Gupta P, Agarwal A, et al. State of science: choroidal thickness and systemic health. *Surv Ophthalmol.* 2016;61(5):566-581.

30. Ahn SJ, Woo SJ, Park KH. Retinal and choroidal changes with severe hypertension and their association with visual outcome. *Invest Ophthalmol Vis Sci.* 2014;55(12):7775-7785
31. Shen L, Tang W, Tan Y, He M. Correlation between renal function and peripapillary choroidal thickness in treatment naïve diabetic eyes using SS-OCT. National Natural Science Foundation of China. *Trans Vis Sci Technol.* 2020;9(5):17.
32. Giuseppe M, Vadala M, Sinatra N. Association between early stage chronic kidney disease and reduced choroidal thickness in essential hypertensive patients. In *Journal of Hypertension.* 2018
33. Farrah TE, Dhillon B, Keane PA, Webb DJ, Dhaun N. The eye, the kidney, and cardiovascular disease : old concepts, better tools, and new horizons. *Kidney Int.* 2020;98:323-342.
34. Akay F, Gundogan FC, Yolcu U, Toyran S, Uzun S. Choroidal thickness in systemic arterial hypertension. *Eur J Ophthalmol.* 2016;26(2):152-157.
35. Gansevoort RT, Correa-Rotter R, Hemmelgarn BR, et al. Chronic kidney disease and cardiovascular risk: epidemiology, mechanisms, and prevention. *Lancet.* 2013;382:339–352.
36. Entezari M, Karimi S, Ramezani A et al. Choroidal thickness in healthy subjects. *Ophthalmic vis res.* 2018;13(1):39-43.
37. Ahmad M, Kaszubski PA, Cobbs L, Reynolds H, Smith RT. Choroidal thickness in patients with coronary artery disease. Paul F, ed. *PLoS ONE.* 2017;12(6):e0175691.
38. Chang IB, Lee JH, Kim JS. Changes in choroidal thickness in and outside the macula after hemodialysis in patients with end-stage renal disease. *Retina.* 2017;37(5):896-905.
39. Romero-Aroca P, Baget-Bernaldiz M, Navarro-Gil R, Moreno-Ribas A, Valls-Mateu A, Sagarra-Alamo R. Glomerular Filtration Rate and/or Ratio of Urine Albumin to Creatinine as Markers for Diabetic Retinopathy : A Ten Year Follow Up Study.2018. *Journal of Diabetes Research.* Pg 1-9
40. Paterson EN, Ravindram ML, Griffiths K, Le Velly CA, Cardwell CC, McCarter RV. Association of Reduced Inner Retinal Thicknesses With Chronic Kidney Disease. 2020. *BMC Nephrology.* 21:37. Pg 1-12
41. Shu Yen P, Yih-Cherng L, I-W.e n W, Chin Chan L, Chi-Chin S, Jian-Jiun P. Impact of Blood Pressure Control on Retinal Microvasculature In Patients With Chronic Kidney Disease. 2020. *Nature Research.*10:14275.Pg 1-20
42. Ajay Singh Joseph Loscalzo. *The Brigham Intensive Review of Internal Medicine* 3rd Edition. 31st December 2017. Elsevier
43. Gerachi G, Zammuto MM, Vadala M, Mattina A, Castelluci M, Guarrasi G. Choroidal Thickness is Associated With Renal Hemodynamics In Essential Hypertension. November 17, 2019. Wiley Periodicals, Inc. 2020:00:Pg 1-9
44. *The Retina, A Guide to Self-Assessment.* Melvin J. Gouder. Springer Nature Switzerland AG 2020. <https://doi.org/10.1007/978-3-030-48591-7>



45. Kur J, Newman EA, Chan-Ling T. Cellular and Physiological Mechanisms Underlying Blood Flow Regulation in the Retina and Choroid in Health and Disease. *Progress in Retinal and Eye Research* (2012) 31: 377-406
46. Ding X, Li J, Zeng J, Liu R et al. Choroidal thickness in healthy Chinese subjects. *Ophthalmic Vis sci* .2011;52:9555-9560.
47. Susanne J, Bosch A, Ott C, Kannenkeril D, Dienemann T, Harazny JM. Retinal Neurodegeneration In Patients With End Stage Renal Disease Assessed By Spectral-Domain Optical Cohorence Tomography. 2020.10:5255.Pg 1-10
48. Sen L, Wei W, Yan T, Miao H, Lanhua W, Yuting L. Relationship Between Renal Function and Choroidal Thickness in Type 2 Diabetic Patients Detected by Swept-Source Optical Coherence Tomography. April 2020. Tvst. 9.5:17.Pg 1-10
49. Manjunath V, Taha M, Fujimoto JG, Duker JS. Choroidal thickness in normal eyes measured using Cirrus HD optical coherence tomography. *Am J Ophthalmol* 2010; 150: 325–329, e1
50. Wong TY, et al. : Retinal Microvascular abnormalities and blood pressure in older people. The Cardiovascular Health Study. *Brit. Journ of Ophthalmol*. Vol 86. pp 1007 – 1013. 2002.
51. Ruiz-Moreno JM, Flores-Moreno I, Lugo F, RuizMedrano J, Montero J, Akiba M. Macular choroidal thickness in normal pediatric population measured by Swept-Source Optical Coherence Tomography. *Invest Ophthalmol Vis Sci*. 2013;54:353-9.
52. Harish, Singh S, Agarwal M, Mayor R, Venkatesh R, Chauhan L. Evaluation of Choroidal Thickness in Normal Eyes Using Enhanced Depth Optical Cohorence Tomography. *Del J Ophtalmol*. Vol 27:4 April – June 2017.Pg 255-258
53. Murphy RB, Lam LA, Chew EY. Hypertension. In: *Retina*. 4<sup>th</sup> Edition. Philadelphia: Elsevier Mosby. 2006: 1377-1381.
54. Hayreh SS. Ischemic Optic Neuropathy. *Progress in Retinal and Eye Research* (2009) 28: 34-62.
55. Hayreh SS. Duke-Elder Lecture: Systemic Arterial Blood Pressure and the Eye. *Eye* (2006) 10: 5-28.
56. Walsh JB.: Hypertensive Retinopathy. Description, classification and prognosis. *Ophthalmology*, vol 89. 1127 – 1131. 1982
57. Uckaya G, et el. : Is Leptin associated with hypertensive retinopathy? *Journ of Clin Endocrin and metab*. Vol. 85, 2, 684 – 687. 2000.
58. Hayreh SS. Duke-Elder Lecture : Systemic Arterial Blood Pressure and The Eye. *Eye* (2006) 10, 5-28.
59. Farias JB, Silva KC, Lopes de Faria JM. The Contribution of Hypertension to Diabetic Nephropathy and Retinopathy: The Role of Inflammation and Oxidative Stress. *Hypertension Research*.2011;34.Pg 413-422

60. Caldwell G, Kohner EM. Diabetic Retinopathy and Nephropathy- Are They Related?. Editorial from Hammersmith Hospital London. 1989. Pg 137-138
61. Balmforth C, Webb DJ, Dhaun N. Chorioretinal thinning in chronic kidney disease links to inflammation and endothelial dysfunction. *JCI Insight*. 2016;1(20).
62. Raff M, Schwarz S et al. Non-diabetic chronic kidney disease influences retinal microvasculature. *Kidney Blood Pressure Research*. 2009;1420-4096.
63. Grunwald JE, Alexander J, Yin GS, Maguire M, Daniel E, Whitkovk-Martin R. Retinopathy and Chronic Kidney Disease in The Chronic Renal Insufficiency Cohort Study (CRIC). September 2012. *Arch Ophthalmol*. 130(9).Pg 1136-1144
64. Lee S, Cho JW, Sung KY, Yun SC, Kang SY, Choi J. Relationship Between Visual Field Sensitivity and Macular Ganglion Cell Complex Thickness as Measured by Spectral Domain OCT. December 2010. *Investigative & Visual Science*. 51(12).Pg 6401-6407
65. Emre S, Ozturkeri A, Ulusoy MO, Cankurtaran C. Evaluation of the Acute Effect Of Haemodialysis on retina and Optic Nerve With OCT. 2016. *Saudi Journal of Ophthalmology*. 30. Pg 233-235
66. Joel S. Schuman, Carmen A. Paliافتo, James G. Fujimoto, Jay S. Doker. 2013. *Optical Coherence Imaging, 3<sup>rd</sup> Edition*. Slack Incorporated: United States.
67. Agarwal, Amar, editor. II. Kum ar, Dhivya Ashok, editor. *Optical Coherence Tomography Diagnosis of Retinal Diseases*. Thieme Publishers New York. 2015
68. Moussa NB, Georges A, Capuano V, Merle B, Souied EH, Querques G. Multicolor imaging in the evaluation of geographic atrophy due to age-related macular degeneration. *Br J Ophthalmol*. 2015;99(6):842-7.
69. Park SY, Kim SM, Song YM, Sung JH, Ham DI. Retinal Thickness and Volume Measured With Enhanced Depth Imaging OCT. September 2013. *American Journal Of Ophthalmology*. Elsevier. Pg 557-566
70. Carl Zeiss Meditec Nordmann J-P. *OCT & Optic Nerve*. Paris: Carl Zeiss Meditec; 2017. 42-130 p.
71. Carl Zeiss Meditec I. *Cirrus HD-OCT : How to read the Cirrus reports* [Internet]. Review Literature And Arts Of The Americas. California: Carl Zeiss Meditec; 2011. p. 1-13
72. Wei W, Bin, Xu L, Jonas JB, Shao L, Du KF, Wang S, et al. Subfoveal choroidal thickness : The Beijing Eye Study . *Ophthalmology*. 2013;120(1):175-80.
73. Fujiwara T, Imamura Y, Margolis R, Slakter JS, Spaide RF. Enhanced depth imaging optical coherence tomography of the choroid in highly myopic eyes. *Am J Ophthalmol* 2009; 148: 445-450
74. Liu P, Quinn RR, Lam NN, Al-Wahsh H, Sood MM, Tangri N, et al. Progression and Regression of Chronic Kidney Disease by Age among Adults in a Population-Based Cohort in Alberta, Canada. *JAMA Netw Open*. 2021;
75. Rai PK, Rai P, Bhat RG, Bedi S. Chronic Kidney Disease among Middle-Aged and Elderly Population: A Cross-Sectional Screening in a Hospital Camp in Varanasi, India

- [Internet]. Vol. 30, Saudi J Kidney Dis Transpl. 2019. Available from: <http://www.sjkdt.org>
76. Hinton TC, Adams ZH, Baker RP, Hope KA, Paton JFR, Hart EC, et al. Investigation and Treatment of High Blood Pressure in Young People: Too Much Medicine or Appropriate Risk Reduction? *Hypertension*. 2020 Jan 1;75(1):16–22.
  77. Hustrini NM, Susalit E, Rotmans JI. Prevalence and risk factors for chronic kidney disease in Indonesia: An analysis of the National Basic Health Survey 2018. *J Glob Health* [Internet]. 2022 Sep 3;12:04074. Available from: <https://jogh.org/2022/jogh-12-04071>
  78. García GG, Iyengar A, Kaze F, Kierans C, Padilla-Altamira C, Luyckx VA. Sex and gender differences in chronic kidney disease and access to care around the globe. *Semin Nephrol*. 2022 Mar 1;42(2):101–13.
  79. Bikbov B, Perico N, Remuzzi G. Disparities in Chronic Kidney Disease Prevalence among Males and Females in 195 Countries: Analysis of the Global Burden of Disease 2016 Study. *Nephron*. 2018 Jul 1;139(4):313–8.
  80. Carrero JJ, Hecking M, Chesnaye NC, Jager KJ. Sex and gender disparities in the epidemiology and outcomes of chronic kidney disease. *Nat Rev Nephrol*. 2018 Mar 1;14(3):151–64.
  81. Harris RC, Zhang MZ. The role of gender disparities in kidney injury. *Ann Transl Med*. 2020 Apr;8(7):514–514.
  82. Patrice HM, Joiven N, Hermine F, Yves BJ, Francois KF, Gloria AE. Factors associated with late presentation of patients with chronic kidney disease in nephrology consultation in Cameroon-a descriptive cross-sectional study. *Renal Failure*. 2019; 41(1): 384-92.
  83. Weldegiorgis M, Woodward M. The impact of hypertension on chronic kidney disease and end-stage renal disease is greater in men than women: a systematic review and meta-analysis. *BMC Nephrol*. 2020 Dec 1;21(1).
  84. Lee H, Kwon SH, Jeon JS, Noh H, Han DC, Kim H. Association between blood pressure and the risk of chronic kidney disease in treatment-naïve hypertensive patients. *Kidney Res Clin Pract*. 2022 Jan 1;41(1):31–42.
  85. Kazancioğlu R. Risk factors for chronic kidney disease: An update. In: *Kidney International Supplements*. Nature Publishing Group; 2013. p. 368–71.
  86. Ku E, Lee BJ, Wei J, Weir MR. Hypertension in CKD: Core Curriculum 2019. Vol. 74, *American Journal of Kidney Diseases*. W.B. Saunders; 2019. p. 120–31.
  87. Cheng F, Li Q, Wang J, Wang Z, Zeng F, Zhang Y. The effects of oral sodium bicarbonate on renal function and cardiovascular risk in patients with chronic kidney disease: A systematic review and meta-analysis. Vol. 17, *Therapeutics and Clinical Risk Management*. Dove Medical Press Ltd; 2021. p. 1321–31.
  88. Aisya M, Rachmawati H, Hasmono D, Kusumaningtyas AP. The Use of Folic Acid in Chronic Kidney Disease Patients With Anemia. *KnE Medicine*. 2022 Sep 15;



89. Capelli I, Cianciolo G, Gasperoni L, Zappulo F, Tondolo F, Cappuccilli M, et al. Folic acid and vitamin B12 administration in CKD, why not? *Nutrients*. 2019 Feb 1;11(2).
  90. Choi HS, Han K Do, Oh TR, Suh SH, Kim M, Kim CS, et al. Trends in the incidence and prevalence of end-stage renal disease with hemodialysis in entire Korean population: A nationwide population-based study. *Medicine (United States)*. 2021 Apr 2;100(13):E25293.
  91. Abdurrahman A, Bandiara R, Supriyadi R. The growing burden of end stage renal disease in Indonesia: ten years of the Indonesian renal registry reports. *Kidney Int Rep*. 2019 Jul;4(7):S327.
  92. Lal, B., Alonso-Caneiro, D., Read, S.A. *et al*. Diurnal changes in choroidal optical coherence tomography angiography indices over 24 hours in healthy young adults. *Sci Rep*. 2023; 13: 3551.
  93. Zhu Z, Liao H, Wang W, Scheetz J, Zhang J, He M. Visual Impairment and Major Eye Diseases in Chronic Kidney Disease: The National Health and Nutrition Examination Survey, 2005-2008. *American Journal Of Ophthalmology*. 2020; 213: 24-33.
  94. Mule G, Vadala M, Blasca T, Gaetani R, Virone G, Guarneri M. Association between early-stage chronic kidney disease and reduced choroidal thickness in essential hypertensive patients. *The Japanese Society of Hypertension*. 2019.
  95. Basiony AI, Atta SN, Dewidar NM, Zaky AG. Association of chorioretinal thickness with chronic kidney disease. *BMC Ophthalmol*. 2023 Dec 1;23(1):55.
  96. Shin YU, Lee SE, Kang MH, Han SW, Yi JH, Cho H. Evaluation of changes in choroidal thickness and the choroidal vascularity index after hemodialysis in patients with end-stage renal disease by using swept-source optical coherence tomography. *Medicine (United States)*. 2019 May 1;98(18).
  97. Mahmud M, Ahem A, Catherine ML. The relationship between choroidal and photoreceptor layer thickness with visual acuity in Highly Myopic Eyes. In *Cell Neurosci (Malaysia)*. 2022.
- Xin C, Wang J, Zhang W. *Retinal and choroidal thickness evaluation by SD-OCT in adults with obstructive sleep apnea-hypopnea*. Eye: Macmillan publishers. 2014.