

## DAFTAR PUSTAKA

1. Economidou F, Douka E, Tzanela M, Orfanos S, Kotanidou A. Thyroid function in critical illness. Springer Sci. 2015; 91–104.
2. Prama Sapto O, Martuti S, Soebagyo B. Pengaruh euthyroid sick syndrome pada mortalitas anak sakit kritis dalam Sari Pediatri Vol 18. Surakarta : Bagian IKA FK Universitas Sebelas Maret. 2017: 453–8.
3. Boonen E, Berghe VG. Endocrine responses to critical illness : novel insight and therapeutic implications. J Clin Endocrinol Metab. 2014; 99(5): 1569–82.
4. Bello G, Ceaichisciuc I, Silva S, Antonelli M. The role of thyroid dysfunction in the critically ill : a review of the literature. Minerva Anestesiol. 2010; 76(11): 919–28.
5. Teblick A, Langouche L, Berghe VG. Anterior pituitary function in critical illness. Bioscientifica. 2019; 8: 131–43.
6. Vanhorebeek I, Derese I, Gunst J, Wouters JP, Hermans G, Berghe VG. Persisting neuroendocrine abnormalities and their association with physical impairment 5 years after critical illness. Crit Care. 2021; 25(430).
7. Ostermann M, Sprigings D. The critically ill patient in Acute Medicine fifth edition. John Wiley & Sons Ltd. 2018: 1–8.
8. Mazlove MD, Tang B, Hari SM, Lawler RP, Angus CD, Baillie KJ, et al. Redefining critical illness. Nat Med. 2022; 28: 1141–8.
9. Warner HM, Beckett JG. Mechanisms behind the non-thyroidal illness syndrome : an update. J Endocrinol. 2010; 205: 1–13.
10. Pappa AT, Vagenakis GA, Alevizaki M. The nonthyroidal illness syndrome in the non-critically ill patient. Eur J Clin Invest. 2011; 41(2): 212–20.
11. Ahmed Abdelhameid AM, Kobiesy AM, Hafez El-Dein ZM, Bakr OA. Thyroid dysfunction as a mortality predictor for ICU patients. Egypt J Hosp Med. 2020; 80(2): 857–64.
12. Hershman JM. Euthyroid sick syndrome. School of Medicine at UCLA. 2019.
13. Aytug S. Euthyrod sick syndrome. Medscape. 2018.
14. Soetedjo Mulyani NN. Nonthyroidal illness (NTIs). Majalah Kedokteran Bandung. 2009; 41(3): 118–23.

15. Tognini S, Marchini F, Dardano A, Polini A, Ferdeghini M, Castiglioni M, et al. Non-thyroidal illness syndrome and short-term survival in a hospitalized older population. *Age Ageing*. 2010; 39: 46–50.
16. Chavanda RS, Mane RR. Correlation of thyroid hormones in the prognosis of critically ill patients. *Siriraj Med J*. 2021; 73(3): 161–6.
17. Aroor RA, Bhat A, Roshan M. Correlation of thyroid hormone profile and acute physiology and chronic health evaluation II (APACHE II) score with the survival in sepsis in a tertiary care center. *Asian J Med Sci*. 2021; 12(2): 19–24.
18. Kumar E, McCurdy TM, Koch AC, Hamadah A, Fulop T, Gharaibeh AK. Impairment of thyroid function in critically ill patients in the intensive care units. *Am J Med Sci*. 2018; 355(3): 281–5.
19. Lervasi G, Pingitore A, Landi P, Raciti M, Ripoli A, Scarlattini M, et al. Low-T<sub>3</sub> syndrome : a strong prognostic predictor of death in patients with heart disease. *Circulation*. 2003; 107(5): 708–13.
20. Friberg L, Drvota V, Bjelak HA, Eggertsen G, Ahnve S. Association between increased levels of reverse triiodothyronine and mortality after acute myocardial infarction. *Am J Med*. 2001; 111(9): 699–703.
21. Iglesias P, Munoz A, Prado F, Guerrero TM, Macias CM, Ridruejo E, et al. Alterations in thyroid function test in aged hospitalized patients : prevalence, etiology and clinical outcome. *Clin Endocrinol (Oxf)*. 2009; 70(6): 961–7.
22. Scoscia E, Baglioni S, Eslami A, Lervasi G, Monti S, Todisco T, et al. Low triiodothyronine (T<sub>3</sub>) state : a predictor of outcome in respiratory failure ? results of a clinical pilot study. *Eur J Endocrinol*. 2004; 151(5): 557–60.
23. Alevizaki M, Synetou M, Xynos K, Pappa T, Vemmos NK. Low triiodothyronine : a strong predictor of outcome in acute stroke patients. *Eur J Clin Invest*. 2007; 37(8): 651–7.
24. Luca DR, Davis JP, Lin YH, Gionfra F, Percario AZ, Affabris E, et al. Thyroid hormones interaction with immune response, inflammation and non-thyroidal illness syndrome. *Front Cell Dev Biol*. 2021; 8: 1–9.
25. Lee KW, Hwang S, Kim D, Lee GS, Jeong S, Seol MY, et al. Distinct features of nonthyroidal illness in critically ill patients with infectious disease. *Medicine*. 2016; 95(14).

26. Bartalena L, Bogazzi F, Brogioni S, Grasso L, Martino E. Role of cytokines in the pathogenesis of the euthyroid sick syndrome. *Eur J Endocrinol.* 1998; 138: 603–14.
27. Wajner MS, Larsen RP, Maia LA. IL-6 promotes nonthyroidal illness syndrome by blocking thyroxine activation while promoting thyroid hormone inactivation in human cells. *J Clin Invest.* 2011; 121 (5): 1834–45.
28. McDermott MT. Thyroid disorders in Endocrine Secrets seven editions. Elsevier. 2020: 330–5.
29. Peeters PR, Debaveye Y, Fliers E, Visser JT. Change within the thyroidal axis during critical illness. *Crit Care Clin.* 2006: 41–55.
30. American Thyroid Association. Thyroid function test. ATA. 2019; 12(1).
31. Silveira da DGC, Vasconcelos de PJF, Moura BE, Silveira da TGB, Amorim FPF, Shintaku SL. Thyroid function, reverse triiodothyronine, and mortality in critically ill clinical patients. *Indian J Crit Care Med.* 2021; 25(10): 1161–6.
32. McDermott TM. Non-thyroidal illness syndrome in Management of Patients with Pseudo-Endocrine Disorders. Springer. 2019: 331–9.
33. Langouche L, Jacobs A, Berghe VG. Nonthyroidal illness syndrome across the ages. *J Endocr Soc.* 2019; 3(12): 2313–25.
34. Afsana F, Fatema K, Asma A, Bhowmik B, Siddique T. Outcome of critically ill patients with non-thyroidal illness. *Birdem Med J.* 2021; 11(1).
35. Ganesan K, Wadud K. Euthyroid sick syndrome. StatPearls Publishing. 2019.
36. Purnami Ni Ketut R, Saraswati Made R, Sustika Ketut I. Euthyroid sick syndrome. *J Intern Med.* 2012; 10: 38–45.
37. Pappa T, Alevizaki M. Non-thyroidal illness. Springer International Publishing AG. 2017: 1–23.
38. Jameson LJ, Mandel JS, Weetman PA. Disorders of the thyroid gland in Harrison's Endocrinology 4<sup>th</sup> edition. McGraw Hill Education. 2017: 68–103.
39. Wang B, Liu S, Li L, Yao Q, Song R, Shao X, Li Q, Shi X, Zhang JA. Non-thyroidal illness syndrome in patients with cardiovascular diseases: a systematic review and meta-analysis. *Int J Cardiol.* 2017 Jan 01; 226: 1–10.

40. Abeal LJ, Diaz C, Berdine G, Iwuji K, Vilar AD, Wang M, et al. High prevalence of non-thyroidal illness syndrome in patients at long-term care facilities. *Endocrine*. 2020; 70: 348–55.
41. Akbas T, Sahin İE, Ozturk A. Alterations in thyroid hormones in brain-dead patients are related to non-thyroidal illness syndrome. *Endokrynol Pol.* 2018; 69(5): 545–9.
42. DeGroot JL. The non-thyroidal illness syndrome. *Endotext*. 2015.
43. Cooper DS, Ladenson PW. The thyroid gland in Greenspan's Basic & Clinical Endocrinology 10<sup>th</sup> edition. McGraw-Hill Education. 2018: 171–205.
44. Wajner MS, Maia LA. New insight toward the acute non-thyroidal illness syndrome. *Front Endocrinol*. 2012; 3(8): 1–7.
45. Fliers E, Boelen A. An Update on non-thyroidal illness syndrome. *J Endocrinol Invest*. 2021; 44: 1597–607.
46. Patki V, Kumbhojkar A, Khilnani P. Sick euthyroid syndrome : a myth or reality. *J Pediatr Crit Care*. 2017; 4(4): 44–51.
47. E Quispe A, Li MX, Yi H. Comparison and relationship of thyroid hormone, IL-6, IL-1 and albumin as mortality predictors in case-mix critically ill patients. *Cytokine*. 2016; 81: 94–100.
48. Rhee CM, Kalim S. Thyroid status in chronic renal failure patients in Textbook of Nephro-Endocrinology (Second edition). United State : University of California Irvine School. 2018; 478–89.
49. Iwayama H, Sugahara K, Masaru N, Fukayama M, Okumura A. Measurement of reverse triiodothyronine levels using liquid chromatography-tandem mass spectrometry in the serum of 89 outpatients. *Medical Mass Spectrometry*. 2017; 1(1): 10–3.
50. Sekhar S, Appalaneni R, Jada A, Pinnamaneni. Study of thyroid function in patients admitted in intensive care unit in a tertiary care center. *Int J Res Med Sci*. 2018; 6(8): 2717–21.
51. Lima GC, Wartofsky L, Burman DK. Can reverse T<sub>3</sub> assay be employed to guide T<sub>4</sub> vs T<sub>4</sub>/T<sub>3</sub> therapy in hypothyroidism ?. *Front Endocrinol*. 2019; 10(856): 1–5.

52. Halsall JD, Oddy S. Clinical and laboratory aspects of 3,3',5'-triiodothyronine (reverse T<sub>3</sub>). *Ann Clin Biochem*. 2021; 58(1): 29–37.
53. Neto MA, Wittmann ZED. Abnormalities of thyroid hormone metabolism during systemic illness : the low T<sub>3</sub> syndrome in different clinical settings. *Int J Endocrinol*. 2016.
54. Reinhardt W, Mulling N, Behrendt S, Benson S, Dolff S, Fuhrer D, et al. Association between albuminuria and thyroid function in patients with chronic kidney disease. *Endocrine*. 2021; 73: 367–73.
55. Burman DK, Lima GC. Reverse T<sub>3</sub> or preverse T<sub>3</sub>? still puzzling after 40 Years. *Clevel Clin J Med*. 2018; 86(6): 450–5.
56. Hollinger A, Gayat E, Feliot E, Duranteau J, Fournier MC, Leone M, et al. Gender and survival of critically ill patients: results from the FROG-ICU study. *Ann Intensive Care*. 2019; 43.
57. Modra L, Higgins A, Vithanage R, Abeygunawardana V, Bailey M, Bellomo R. Sex differences in illness severity and mortality among adult intensive care patients; A systematic review and meta-analysis. *J Crit Care*. 2021; 65: 116–23.
58. Bashir MA, Osman MM, Mohamed NH, Hilowle AI, Ahmed AH, Osman AA, et al. ICU-managed patients' epidemiology, characteristics, and outcomes: a retrospective single-center study. *Anesthesiol Res Pract*. 2023; 1–9.
59. Koerber KM, Agaoglu S, Bichmann A, Tafelski S, Nachtigall I. Female patients with pneumonia in intensive care unit are under risk of fatal outcome. *Medicina*. 2022; 58(827): 1–9.
60. Lat IT, McGraw KM, White DH. Gender differences in critical illness and critical care research. *Clin Chest Med*. 2021; 42(3): 543–55.
61. Peigne V, Somme D, Guerot E, Lenain E, Chatellier G, Fagon YJ, Jean SO. Treatment intensity, age and outcome in medical ICU patients : results of a French administrative database. *Ann of Intensive Care*. 2016; 6(7).
62. Wang M, Jiang L, Zhu B, Li W, Du B, Kang Y, et al. The prevalence, risk factors, and outcomes of sepsis in critically ill patients in China : a multicenter prospective cohort study. *Intensive Care Medicine and Anesthesiology*. 2020; 7.

63. Abu-Humaidan AHA, Ahmad MF, Al-Binni AM, Hani BA, Abeeleh AM. Characteristics of adult sepsis patients in the intensive care units in a tertiary hospital in Jordan: an observational study. *Crit Care Res Pract.* 2021; 1–8.
64. Rosanti FE, Arianto BA, Barus SL. Gambaran karakteristik pasien kritis di area critical unit. *Jurnal Kesehatan.* 2022; 10(1): 67–74.
65. Michels AHE, Butler MJ, Reijnders YDT, Cremer LO, Scicluna PB, Uhel F, et al. Association between age and the host response in critically ill patients with sepsis. *Crit Care.* 2022; 26(385).
66. Nawaz AF, Deo N, Surani S, Maynard W, Gibbs LM, Kashyap R, et al. Critical care practices in the world : results of the global intensive care unit need assessment survey 2020. *World J Crit Care Med.* 2022; 11(3): 169–77.
67. Lydia A, Rebecca VR, Sedono R, Mansjoer A. Factors associated with mortality of intensive care unit patients with acute kidney injury at cipto mangunkusumo national central general hospital. *Acta Med Indones-Indones J Intern Med.* 2019; 51(4): 324–30.
68. Tesema GH, Lema FG, Mesfin N, Fentie YD, Arefayne RN. Pattern of admission and clinical outcomes among patients admitted to medical intensive care unit of a teaching and referral hospital Northwest Ethiopia. *Glob Adv Health Med.* 2021; 10.
69. Jackson M, Cairns T. *Care of the critically ill patient.* *Surgery (Oxf).* 2021; 39(1): 29–36.
70. Fathi M, Moghaddam MN, Ramezankhani A. A systematic review on risk factors associated with sepsis in patients admitted to intensive care units. *Aust Crit Care.* 2018; 1–10.
71. Darden BD, Moore AF, Brakenridge CS, Navarro BE, Anton DS, Leeuwenburgh C, et al. The effect of aging physiology on critical care. *Crit Care Clin.* 2021; 37(1): 135–50.
72. Guirao JJ, Cabrera MC, Jimenez N, Rincon L, Urra MJ. High serum IL-6 values increase the risk of mortality and the severity of pneumonia in patients diagnosed with COVID-19. *Mol Immunol.* 2020; 128: 64–8.

73. Vivas CM, Guerrero VFH, Tascon JA, Aguirre VA. Plasma interleukin-6 levels correlate with survival in patients with bacterial sepsis and septic shock. *Interv Med Appl Sci.* 2019; 11(4): 224–30.
74. Uysal E, Acar AY, Celik R, Nasuhbeyoglu N. Plasma interleukin-6 levels may be associated with the length of stay time of adult hyperglycemic patients in an intensive care unit. *Acta Endocrinol.* 2020; 16(3): 311–5.
75. Mavrogenis MG, Tromp J, Mentz JR, O'connor MC, Metra M, Ponikowski P, et al. The additive prognostic value of serial plasma interleukin-6 levels over changes in brain natriuretic peptide in patients with acute heart failure. *J Card Fail.* 2021; 27(7): 808–11.
76. McElvaney JO, Curley FG, John RS, McElvaney GN. Interleukin-6 : obstacles to targeting a complex cytokine in critical illness. *Lancet Respir Med.* 2021; 9(6): 643–54.
77. Wismandari. Triidotironin sebagai prediktor perburukan klinis pada pasien sepsis [Tesis]. Jakarta : Fakultas Kedokteran Universitas Indonesia; 2014.
78. Gutch M, Kumar S, Gupta KK. Prognostic value of thyroid profile in critical care condition. *Indian J endocrinol Metab.* 2018; 22(3): 387–91.
79. Peeters PR, Wouters JP, Toor vH, Kaptein E, Visser JT, Berghe den VG. Serum 3,3',5'-triiodothyronine (rT<sub>3</sub>) and 3,5,3'-triiodothyronine/ rT<sub>3</sub> are prognostic markers in critically ill patient and are associated with postmortem tissue deiodinase activities. *J Clin Endocrinol Metab.* 2005; 90(8): 4559–65.
80. Krishna A, Yakoobali NM, Prabhakaran PS. Study of proportion and pattern of sick euthyroid syndrome in patients with sepsis in intensive care unit of a tertiary care hospital in south korea. *J Evid Based Med Health.* 2020; 7(51): 3094–8.
81. Vidart J, Jaskulski P, Kunzler LA, Marschner AR, Silva da AFA, Wajner MS. Non-thyroidal illness syndrome predicts outcome in adult critically ill patients: a systematic review and meta-analysis. *Bioscientifica.* 2022; 11(2).
82. Davies HP, Black GE, Sheppard CM, Franklyn AJ. Relation between serum interleukin-6 and thyroid hormone concentrations in 270 hospital inpatients with non-thyroidal illness. *Clin Endocrinol (Oxf).* 1996; 44(2): 199–205.

83. Abo-Zenah AH, Shoeb AS, Sabry AA, Ismail AH. Relating circulating thyroid hormone concentrations to serum interleukins-6 and -10 in association with non-thyroidal illnesses including chronic renal insufficiency. BMC Endocr Disord. 2008; 8(1): 2008.
84. Castila FA, Vizoso BAM, Coma IA, Barcelo A, Guardiola A, Barcena PJ. Correlation between thyroid responses and inflammatory cytokines in critically ill COVID-19 patients. Biomedicines. 2022; 11(6): 1–9.

