

## DAFTAR PUSTAKA

- Abd-Elkader, H., H.Y. Massoud., T. T. El-Baz., and M. A. El-Erian. 2020. Effect of Amino Acids Spray on Growth, Flowering and Keeping Quality of *Gerbera jamesonii* L. as a Pot Plant. *Journal of Plant Production*, 11(2): 201–206.
- Abdel, A., H. A. Latef., A. K. Srivastava., H. Saber., E. A. Alwaleed., and L.P Tran. 2017. *Sargassum muticum* and *Jania rubens* regulate amino acid metabolism to improve growth and alleviate salinity in chickpea. *Scientific Reports*, July, 1–12.
- Adhikari, K., S. Bhandari., K. Aryal., M. Mahato., and J. Shrestha. 2021. Effect of different levels of nitrogen on growth and yield of hybrid maize (*Zea mays* L.) varieties. *Journal of Agriculture and Natural Resources*, 4(2): 48–62.
- Ahmad, Z., E. A. Waraich., S. Akhtar., S. Anjum., T. Ahmad., W. Mahboob., O. B. A. Hafeez., T. Tapera., M. Labuschagne., and M. Rizwan. 2018. Physiological responses of wheat to drought stress and its mitigation approaches. *Acta Physiologiae Plantarum*, 40(4): 1-13.
- Akram, H. M., A. Ali., A. Sattar., H. S. U. Rehman., and A. Bibi. 2013. Impact of water deficit stress on various physiological and agronomic traits of three Basmati rice (*Oryza sativa* L.) cultivars. *Journal of Animal and Plant Sciences*, 23(5): 1415–1423.
- Akram, M., H. M. Asif., M. Uzair., N. Akhtar., A. Madni., S. M. A. Shah., Z. U. Hasan., and A. Ullah. 2011. Amino acids: A review article. *Journal of Medicinal Plants Research*, 5(17): 3997–4000.
- Al-Juthery, H. W. A., H. A. Drebee., B. M. K. Al-Khafaji., and R. F. Hadi. 2020. Plant Biostimulants, Seaweeds Extract as a Model (Article Review). *IOP Conference Series: Earth and Environmental Science*, 553(1): 1-10.
- Alcázar H, R., M. Bitrián., X. Zarza., and A. F. Tiburcio. 2012. Polyamine metabolism and signaling in plant abiotic stress protection 1. *Recent Advances in Pharmaceutical Sciences II*, 661(2): 29–47.
- Alfosea-Simón, M., S. Simón-Grao., E. A. Zavala-Gonzalez., J. M. Cámara-Zapata., I. Simón., J. J. Martínez-Nicolás., V. Lidón., W. M. Rodríguez-Ortega., and F. García-Sánchez. 2020. Application of biostimulants containing amino acids to tomatoes could favor sustainable cultivation: Implications for tyrosine, lysine, and methionine. *Sustainability (Switzerland)*, 12(22): 1–19.
- Ali, O., A. Ramsubhag., and J. Jayaraman. 2021. Biostimulant properties of seaweed extracts in plants: Implications towards sustainable crop production.

*Plants*, 10(3): 1–27.

- Angon, P. B., M. Tahjib-Ul-Arif., S. I. Samin., U. Habiba., M. A. Hossain., and M. Brestic. 2022. How Do Plants Respond to Combined Drought and Salinity Stress?—A Systematic Review. *Plants*, 11(21): 2884.
- Anjum, S. A., U. Ashraf., M. Tanveer., I. Khan., S. Hussain., B. Shahzad., A. Zohaib., F. Abbas., M. F. Saleem., I. Ali, and L. C. Wang. 2017. Drought induced changes in growth, osmolyte accumulation and antioxidant metabolism of three maize hybrids. *Frontiers in Plant Science*, 8: 1–12.
- Aslanpour, M., and Omar, M. 2019. Effect of water stress on growth traits of roots and shoots ( fresh and dry weights , and amount of water ) of the white seedless grape. *International Transaction Journal of Engineering , Management & Applied Sciences & Technologies*, 10(2): 169–181.
- Atteya, A., and H. M. A. Amer. 2018. Influence of Seaweed Extract and Amino Acids on. *Bioscience Research*, 15(2): 772–791.
- Baqir, H. A., N. H. Zeboon., and A. A. J. Al-Behadili. 2019. The role and importance of amino acids within plants: A review. *Plant Archives*, 19(2): 1402–1410.
- Bassi, D., M. Menossi., and L. Mattiello. 2018. Nitrogen supply influences photosynthesis establishment along the sugarcane leaf. *Scientific Reports*, 8(1): 1–13.
- Battacharyya, D., M. Z. Babgohari., P. Rathor., and B. Prithiviraj. 2015. Seaweed extracts as biostimulants in horticulture. *Scientia Horticulturae*, 196: 39–48.
- Begna, T. 2020. Effects of Drought Stress on Crop Production and Productivity. *International Journal of Research Studies in Agricultural Sciences*, 6(9): 34–43.
- Boukhari, M. E. M., M. Barakate., Y. Bouhja., and K. Lyamlouli. 2020. Trends in Seaweed Extract Based Biostimulants : Manufacturing Process and. *Plants*, 9: 359.
- Bown, H. E., M. S. Watt., P. W. Clinton., and E. G. Mason. 2010. Influence of ammonium and nitrate supply on growth, dry matter partitioning, N uptake and photosynthetic capacity of *Pinus radiata* seedlings. *Trees - Structure and Function*, 24(6): 1097–1107.
- Brown, E. M., P. J. Allsopp., P. J. Magee., C. I. R. Gill., S. Nitecki., and C. R. Strain. 2014. *Seaweed and human health*. 72(3): 205–216.
- Çali kan, B., and A. C. Çali kan. 2018. Potassium Nutrition in Plants and Its Interactions with Other Nutrients in Hydroponic Culture. *Potassium -*

*Improvement of Quality in Fruits and Vegetables Through Hydroponic Nutrient Management.* 9-21.

- Calvo, P., L. Nelson., and J. W. Kloepper. 2014. Agricultural uses of plant biostimulants. *Plant and Soil*, 383(1): 3–41.
- Cardoso, S. M., O. R. Pereira., A. M. L. Seca., D. C. G. A. Pinto., and A. M. S. Silva. 2015. Seaweeds as preventive agents for cardiovascular diseases: From nutrients to functional foods. *Marine Drugs*, 13(11): 6838–6865.
- Chaski, C., and S. A. Petropoulos. 2022. The Effects of Biostimulant Application on Growth Parameters of Lettuce Plants Grown under Deficit Irrigation Conditions. *Biology and life sciences forum* 16: 4.
- Chen, Q., Y. Wang., Z. Zhang., K. Liu., C. Di., and F. Mo. 2022. Arginine Increases Tolerance to Nitrogen Deficiency in *Malus hupehensis* via Alterations in Photosynthetic Capacity and Amino Acids Metabolism. *Frontiers in Plant Science*, 12: 1–16.
- Du Jardin, P. 2012. *The Science of Plant Biostimulants - A Bibliographic Analysis, Ad hoc Study Report.* Brussels: European Commission.
- El-Awadi, M. E., S. K. Ibrahim., M. S. Sadak., E. M. Abd Elhamid., and K. M. G. El-Din. 2016. Impact of cysteine or proline on growth, some biochemical attributes and yield of faba bean. *International Journal of PharmTech Research*, 9(6): 100–106.
- El-Bassiouny, H. M., M. H. A., El-Khawas, S. A., H., R. A., K. S. I., and A. El-Monem, A. A. 2008. Physiological Responses of Wheat Plant to Foliar Treatments with Arginine or Putrescine. *Australian Journal of Basic and Applied Sciences*, 2(4): 1390–1403.
- Erniati, E., F. R. Zakaria., E. Prangdimurti., dan D. R. Adawiyah. 2016. Potensi rumput laut: Kajian komponen bioaktif dan pemanfaatannya sebagai pangan fungsional. *Acta Aquatica: Aquatic Sciences Journal*, 3(1): 12.
- Ezward, C., S. Efendi., and J. Makmun. 2018. Pengaruh Frekuensi Irigasi terhadap Pertumbuhan dan Hasil Padi (*Oryza sativa* L.) The Effect of Frequency Irrigation on Growth and Yield of Rice (*Oryza sativa* L.). *Jurnal Agroteknologi Universitas Andalas*, 1(1): 17–24.
- Farooq, M., A. Wahid., N. Kobayashi., D. Fujita., and S. M. A. Basra. 2009. *Plant drought stress: effects, mechanisms and management* M. 29: 185–212.
- Fathi, A. 2022. Role of nitrogen (N) in plant growth, photosynthesis pigments, and N use efficiency: A review. *Agrisost*, 28: 1–8.
- Febriyono, R., Y. E. Susilowati, dan A. Suprpto. 2017. Peningkatan hasil



tanaman kangkung darat (*Ipomoea reptans*, L.) melalui perlakuan jarak tanam dan jumlah tanaman per lubang. *Jurnal Ilmu Pertanian Tropika dan Subtropika*, 2(1): 22–27.

Freitas, I. S., B. I. Trennepohl., T. M. S. Acioly., V. J. Conceição., S. C. Mello., D. D. Neto., R. A. Kluge., and R. A. Azevedo. 2022. Exogenous Application of L-Arginine Improves Protein Content and Increases Yield of *Pereskia aculeata* Mill. Grown in Soilless Media Container. *Horticulturae*, 8(2).

Garcia, A. L., R. Madrid., V. Gimeno., W. M. Rodriguez-Ortega., N. Nicolas., and F. Garcia-Sanchez. 2011. The effects of amino acids fertilization incorporated to the nutrient solution on mineral composition and growth in tomato seedlings. *Spanish Journal of Agricultural Research*, 9(3): 852.

Genisel, M., S. Erdal and M. Kizilkaya. 2016. The mitigating effect of cysteine on growth inhibition in salt-stressed barley seeds is related to its own reducing capacity rather than its effects on antioxidant system. *Plant Growth Regulation*, 75(1): 187–197.

Ghosh, A. K., K. Ishijiki., M. Toyota., A. Kusutani., and K. Asanuma. 2000. Biomass, Growth and Matter Partitioning in Soybean Plants under Long-term Moisture Deficit. *Japanese Journal of Tropical Agriculture*, 44(1): 20–29.

Giri, J. 2011. Glycinebetaine and abiotic stress tolerance in plants. *Plant Signaling and Behavior*, 6(11): 1746–1751.

Goñi, O., P. Quille., & S. O'Connell. 2018. *Ascophyllum nodosum* extract biostimulants and their role in enhancing tolerance to drought stress in tomato plants. *Plant Physiology and Biochemistry*, 126: 63–73.

H. Aishah, N., A. R. H., M. R. Y., N. M. N., and N. I. J. 2013. Correlation Analysis on Agronomic Characters in F<sub>1</sub> population derived from a cross of Pongsu Seribu 2 and MR 264 Abstrak Materials and Methods Plant Materials.

Hadi, F., I. J. Zakaria., dan Z. Syam. 2016. Diversity of Macroalgae in Kasiak Gadang Island Nirwana Beach Padang West Sumatera Indonesia. *Journal of Tropical Life Science*, 6(2): 97–100.

Hanum, C. 2008. Teknik Budidaya Tanaman Padi (*Oryza sativa* L.). Jilid II: 330. Jakarta: Direktorat Jenderal Manajemen Pendidikan Dasar dan Menengah Departemen Pendidikan Nasional.

Hasanuzzaman, M., K. Nahar., A. Rahman., M. Inafuku., H. Oku., and M. Fujita. 2018. Exogenous nitric oxide donor and arginine provide protection against short-term drought stress in wheat seedlings. *Physiology and Molecular Biology of Plants*, 24(6): 993–1004.

- Heuer, B. 2010. Role of proline in plant response to drought and salinity. *Handbook of Plant and Crop Stress, Third Edition, January*, 213–238.
- Huang, W., D. A. Ratkowsky., C. Hui., P. Wang., J. Su., and P. Shi. 2019. Leaf fresh weight versus dry weight: Which is better for describing the scaling relationship between leaf biomass and leaf area for broad-leaved plants. *Forests*, 10(3): 1–19.
- Hussein, H. A. A., S. O. Alshammari., S. K. M. Kenawy., F. M. Elkady., and A. A. Badawy. 2022. Grain-Priming with L-Arginine Improves the Growth Performance of Wheat (*Triticum aestivum* L.) Plants under Drought Stress. *Plants*, 11(9).
- Imran, Q. M., N. Falak., A. Hussain., B. G. Mun., and BW. Yun. 2021. Abiotic stress in plants: stress perception to molecular response and role of biotechnological tools in stress resistance. *Agronomy*, 11(8).
- Irani, H., B. ValizadehKaji., and M. R. Naeini. 2021. Biosimulant-induced drought tolerance in grapevine is associated with physiological and biochemical changes. *Chemical and Biological Technologies in Agriculture*, 8(1): 1–13.
- Jaleel, C. A., F. Manivannan., A. Wahid., M. Farooq., H. J. Al-Juburi., R. Somasundaram., and R. Panneerselvam. 2009. Drought stress in plants: A review on morphological characteristics and pigments composition. *International Journal of Agriculture and Biology*, 11(1): 100–105.
- Jena, J., and S. K. Sahoo 2020. *Advances in Agronomy*. New Delh: AkiNik Publications. 186
- Kalaivanan, C., M. Chandrasekaran and V. Venkatesalu. 2012. Effect of seaweed liquid extract of *Caulerpa scalpelliformis* on growth and biochemical constituents of black gram (*Vigna mungo* (L.) Hepper). *Phykos*, 42(2): 46–53.
- Kamal, N. M., Y. S. A. Gorafi., M. Abdelrahman., E. Abdellatef., and H. Tsujimoto. 2019. Stay-green trait: A prospective approach for yield potential, and drought and heat stress adaptation in globally important cereals. *International Journal of Molecular Sciences*, 20(23).
- Karmaita, Y. 2018. Dampak Perubahan Iklim Terhadap Hasil Tanaman Padi Di Kawasan Danau Singkarak. *Jurnal Agrium*, 15(1): 1.
- Kaur, G., and B. Asthir. 2014. Proline: a key player in plant abiotic stress tolerance. *Biologia Plantarum*, 1–11.
- Khan, S., H. Yu., Q. Li., Y. Gao., B. N. Sallam., H. Wang., P. Liu., and W. Jiang. 2019. Exogenous application of amino acids improves the growth and yield

of lettuce by enhancing photosynthetic assimilation and nutrient availability. *Agronomy*, 9(5).

- Khan, W., U. P. Rayirath., S. Subramanian., M. N. Jithesh., P. Rayorath., D. M. Hodges., A. T. Critchley., A. T. Craigie., J. Norrie., and B. Prithiviraj. 2009. Seaweed extracts as biostimulants of plant growth and development. *Journal of Plant Growth Regulation*, 28(4): 386–399.
- Khattab, M., A. Shehata., A. E., Saadate, E., and K. Al-hasni. 2016. Effect of Glycine, Methionine and Tryptophan on the Vegetative Growth, Flowering and Corms Production of Gladiolus Plant. *Alexandria Science Exchange Journal: An International Quarterly Journal of Science Agricultural Environments*, 37(4): 647–659.
- Latifa, I. C., and F. Anggarwulan. 2009. Nitrogen content, nitrate reductase activity, and biomass of kimpul (*Xanthosoma sagittifolium*) on shade and nitrogen fertilizer variation. *Nusantara Bioscience*, 1(2): 65–71.
- Laghari, S. J., M. A. Wahocho., G. M. Laghari., and A. Hafeez Laghari. 2016. Role of nitrogen for plant growth and development : A review. *Advances in Environmental Biology*, 10(9), 209–218.
- Lisar, S. Y. S., F. Motafakkerzad., M. M. Hossain, and I. M. M. Rahman. 2012. Water Stress in Plants: Causes, Effects and Responses. *Water Stress*.
- Liu, X., X. Yang., L. Wang., Q. Duan., and D. Huang. 2016. Comparative analysis of metabolites profile in spinach (*Spinacia oleracea* L.) affected by different concentrations of gly and nitrate. *Scientia Horticulturae*, 204: 8–15.
- Ma, Q., P. W. Hill., D. R. Chadwick., L. Wu., & D. L. Jones. 2021. Competition for S-containing amino acids between rhizosphere microorganisms and plant roots: the role of cysteine in plant S acquisition. *Biology and Fertility of Soils*, 57(6): 825–836.
- Mahdi, S. A., A. Kareem., and A. J. M. Saed. 2019. Effect of tryptophan and phenylalanine on some biochemical components and floral traits of Gerbera (*Gerbera jamesonii* L.) cv. ‘Great Smoky Mountains.’ *Plant Archives*, 19(1): 1051–1056.
- Malik, A. 2017. Prospek pengembangan padi gogo: perspektif kebijakan dan implementasi di lapangan. In *IAARD Press*.
- Malvi, U. R. 2011. Interaction of micronutrients with major nutrients with special reference to potassium. *Karnataka J. Agric. Sci*, 24(1): 106–109.
- Maqueira-López, L. A., R. Morejón-Rivera., O. Roján-Herrera., and W. Torres-De-la-Noval. 2019. Relationship between growth traits and yield formation in Indica-type rice crop. *Agronomia Mesoamericana*, 30(1): 79–100.



- Matysiak, K., R. Kierzek., I. Siatkowski., J. Kowalska., R. Krawczyk., and W. Miziniak. 2020. Effect of Exogenous Application of Amino Acids L-Arginine and Glycine on Maize under. *Agronomy*, 10(769): 1–16.
- Misra, V., S. Solomon., A. K. Mall., C. P. Prajapati., A. Hashem., E. F. Abd\_Allah., and M. I. Ansari. 2020. Morphological assessment of water stressed sugarcane: A comparison of waterlogged and drought affected crop. *Saudi Journal of Biological Sciences*, 27(5): 1228–1236.
- Mital, V. Saharan., S. Pilania., A. Dashora., M. Meena., and D. Prajapati. 2022. Effect of Foliar Application of Arginine on Growth and Development of Wheat (*Triticum aestivum* L.) *Frontiers in Crop Improvement*, 10(3): 1486–1489.
- Mohammadipour, N., and M. K. Souri. 2019a. Effects of different levels of glycine in the nutrient solution on the growth, nutrient composition, and antioxidant activity of coriander (*Coriandrum sativum* L.). *Acta Agrobotanica*, 72(1): 13–16.
- Mohammadipour, and M. K. Souri. 2019b. Beneficial effects of glycine on growth and leaf nutrient concentrations of coriander (*Coriandrum sativum*) plants. *Journal of Plant Nutrition*, 42(14): 1637–1644.
- Moles, A. T., D. J. Warton., L. Warman., N. G. Swenson., S. W. Laffan., A. E. Zanne., A. Pitman., F. A. Hemmings., and M. R. Leishman. 2009. Global patterns in plant height. *Journal of Ecology*, 97(5): 923–932.
- Mostajeran, A., and V. Rahimi-Eichi. 2009. Study of water stress effects in different growth stages on yield and yield components of different rice (*Oryza sativa* L.) cultivars. *Pakistan Journal of Biological Sciences*, 5(2): 264–272.
- Narayan, O. P., R. Kumar., B. Yadav., M. Dua., and A. K. Johri. 2022. Sulfur nutrition and its role in plant growth and development. *Plant Signaling and Behavior*.
- Nasibi, F., K. M. Kalantari., R. Zanganeh., G. Mohammadinejad., and H. Oloumi. 2016. Seed priming with cysteine modulates the growth and metabolic activity of wheat plants under salinity and osmotic stresses at early stages of growth. *Indian Journal of Plant Physiology*, 21(3): 279–286.
- Nasruddin, E. M. Harahap., C. Hanum., and L. A. M. Siregar. 2016. Respon of Three Varieties of Patchouli (*Pogostemon cablin*, Benth) Due to Drought Stress. *International Journal of Sciences: Basic and Applied Research (IJSBAR)*, 4531: 286–294.
- Nejadalimoradi, H., F. Nasibi., K. M. Kalantari., and R. Zanganeh. 2014. Effect of

Seed Priming with L-arginine and Sodium Nitroprusside on Some physiological Parameters and Antioxidant Enzymes of Sunflower Plants Exposed to Salt Stress. *Agricultural Communications*, 2(1): 23–30.

Noli, Z. A., P. Aliyyanti., dan Mansyurdin. 2022. Study the Effect of *P. minor* Seaweed Crude Extract as a Biostimulant on Soybean. *Pakistan Journal of Biological Sciences*, 25(1): 23–28.

Noli, Z. A., dan M. Azwar. 2021. Effects of *Sargassum crassifolium* Extract Formula as Biostimulant on Growth and Yield of *Glycine max* L. Merrill. *Jurnal Biologi Tropis*, 21(3): 691–697.

Noli, Z. A., Suwirman, Aisyah, dan P. Aliyyanti. 2021. Effect of liquid seaweed extracts as biostimulant on vegetative growth of soybean. *IOP Conference Series: Earth and Environmental Science*, 759(1): 1–7.

Noli, Z. A., Suwirman, R. Izmiarti. Oktavia., dan P. Aliyyanti. 2021. Respon padi gogo (*Oryza sativa* L.) terhadap pemberian biostimulan dari ekstrak rumput laut *Padina minor*. *Bioscientist : Jurnal Ilmiah Biologi*, 9(1): 63–71.

Noroozlo, Y. A., M. K. Souri., and M. Delshad. (2019). Effects of foliar application of glycine and glutamine amino acids on growth and quality of sweet basil. *Adv. Hort. Sci*, 33(4): 495–502.

Norra, I., A. A., and S, R. 2016. Effects of drying methods, solvent extraction and particle size of Malaysian brown seaweed, *Sargassum* sp. on the total phenolic and free radical scavenging activity. *International Food Research Journal*, 23(4): 1558–1563.

Pandey, V., and A. Shukla. 2015. Acclimation and Tolerance Strategies of Rice under Drought Stress. *Rice Science*, 22(4): 147–161.

Parrado, J., J. Bautista., E. J. Romero., A. M. García-Martínez., V. Friaza., and M. Tejada. 2008. Production of a carob enzymatic extract: Potential use as a biofertilizer. *Bioresource Technology*, 99(7): 2312–2318.

Parthasarathy, A., M. A. Savka., and A. O. Hudson. 2019. The synthesis and role of -alanine in plants. *Frontiers in Plant Science*, 10.

Perveen, S., M. Iqbal., M. Saeed., N. Iqbal., S. Zafar., and T. Mumtaz. 2019. Cysteine-induced alterations in physicochemical parameters of oat (*Avena sativa* L. var. Scott and F-411) under drought stress. *Biologia Futura*, 70(1): 16–24.

Petrozza, A., A. Santaniello., S. Summerer., D, G. Tommaso, D, D. Tommaso, E . Paparelli., A. Piaggese., P. Perata., and F. Cellini. 2014. Physiological responses to Megafol ® treatments in tomato plants under drought stress : A phenomic and molecular approach. *Scientia Horticulturae*, 174: 185–192.



- Popko, M., I. Michalak., R. Wilk., M. Gramza., K. Chojnacka., and H. Górecki. 2018. Effect of the new plant growth biostimulants based on amino acids on yield and grain quality of winter wheat. *Molecules*, 23(2).
- Pour-Aboughadareh, A., M. Omid., M. R. Naghavi., A. Etminan., A. A. Mehrabi., P. Poczai., and H. Bayat. 2019. Effect of water deficit stress on seedling biomass and physio-chemical characteristics in different species of wheat possessing the D genome. *Agronomy*, 9(9).
- Pramanick, B., K. Brahmachari., B. S. Mahapatra., A. Ghosh., D. Ghosh., and S. Kar. 2017. Growth, yield and quality improvement of potato tubers through the application of seaweed sap derived from the marine alga *Kappaphycus alvarezii*. *Journal of Applied Phycology*, 29(6): 3253–3260.
- Quan, R., M. Shang, H. Zhang., Y. Zhao., and J. Zhang. 2004. Engineering of enhanced glycine betaine synthesis improves drought tolerance in maize. *Plant Biotechnology Journal*, 2(6): 477–486.
- Quintero-calderón E. H., A. D. Sánchez-reinoso., C. C. Chávez-arias., G. Garces-varon., and H. Restrepo-díaz. 2021. Rice seedlings showed a higher heat tolerance through the foliar application of biostimulants. *Not Bot Horti Agrobo*. 49(1): 1–20.
- Ramadan, A. A., E. M. Abd Elhamid., and M. S. Sadak. 2019. Comparative study for the effect of arginine and sodium nitroprusside on sunflower plants grown under salinity stress conditions. *Bulletin of the National Research Centre*, 43(1).
- Ramu, K., and T. Nallamuthu. 2012. Effect of seaweed liquid fertilizers on the biostimulant on early seed germination and growth parameters of *Oryza sativa* L. *International Journal of Current Science*, 3: 15–20.
- Razaq, M., P. Zhang, H. L. Shen., and Salahuddin. 2017. Influence of nitrogen and phosphorous on the growth and root morphology of Acer mono. *PLoS ONE*, 12(2): 1–13.
- Rhodes, D., and A. N. Orczyk. 2001. Plant stress physiology. *Plant Stress Physiology*.
- Romero, L. C., M. Á. Aroca., A. M. Laureano-Marín., I. Moreno., I. García., and C. Gotor. 2014. Cysteine and cysteine-related signaling pathways in arabidopsis thaliana. *Molecular Plant*, 7(2): 264–276.
- Rosawanti, P., M. Ghulamahdi, dan N. Khumaida. 2015. Respon anatomi dan fisiologi akar kedelai terhadap cekaman kekeringan anatomical and physiological responses of soybean root to drought stress. *Jurnal Agronomi Indonesia*, 43(3): 186–192.

- Rozen, N., dan M. Kasim. 2009. Teknik Budidaya Tanaman Padi Metode SRI (The System of Rice Intensification). *Rajawali press:Depok*
- Sadak, M. S., M. T. Abdelhamid., and U. Schmidhalter. 2015. Effect of foliar application of amino acids on plant yield and some physiological parameters in bean plants irrigated with seawater. *Acta Biologica Colombiana*, 20(1): 141–152.
- Sadimantara, G. R., dan Muhidin. 2012. Daya hasil beberapa kultivar padi gogo lokal asal sulawesi tenggara pada cekaman kekeringan. *Jurnal Agroteknos*, 2(3): 121–125.
- Salama, A. M., S. N. Azoz., and A. M. El-Taher. 2019. Influence of Foliar Spray By Algae Extract and Amino Acid on Botanical Characters and Seed Chemical Composition of Common Bean Plant (*Phaseolus Vulgaris* L.). *International Journal of Advanced Research*, 7(4): 254–271.
- Šamec, D., E. Karlija., I. Šola., V. Vuj i Bok., and B. Salopek-Šondi. 2021. The role of polyphenols in abiotic stress response: The influence of molecular structure. *Plants*, 10(1): 1–24.
- Sari, N. Y., A. Ee, and D. Made. 2017. Respon pertumbuhan padi gogo lokal yang diberi bahan organik pada berbagai kondisi ketersediaan air. *J. Agrotekbis*, 5(1): 53–57.
- Schmalenbach, I., L. Zhang., M. Reymond., and J. M. Jiménez-Gómez. 2014. The relationship between flowering time and growth responses to drought in the *Arabidopsis* Landsberg erecta x Antwerp-1 population. *Frontiers in Plant Science*, 5: 1–9.
- Seleiman, M., S. Abdel-Aal., M. Ibrahim., and G. Zahran. 2011. Productivity, Grain and Dough Quality of Bread Wheat Grown with Different Water Regimes. *Journal of AgroCrop Science*, 2(1): 11–17.
- Shafie, F., H. Bayat., M. H. Aminifard., and S. Daghighi. 2021. Biostimulant Effects of Seaweed Extract and Amino Acids On Growth, Antioxidants, and Nutrient Content of Yarrow (*Achillea millefolium* L.) In the Field and Greenhouse Conditions. *Communications in Soil Science and Plant Analysis*, 52(9): 964–975.
- Shehata, S. M., H. S. Abdel-Azem, A. A. El-Yazied., and A. M. El-Gizawy. 2011. Effect of foliar spraying with amino acids and seaweed extract on growth chemical constitutes, yield and its quality of celeriac plant. *European Journal of Scientific Research*, 58(2): 257–265.
- Shekari, G., and J. Javanmardi. 2017a. Application of Cysteine, Methionine and Amino Acid Containing Fertilizers to Replace Urea: The Effects on Yield

and Quality of Broccoli. *Advances in Crop Science and Technology*, 5(3).

Shekari, G., and J. Javanmardi. 2017b. Effects of Foliar Application Pure Amino Acid and Amino Acid Containing Fertilizer on Broccoli (*Brassica oleracea* L. var. *italica*) Transplants. *Advances in Crop Science and Technology*, 5(3): 1–5.

Shooshtari, F. Z., M. K. Souri., M. R. Hasandokht., and S. K. Jari. 2020. Glycine mitigates fertilizer requirements of agricultural crops: case study with cucumber as a high fertilizer demanding crop. *Chemical and Biological Technologies in Agriculture*, 7(1): 1–10.

Sivakumar, R., and S. Srividhya. 2016. Impact of drought on flowering, yield and quality parameters in diverse genotypes of tomato (*Solanum lycopersicum* L.). *Advances in Horticultural Science*, 30(1): 3–8.

Solichatun, E. Anggarwulan., and W. Mudyantini. 2005. The effect of water availability on growth and saponin content of *Talinum paniculatum* Gaertn. *Biofarmasi Journal of Natural Product Biochemistry*, 3(2): 47–51.

Souri, M. K., & M. Hatamian. 2019. Aminochelates in plant nutrition: a review. *Journal of Plant Nutrition*, 42(1): 67–78.

Sriyuni, O., Mansyurdin, T. Maideliza., Izmiarti, and Z. A. Noli. 2020. Application of seaweed extract sargassum cristaefolium and amino acid to growth and yield of upland rice (*Oryza sativa* L.). *International Journal of Scientific and Technology Research*, 9(3): 2014–2018.

Stirk, W. A., D. Tarkowská., D. Ture ová., M. Strnad., and J. V. Staden. 2014. Abscisic acid, gibberellins and brassinosteroids in Kelpak®, a commercial seaweed extract made from *Ecklonia maxima*. *Journal of Applied Phycology*, 26(1): 561–567.

Subha, K., A. Mukherjee, M. Kumari., K. Tiwari, and V. S. Meena. (2017). Agriculturally important microbes for sustainable agriculture. *Agriculturally Important Microbes for Sustainable Agriculture*, 1: 1–356.

Sujinah, dan A. Jamil. 2016. Mekanisme Respon Tanaman Padi terhadap Cekaman Kekeringan dan Varietas Toleran. *Iptek Tanaman Pangan*, 11(1).

Supriyanto, B. 2013. Pengaruh Cekaman... Bambang Supriyanto. *J. Agrifor*, 12(1), 77–82.

Syukri, dan Fajri. 2016. Respon Pertumbuhan dan hasil tanaman padi (*Oryza sativa*, L) terhadap persentase pengembalian jerami ke lahan dan dosis pupuk anorganik. *Agrosamudra*, 3(1), 17–26.

Tampubolon, A., G. S. Gerung., dan B. Wagey. 2013. Biodiversitas Alga Makro



- Di Lagun Pulau Pasige, Kecamatan Tagulandang, Kabupaten Sitaro. *Jurnal Pesisir Dan Laut Tropis*, 1(2): 35.
- Tarraf, S. A., I. M. Talaat., A. E.-K. B. El-Sayed., and L. K. Balbaa. 2015. Influence of foliar application of algae extract and amino acids mixture on fenugreek plants in sandy and clay soils. *Nusantara Bioscience*, 7(1): 33–37.
- Tavakoli, M., and A. H. Asadi-Gharneh. 2020. Assess Effect of Foliar Application of Seaweed Extract and Amino Acids on Morpho- physiological. *Journal of Crop Nutrition Science*, 4(1): 1–14.
- Tubur, H. W., M. A. Chozin., E. Santosa., dan A. Junaedi. 2012. Agronomic Responses of Low Land Rice Varieties to Drought Periods. *J. Agron. Indonesia*, 40(3): 167–172.
- Wahab, A., G. Apdi., M. H. Saleem., B. Ali., S. Ullah, W. Shah, S. Mumtaz., G. Yasin., C. C. Muresan., and R. A Marc. 2022. Plants' Physio-Biochemical and Phyto-Hormonal Responses to Alleviate the Adverse Effects of Drought Stress: A Comprehensive Review. *Plants*, 11(13).
- Wang, T., Q. Liu., N. Wang., J. Dai., Q. Lu., X. Jia., L. Lin., F. Yu., and Y. Zuo. 2021. Foliar arginine application improves tomato plant growth, yield, and fruit quality via nitrogen accumulation. *Plant Growth Regulation*, 95(3): 421–428.
- Winter, G., C. D. Todd., M. Trovato., G. Forlani., and D. Funck. 2015. Physiological implications of arginine metabolism in plants. *Frontiers in Plant Science*, 6(534): 1–14.
- Wouthuyzen, S., S. M. C. Herandarudewi., T. Komatsu. 2016. Stock Assessment of Brown Seaweeds (*Phaeophdyceae*) Along the Bitung-Bentena Coast, North Sulawesi Province, Indonesia for Alginate Product Using Satellite Remote Sensing. *Procedia Environmental Sciences*, 33: 553–561.
- Yang, X., M. Lu., Y. Wang., Y. Wang., Z. Liu., and S. Chen. 2021. Response mechanism of plants to drought stress. *Horticulturae*, 7(3).
- Yang, X., B. Wang., L. Chen., P. Li., and C. Cao. 2019. The different influences of drought stress at the flowering stage on rice physiological traits, grain yield, and quality. *Scientific Reports*, 9(1): 1–12.
- Ye, T., Y. Li., J. Zhang., W. Hou., W. Zhou., J. Lu., Y. Xing., and X. Li. 2019. Nitrogen, phosphorus, and potassium fertilization affects the flowering time of rice (*Oryza sativa* L.). *Global Ecology and Conservation*, 20.