

DAFTAR KEPUSTAKAAN

- Badan Pusat Statistik. (2019). *Statistics of Seasonal Vegetable and Fruit Indonesia*. Jakarta: BPS-RI.
- Berni, R., Romi, M., Parrotta, L., Cai, G., & Cantini, C. (2018). Ancient tomato (*Solanum lycopersicum* L.) varieties of tuscany have high contents of bioactive compounds. *Horticulturae* 4(4), 51, <https://doi.org/10.3390/horticulturae4040051>.
- Capsicum frutescens (chilli)*. (n.d.). Retrieved September 15, 2020, from <https://www.cabi.org/isc/datasheet/15787#totaxonomicTree>.
- Chaudhary, P., Sharma, A., Singh, B., & Nagpal, A. K. (2018). Bioactivities of phytochemicals present in tomato. *Journal of Food Science and Technology* 55(8), 2833-2849, <https://doi.org/10.1007/s13197-018-3221-z>.
- Christian, G. D., Purnendu, D. K., & Schug, K. A. (2014). Analytical chemistry, seventh edition. *Journal of Chemical Education*, 63(11), A277. <https://doi.org/10.1021/ed063pa277.3>.
- Compound Summaries Ascorbic Acid*. (n.d.). Compound Summaries Ascorbic Acid. Retrieved March 20, 2020, from <https://pubchem.ncbi.nlm.nih.gov/compound/Ascorbic-acid>.
- De Souza, C. L. M., De Souza, M. O., De Oliveira, R. S., Do Nascimento, M. N., & Pelacani, C. R. (2017). Biometric characteristics of fruits and physiological characterization of seeds of *Physalis* species (Solanaceae). *Revista Brasileira de Ciencias Agrarias*, 12(3), 277-282, <https://doi.org/10.5039/agraria.v12i3a5447>.
- Deng, Y., & Zhao, R. (2015). Advanced Oxidation Processes (AOPs) in Wastewater Treatment. *Current Pollution Reports*, 1(3), 167-176, <https://doi.org/10.1007/s40726-015-0015-z>.
- Erwa, I., Shinger, M., & Ishag, O. (2018). Background Correction Method for Determination of Ascorbic Acid in Baobab Fruit Pulp Using Direct UV Spectrophotometry. *Chemical Science International Journal*, 23(2), 1-6 <https://doi.org/10.9734/csji/2018/41080>.
- Gita Bhernama, B., Safni, S., & Syukri, S. (2017). Degradasi zat warna metanil yellow dengan penyinaran matahari dan penambahan katalis TiO₂-SnO₂. *Lantanida Journal*, 3920, 116, <https://doi.org/10.22373/lj.v3i2.1653>.
- Hickey, S., & Roberts, H. (2004). *Ascorbate The Science of Vitamin C*. NC: Lulu Publishing
- Ilahy, R., Hdider, C., Lenucci, M. S., Tlili, I., & Dalessandro, G. (2011). Antioxidant activity and bioactive compound changes during fruit ripening of high-lycopene tomato cultivars. *Journal of Food Composition and Analysis*, 24(4-5), 588-595, <https://doi.org/10.1016/j.jfca.2010.11.003>

- Kantar, M. B., Anderson, J. E., Lucht, S. A., Mercer, K., Bernau, V., Case, K. A., Le, N. C., Frederiksen, M. K., DeKeyser, H. C., Wong, Z. Z., Hastings, J. C., & Baumler, D. J. (2016). Vitamin variation in capsicum spp. Provides opportunities to improve nutritional value of human diets. *PLoS ONE*, 11(8), <https://doi.org/10.1371/journal.pone.0161464>
- Khoiriah, K., Safni, S., Syukri, S., & Gunluardi, J. (2020). The operational parameters effect on photocatalytic degradation of diazinon using carbon and nitrogen modified TiO₂. *Rasayan Journal of Chemistry*, 13(3), 1919-1925, <https://doi.org/10.31788/RJC.2020.1335743>
- Kimura-Kuroda, J., Komuta, Y., Kuroda, Y., Hayashi, M., & Kawano, H. (2012). Nicotine-like effects of the neonicotinoid insecticides acetamiprid and imidacloprid on cerebellar neurons from neonatal rats. *PLoS ONE*, 7(2), <https://doi.org/10.1371/journal.pone.0032432>
- Lewis, P. R. (2016). Polymer Seals and Sealants. *Forensic Polymer Engineering*, 229-263, <https://doi.org/10.1016/b978-0-08-101055-6.00007-0>
- Lukienko, P. I., Mel'nichenko, N. G., Zverinskii, I. V., & Zabrodskaya, S. V. (2000). Antioxidant properties of thiamine. *Bulletin of Experimental Biology and Medicine*, 130(9), 874-876, <https://doi.org/10.1023/A:1015318413076>
- Matxain, J. M., Padro, D., Ristilä, M., Strid, Å., & Eriksson, L. A. (2009). Evidence of high ·OH radical quenching efficiency by vitamin B 6. *Journal of Physical Chemistry B*, 113(29), 9629-9623, <https://doi.org/10.1021/jp903023c>
- Meena, M., Zehra, A., Swapnil, P., Dubey, M. K., Patel, C. B., & Upadhyay, R. S. (2017). Effect on lycopene, β-carotene, ascorbic acid and phenolic content in tomato fruits infected by *Alternaria alternata* and its toxins (TeA, AOH and AME). *Archives of Phytopathology and Plant Protection.*, 50(7-8), 317-329, <https://doi.org/10.1080/03235408.2017.1312769>
- Moldoveanu, S. C. (2019). Pyrolysis of Various Derivatives of Carboxylic Acids. In *Pyrolysis of Organic Molecules*, 635-696, <https://doi.org/10.1016/b978-0-444-64000-0.00014-7>
- Ogata, S., Takeuchi, M., Teradaira, S., Yamamoto, N., Iwata, K., Okumura, K., & Taguchi, H. (2002). Radical scavenging activities of niacin-related compounds. *Bioscience, Biotechnology and Biochemistry*, 66(3), 642-645, <https://doi.org/10.1271/bbb.66.641>
- Olinovela, T., Jumiaty, H., Safni, S., & Syukri, S. (2021). Degradation of Imidacloprid Residues on Unripe Tomatoes (*Solanum lycopersicum*) by AOPs and Its Analysis using Spectrophotometer and HPLC. *Jurnal Kimia Sains Dan Aplikasi*, 24(7), 268–275. <https://doi.org/10.14710/jksa.24.7.268-275>
- Pfendt, L. B., Vukašinović, V. L., Blagojević, N. Z., & Radojević, M. P. (2003). Second order derivative spectrophotometric method for determination of vitamin C content in fruits, vegetables, and fruit juices. *European Food Research and Technology*, 217(3), 269-272, <https://doi.org/10.1007/s00217-003-0746-8>

- Qader, H. A., Fakhre, N. A., Dikran, S. B., & Hamad, H. H. (2019). Simultaneous Determination of Gallic Acid and Ascorbic Acid Using First Derivative Zero-Crossing Spectrophotometric Technique. *Zanco Journal of Pure and Applied Sciences*, 31(s4). <https://doi.org/10.21271/zjpas.31.s4.11>
- Rodríguez, A., Rosal, R., Perdigón-Melón, J. A., Mezcua, M., Agüera, A., Hernando, M. D., Letón, P., Fernández-Alba, A. R., & García-Calvo, E. (2008). Ozone-based technologies in water and wastewater treatment. *Handbook of Environmental Chemistry, Volume 5: Water Pollution*, 5 S2. https://doi.org/10.1007/698_5_103
- Safni, S., Jumiatty, H., & Aziz, H. (2021). Degradation of Imidacloprid Residue on Red Tomatoes (*Solanum lycopersicum*) by Advanced Oxidation Processes and Analysis using Spectrophotometer and HPLC. *Jurnal Kimia Valensi*, 7(2), 150–157. <https://doi.org/10.15408/jkv.v7i2.21630>
- Safni, S., Wahyuni, M. R., Khoiriah, K., & Yusuf, Y. (2019). Degradation of Phenol by Photolysis Using N-doped TiO₂ Catalyst. *Molekul*, 14(1), 6. <https://doi.org/10.20884/1.jm.2019.14.1.447>
- Sharaa, I. El, & Mussa, S. Ben. (2019). Determination of Vitamin C (Ascorbic Acid) Contents in Vegetable Samples by UV-Spectrophotometry and Redox Titration Methods and Estimation the Effect of Time, Cooking and Frozen on Ascorbic Acid Contents. *International Journal of Progressive Sciences and Technologies (IJPSAT)*, 15, 281–293.
- Sintuya, P., Narkprasom, K., Jaturonglumlert, S., Whangchai, N., Peng-Ont, D., & Varith, J. (2018). Effect of Gaseous Ozone Fumigation on Organophosphate Pesticide Degradation of Dried Chilies. *Ozone: Science and Engineering*, 40(6), 473–481, <https://doi.org/10.1080/01919512.2018.1466690>
- Solanum lycopersicum* (tomato). (2019). *Solanum Lycopersicum* (Tomato). <https://www.cabi.org/isc/datasheet/31837#totaxonomicTree>
- Szultka, M., Buszewska-Forajta, M., Kaliszan, R., & Buszewski, B. (2014). Determination of ascorbic acid and its degradation products by high-performance liquid chromatography-triple quadrupole mass spectrometry. *Electrophoresis*, 35(4), 585–592, <https://doi.org/10.1002/elps.201300439>
- Xie, Y., & Schaefer, H. F. (1993). Hydrogen bonding between the water molecule and the hydroxyl radical (H₂O · HO): The global minimum. *The Journal of Chemical Physics*, 98(11), 8829–8834, <https://doi.org/10.1063/1.464492>
- Zeng, L., Wang, S., Peng, X., Geng, J., Chen, C., & Li, M. (2013). Al-Fe PILC preparation, characterization, and its potential adsorption capacity for aflatoxin B1. *Applied Clay Science*, 683, 343–347, <https://doi.org/10.1016/j.clay.2013.08.040>