

DAFTAR PUSTAKA

- Abdel-Aal., El Sayed., J. Y. Christoper., & I. Rabalski. 2006. Anthocyanin Composition in Black, Blue, Pink, Purple, and Red Cereal Grain. *Journal of Agricultural and Food Chemistry*. 54: 4696-4704.
- Ahmad, U. 2013. *Teknologi Penanganan Pasca Panen Buahan dan Sayuran*. Graha Ilmu, Yogyakarta (ID).
- Achmad, A.F., Maflahah I, & Rahman A. 2016. Pengaruh Jenis Pengemas dan Lama Penyimpanan terhadap Mutu Produk Nugget Gambus. *AGROINTEK*, 10(2), 70–75. <https://journal.trunojoyo.ac.id/agrointek/article/view/2468>.
- Al-Ati, T & Hotchkiss, J.H. 2002. Applications of packaging and modified atmosphere to fresh-cut fruits. In: Lami-kanra, O. (Ed.), Fresh-Cut Fruits and Vegetables: Science, Technology, and Market. CRC Press, Boca Raton, FL, pp. 305–338.
- Alnanda, R., D. Ulima, N. Merry, & S. Purbaningsih. 2017. *Studi awal pemanfaatan kuntum Clitoria ternatea L. (kembang telang) sebagai pewarna alami makanan*. Departemen Biologi, FMIPA UI, Kampus UI Depok, Jawa Barat.
- Alves, J. A., Braga, R. A., & Vilas Boas, E. V. de B. 2013. Identification of respiration rate and water activity change in fresh-cut carrots using biospeckle laser and frequency approach. *Postharvest Biology and Technology*, 86, 381–386. <https://doi.org/10.1016/j.postharvbio.2013.07.030>.
- Andini, D., Mulangsri, K., Farmasi, F., & Hasyim, U. W. 2019. *Penyuluhan pembuatan bunga telang kering sebagai seduhan teh kepada anak panti asuhan yatim putra baiti jannati*. 4(2), 2017–2020.
- Anggraeni, V. J., Ramdanawati, L., & Ayuantika, W. 2018. Penetapan Kadar Antosianin Total Beras Merah (*Oryza nivara*). *Jurnal Kartika Kimia*, 1(1), 11–16.
- Antihika, B., P, S., Kusumocahyo, & Sutatanto, H. 2015. Ultrasonic approach in *Clitoria ternatea* (butterfly pea) extraction in water and extract sterilization by ultrafiltration for eye drop active ingredient. *Procedia Chemistry*, 16(6), 237–244. <https://doi.org/10.1016/j.proche.2015.12.046>.
- Arianto, D. P., Supriyanto, & Muhammadi, L. K. 2013. Karakteristik Jamur Tiram (*Pleurotus ostreatus*) Selama Penyimpanan dalam Plastik Polipropilen (PP). *Agrointek*, 7(2), 66–75.
- Astuti. 1993. Kiat Memperpanjang Masa Segar Bunga Potong. *Agroinformasi* 2(2):18–19.
- Balithi. 2004. *Teknologi Agribisnis Tanaman Hias*. Balai Penelitian Tanaman Hias. Jakarta.

- Barash, C.W., 1998. The flavors of flowers. *Herb Companion* 10, 32-37.
- Beaudry, Randolph. 2007. *Modified Atmosphere Packaging as a Basic for Active Packaging*. Dalam: Wilson, CL. (ed). *Active Packaging for Fruits and Vegetables*. New York : CRC Press.
- Beaudry, R.M., 1999. Effect of O₂ and CO₂ partial pressure on selected phenomena affecting fruit and vegetable quality. *Postharvest Biology and Technology* 15, 293–303.
- Bhande, S. D., Ravindra, M. R., & Goswami, T. K. 2008. Respiration rate of banana fruit under aerobic conditions at different storage temperatures. *Journal of Food Engineering*, 87(1), 116–123. <https://doi.org/10.1016/j.jfoodeng.2007.11.019>.
- Bilmeyer, F. W. 1984. *Text Book of Polymer Science, Third Edition*. John Wiley and Sons Inc. New York.
- Brecht, J.K., Chau, K.V., Fonseca, S.C., Oliveira, F.A.R., Silva, F.M., Nunes, M.C.N., & Bender, R.J. 2003. Maintaining optimal atmosphere conditions for fruits and vegetables throughout the postharvest handling chain. *Postharvest Biology and Technology* 27, 87–101.
- Brecht, J. K. 1995. Physiology of lightly processed fruits and vegetables. *HortScience*, 30(1), 18–21.
- Buckle, K. A., R. A. Edwards, G. H. Fleet, & M. Wootton. 1987. *Ilmu Pangan (Terjemahan Hari Purnomo dan Adiono)*. Jakarta: UI Press.
- Budiasih, K. S. 2017. *Prosiding Seminar Nasional Kimia UNY 2017 Sinergi Penelitian dan Pembelajaran untuk Mendukung Pengembangan Literasi Kimia pada Era Global Ruang Seminar FMIPA UNY*, 14 Oktober 2017. Jurnal Prosiding, (4), 201–206. Retrieved from http://seminar.uny.ac.id/semnaskimia/sites/seminar.uny.ac.id.semnaskimia/files/017/C7_Kun_Sri_Budiasih.pdf.
- Chrysargyris, A., Tzionis, A., Xylia, P., & Tzortzakis, N. 2018. Effects of salinity on tagetes growth, physiology, and shelf life of edible flowers stored in passive modified atmosphere packaging or treated with ethanol. *Frontiers in Plant Science*, 871(December), 1–13. <https://doi.org/10.3389/fpls.2018.01765>.
- Colgecen, I., & Aday, M. S. 2015. The efficacy of the combined use of chlorine dioxide and passive modified atmosphere packaging on sweet cherry quality. *Postharvest Biology and Technology*, 109, 10–19. <https://doi.org/10.1016/j.postharvbio.2015.05.016>.
- Costa, C., Lucera, A., Conte, A., Mastromatteo, M., Speranza, B., Antonacci, A., & Del Nobile, M. A. 2011. Effects of passive and active modified atmosphere packaging conditions on ready-to-eat table grape. *Journal of Food Engineering*, 102(2), 115–121.

- [https://doi.org/10.1016/j.jfoodeng.2010.08.001.](https://doi.org/10.1016/j.jfoodeng.2010.08.001)
- Cronquist, A. 1981. *An Integrated System of Clasification of Flowering Plants*. New York:Columbia University Press.
- Dalimartha, S. 2008. *Altas Tumbuhan Obat Indonesia Volume. 5*. Niaga Swadaya. Jakarta.
- Dwiputri, M. C. 2018. ‘Pengaruh lama waktu fermentasi terhadap total asam territrasi, total flavonoid dan aktivitass antioksidan kombucha bunga telang (*Clitoria ternatea L.*)’, *Journal of Chemical Information and Modeling*, 53(9), pp. 1689–1699. doi: 10.1017/CBO9781107415324.004.
- Eisele, T., Giusti, M. M., Hofsommer, H., Koswig, S., Krueger, D. A., Kupina, S., Martin, S. K., Martinsen, B. K., Miller, T. C., Paquette, F., Ryabkova, A., Skrede, G., Trenn, U., & Wightman, J. D. 2005. *Determination of Total Monomeric Anthocyanin Pigment Content of Fruit Juices, Beverages, Natural Colorants, and Wines by the pH Differential Method: Collaborative Study*. 1269–1278.
- Exama, A., Arul, J., Lencki, R. W., Lee, L. Z., & Toupin, C. 1993. Suitability of Plastic Films for Modified Atmosphere Packaging of Fruits and Vegetables. *Journal of Food Science*, 58(6), 1365–1370. <https://doi.org/10.1111/j.1365-2621.1993.tb06184.x>.
- Fahmy, K., Nakano, K., & Violalita, F. 2015. Investigation on quantitative index of chilling injury in cucumber fruit based on the electrolyte leakage and malondialdehyde content. *International Journal on Advanced Science, Engineering and Information Technology*, 5(3), 222–225. <https://doi.org/10.18517/ijaseit.5.3.532>.
- Fonseca, S. C., Oliveira, F. A. R., & Brecht, J. K. 2002. Modelling respiration rate of fresh fruits and vegetables for modified atmosphere packages: A review. *Journal of Food Engineering*, 52(2), 99–119. [https://doi.org/10.1016/S0260-8774\(01\)00106-6](https://doi.org/10.1016/S0260-8774(01)00106-6).
- Food service Equipment and Supplies, 1999. Keys to maintaining customer loyalty. *Foodservice Equipment Supplies* 52(6):110.
- Forney, C. F & Lipton, W. J. 1990. Influence of Controlled Atmospheres and Packaging on Chilling Sensitivity. In: Wang, C. Y. (Ed.), *Chilling Injury of Horticultural Crops*. CRC Press, Boca Raton, FL, pp. 257-267.
- Galotto, M. J., Ulloa, P. A., Hernández, D., Fernández-Martín, F., Gavara, R. & Guarda, A. 2008. Mechanical and thermal behaviour of flexible food packaging polymeric films materials under high pressure/temperature treatments. *Packag Technol Sci* 21:297–308.
- Gamage, G. C. V., Lim, Y. Y., & Choo, W. S. 2021. Anthocyanins From *Clitoria ternatea* Flower: Biosynthesis, Extraction, Stability, Antioxidant Activity,

- and Applications. *Frontiers in Plant Science*, 12 (December), 1–17. <https://doi.org/10.3389/fpls.2021.792303>.
- Hamdini, R., Diffallah, N., & Namane, A. 2021. Color based object categorization using histograms of oriented hue and saturation. *Traitement Du Signal*, 38(5), 1293–1307. <https://doi.org/10.18280/ts.380504>.
- Handito, D., Basuki, E., Saloko, S., Dwikasari, L. G., & Triani, E. 2022. Analisis Komposisi Bunga Telang (*Clitoria ternatea*) Sebagai Antioksidan Alami Pada Produk Pangan. *Prosiding SAINTEK*, 4(November 2021), 64–70. <https://jurnal.lppm.unram.ac.id/index.php/prosdingsaintek/article/view/481>.
- Hartono, M. A., Purwijantiningsih, E., & Pranata, S. 2012. Pemanfaatan ekstrak bunga telang (*Clitoria ternatea* L.) sebagai pewarna alami es lilin. *Jurnal Biologi*, 1–15.
- Hasbullah, Rokhani., Gardjito., Atjeng M. Syarief., & Takayoshi, Akinaga. 2000. Gas Permeability Characteristic of Plastic Films for Packaging of Fresh Produce. *Journal of the Society of Agricultural Structures, Japan*. 31 (2), 79–86. <https://doi.org/10.11449/sasj1971.31.79>.
- Hisham, A. Maddah. 2016. Polypropylene as a Promising Plastic: A Review. *American Journal of Polymer Science*. <https://doi.org/10.5923/j.ajps.20160601.01>.
- Ikhsan, A. M., Tamrin, & Kadir, M. Z. 2014. Pengaruh Media Simpan Pasir dan Biji Plastik Dengan Pemberian Air Pendingin Terhadap Perubahan Mutu Pada Buah Pisang Kepok (*Musa Normalis* L). *Jurnal Teknik Pertanian Lampung*. Vol. 3 (2:173–182).
- Istianingsih, T., & Efendi, D. 2013. Pengaruh umur panen dan suhu simpan terhadap umur simpan buah naga super red (*Hylocereus costaricensis*). *Jurnal Hortikultura Indonesia*, 4(1), 54–61.
- Jackman, R. L., Yada, R. Y., & Tung, M. A. 1987. A review: separation and chemical properties of anthocyanins used for their qualitative and quantitative analysis. *Journal of Food Biochemistry*, 11, 279e308.
- Jacxsens, L., Devlieghere, F., & Debevere, J. 2001. Effect of high oxygen modified atmosphere packaging on microbial growth and sensorial qualities of fresh-cut produce. *International Journal of Food Microbiology* 71, 197–210.
- Jacxsens, L., Devlieghere, F., & Debevere, J. 2002. Predictive modelling for packaging design: equilibrium modified atmosphere packages of fresh cut vegetables subjected to a simulated distribution chain. *International Journal of Food Microbiology* 73, 331–341.
- Jain, P. K., & Agrawal, R. K. 2008. Antioxidant and Free Radical Scavenging Properties of Mono and Polyherbal Formulations. *Asian J. Exp. Sci*, 22(3), 213-220.

- Johansyah, A., Prihastanti, E., Kusdiyantini, E., Biologi, J., Sains, F., & Diponegoro, U. 2014. Pengaruh Plastik Pengemas Low Density Polyethylene (LDPE), High Density Polyethylene (HDPE) dan Polipropilen (PP) Terhadap Penundaan Kematangan Buah Tomat (*Lycopersicon esculentum* Mill). *Buletin Anatomi Dan Fisiologi*, 22(1), 46–57. <https://doi.org/10.14710/baf.v22i1.7808>.
- Kader, A. A. 1987 Respiration and gas exchange of vegetables. In: Weichmann J (Ed) Postharvest Physiology of Vegetables, Marcel Dekker, New York, USA, pp 25-43.
- Kader, A. A. 2002. In: Kader, A. A. (Ed.), Modified Atmosphere During Transport and Storage. Postharvest Technology of Horticultural Crops. University of California, Oakland, CA, pp. 135-144.
- Kader, A. A. 2002. Postharvest biology and technology: an overview. In: KADER, A.A. (Ed.), Postharvest Technology of Horticultural Crops. , 3rd ed. University of California, Berkeley, pp. 39–47.
- Kader, A. A., & Saltveit, M. 2002. Respiration and gas exchange. In. J. A. Bartz & J. K. Brecht (Eds.), Postharvest physiology and pathology of vegetables (2nd ed., pp 7 - 23). New York: Marcel Dekker.
- Kays, S. J. 1991. *Metabolic Processes in harvested products respiration. Post Harvest Physiology of Perishable Plant Products*. Van Nostrand Reinhold Publication, NY.
- Kelley, K. M., Behe, B. K., Biernbaum, J. A., & Poff, K. L. 2001. Consumer ratings of edible flower quality, mix, and color. *HortTechnology*, 11(4), 644–647. <https://doi.org/10.21273/horttech.11.4.644>
- Kelley, K. M., Cameron, A. C., Biernbaum, J. A., & Poff, K. L. 2003. Effect of storage temperature on the quality of edible flowers. *Postharvest Biology and Technology*, 27(3), 341–344. [https://doi.org/10.1016/S0925-5214\(02\)00096-0](https://doi.org/10.1016/S0925-5214(02)00096-0).
- Kirtil, E., Kilercioglu, M., & Oztop, M. H. 2016. Modified Atmosphere Packaging of Foods. *Reference Module in Food Science*, July 2021. <https://doi.org/10.1016/b978-0-08-100596-5.03218-2>.
- Kosai, P., Sirisidthi, K., Jiraungkoorskul, K., Jiraungkoorskul, W., & Durg, S. 2015. Review on Ethnomedicinal uses of Memory Boosting Herb, Butterfly Pea, *Clitoria ternatea* Antiepileptic and Antipsychotic Effects of Ipomoea reniformis (Convolvulaceae) in Experimental Animals. *Journal of Natural Remedies*, 15(2). www.informaticsjournals.org/index.php/jnr.
- Kusumaningrum, Ria., Agus, Supriadi., & Siti, Hanggita. R. J. 2013. Karakteristik dan Mutu Bunga Lotus (*Nelumbo nucifera*). *Fishtech*. 2(1). 274-282. <https://doi.org/10.36706/fishtech.v2i1.1099>.

- Kusumiyati, Farida, Sutari, W., & Mubarok, S. 2017. Perubahan kualitas oyong selama penyimpanan. *Seminar Nasional Pemanfaatan Tanaman Lokal Untuk Pangan Dan Industri, December 2018*, 2–7.
- Lee, D. S., Kang, J. S., & Renault, P. 2000. Dynamics of Internal Atmosphere and Humidity in Perforated Packages of Peeled Garlic Cloves. *International Journal of Food Science & Technology*, 37(3), 255.
- Liu, F., Cao, X., Wang, H., & Liao, X. 2010. Changes of tomato powder qualities during storage. *Powder Technology* (204) pp 159–166.
- Lobo, Yustina Angreyn., Kencana, Pande Ketut Diah., & Arda, Gede. 2017. Studi Pengaruh Jenis Kemasan dan Ketebalan Plastik Terhadap Karakteristik Mutu Rebung Bambu Tabah (*Gigantochloa nigrociliata* Kurz) Kering. *Jurnal BETA (Biosistem dan Teknik Pertanian)*, [S.I.], v. 2, n. 1, sep. 2017. ISSN 2502-3012. <https://ojs.unud.ac.id/index.php/beta/article/view/33648>.
- Lopez-Galvez, G., El-Bassuoni, R., Nie, X., & Cantwell, M. 1997. Quality of red and green fresh-cut peppers stored in controlled atmospheres. In J. R. Gorny (Ed.), Proceedings of the 7th international controlled atmosphere research conference: Vol. 5 (pp. 152–157), Davis, CA, USA.
- Mahajan, P. V., Oliveira, F. A. R., Montanez, J.C., & Frias, J. 2007. Development of user-friendly software for design of modified atmosphere packaging for fresh and fresh-cut produce. *Innovative Food Science and Emerging Technology* 8, 84-92
- Makasana, J., & Dholakiya, B. Z. 2017. *Extractive determination of bioactive flavonoids from butterfly pea (*Clitoria ternatea* Linn.)*. Research on Chemical Intermediates, 43(2), 783–799. <https://doi.org/10.1007/s11164-0162664-y>.
- Makmur, V. H. 2023. Potensi Kombinasi Bunga Telang (*Clitoria Ternatea* L.) Dan Bunga Rosella (*Hibiscus Sabdariffa* L.) Sebagai Toner Wajah Antioksidan. *Journal Scientific of Mandalika (JSM)*, 4(1), 84–90. <http://ojs.cahayamandalika.com/index.php/jomla/issue/archive>.
- Mamonto, O., Lengkey, Lady, & Wenur, F. 2020. Analisis Penggunaan Beberapa Jenis Kemasan Plastik Terhadap Umur Simpan Sayur Selada (*Lactuca sativa* L) selama penyimpanan dingin. *Cocos*, 4(4), 1–9.
- Man, J. M. de. 1997. *Kimia Makanan*. ITB. Bandung.
- Mangaraj, S., & Goswami, T. K. 2009. Modified Atmosphere Packaging of Fruits and Vegetables for Extending Shelf-Life: A Review. *Global Science Books*, 651–674.
- Marcellin, P. 1974. Conservation des fruits et legumes en atmosphere controlee a l'aide de membranes de polymeres. *Revue generale du froid* 3: 217-236.
- Mareta, D. T., & Nur, S. 2011. Pengemasan Produk Sayuran Dengan Bahan Kemas

- Plastik Pada Penyimpanan Suhu Ruang Dan Suhu Dingin. *Pengemasan Produk Sayuran Dengan Bahan Kemas Plastik Pada Penyimpanan Suhu Ruang Dan Suhu Dingin*, 7(1), 26–40. <https://www.publikasiilmiah.unwahas.ac.id/index.php/Mediagro/article/download/530/652>.
- Marpaung, A. M., Andarwulan, N., Hariyadi, P., & Faridah, D. N. 2017. The colour degradation of anthocyanin-rich extract from butterfly pea (*Clitoria ternatea* L.) petal in various solvents at pH 7. *Nat. Prod. Res.* 31, 2273–2280. doi:10.1080/14786419.2017.1303689.
- Marpaung, A. M. 2020. Tinjauan manfaat bunga telang (*Clitoria ternatea* L.) bagi kesehatan manusia. *Journal of Functional Food and Nutraceutical*, 1(2), 63–85. <https://doi.org/10.33555/jffn.v1i2.30>.
- Masithoh, R. E., & Fauzi, R. 2014. Karakteristik Parameter Kualitas Bubuk Tomat Selama Penyimpanan pada Berbagai Suhu dan Jenis Kemasan. *Jurnal Teknologi Pertanian*, 15(3), 185–190.
- Matsufuji, H., Kido, H., Misawa, H., Yaguchi, J., Otsuki, T., & Chino, M., et al. 2007. Stability to light, heat, and hydrogen peroxide at different pH values and DPPH radical scavenging activity of acylated anthocyanins from red radish extract. *J. Agric. Food Chem.* 55, 3692–3701. doi:10.1021/jf063598o.
- Maulana, E. 2005. Kajian Mutu dan Daya Simpan Jamur Tiram Putih (*Pleurotus ostreatus*) dalam Trayfoam Dikemas dalam Film Plastik. Tesis. FP-Universitas Lampung, Bandar Lampung.
- McLellan, M. R., Lind, L. R., & Kime, R. W. 1994. Hue Angle Determinations and Statistical. *Journal of Food Quality*, 18(1995), 235–240.
- Meyer, B. S., Anderson, D. B., Bohling, R. H., & Fratianne, D. G. (Eds). 1973. *Introduction to Plant Physiology* (2nd Edn), Van Nostrand, Princeton, New Jersey, USA, 548 pp.
- Mlcek, J., & Rop, O. 2011. Fresh edible flowers of ornamental plants - A new source of nutraceutical foods. *Trends in Food Science and Technology*, 22(10), 561–569. <https://doi.org/10.1016/j.tifs.2011.04.006>.
- Muchtadi, D. 1992. *Petunjuk laboratorium, fisiologi pasca panen sayuran dan buah-buahan*. Departemen Pendidikan dan Kebudayaan. Direktorat Jenderal Pendidikan Tinggi. Pusat Antar Universitas Pangan dan Gizi. IPB. IPB Press. Bogor.
- Musaddad, D., Suryatmana, G., Setiasih, I. S., & Kastaman, R. 2013. The Rate of Quality Changes in Minimally Processed Cauliflowers at Various Packaging and Storage Temperatures. *Indonesian Journal of Applied Sciences*, 3(3), 184–194.
- Neda, G. D., M. S. Rabeta & M. T. Ong. 2013. Chemical composition and anti proliferative properties of flowers of *Clitoria ternatea*. *International Food*

Research Journal. 20(3): 1229-1234.

- Nomer, N. M. G. R., Duniaji, A. S., & Nocianitri, K. A. 2019. Kandungan Senyawa Flavonoid dan Antosianin Ekstrak Kayu Secang (*Caesalpinia Sappan L.*) serta Aktivitas Antibakteri Terhadap Vibrio Cholerae. *Jurnal Ilmu Dan Teknologi Pangan (ITEPA)*, 8(2), 216. <https://doi.org/10.24843/itepa.2019.v08.i02.p12>.
- O'Callaghan, K. A. M., Papkovsky, D. B., & Kerry, J. P. 2016. An assessment of the influence of the industry distribution chain on the oxygen levels in commercial modified atmosphere packaged cheddar cheese using non-destructive oxygen sensor technology. *Sensors (Switzerland)*, 16(6), 1–11. <https://doi.org/10.3390/s16060916>.
- Pantastico, Er. B. 1987. *Fisiologi Pascapanen Penanganan dan Pemanfaatan Buah-buahan dan Sayuran Tropika dan sub Tropika*. Terjemahan. Yogyakarta: Gajah Mada University Press.
- Parry, R. T. 1993. *Principles and Application of Modified Atmosphere Packaging of Food*, Parry, R. T (Ed), Blackie (Chapman and Hall), UK, pp 1-18.
- Parwata, I.N.A., N. Kusumawati dan N. Suryani. 2016. Pertumbuhan dan produksi hijauan kembang telang (*Clitoria ternatea*) pada berbagai level aplikasi pupuk bio-slurry. *Journal of Tropical Animal Science* 4(1): 142-155.
- Patel, T., & Singh, A. 2009. Effect of Different Modified Atmosphere Packaging (MAP) Films and Cold Storage Temperature (5, 10 and 15°C) on Keeping Quality of Gerbera (*Gerbera jamesonii*) Flowers. In: Proceedings of the 9th International Symposium on Postharvest Quality of Ornamental Plants. Acta Hortic, 847, pp. 353-358.
- Patras, A., Brunton, N. P., O'Donnell, C., & Tiwari, B. K. 2010. Effect of thermal processing on anthocyanin stability in foods; mechanisms and kinetics of degradation. *Trends in Food Science and Technology*, 21(1), 3–11. <https://doi.org/10.1016/j.tifs.2009.07.004>.
- Peleg, K. 1985. *Produce Handling, Packaging and Distribution*. Departement of Agricultural Engineering Technology. Institute of Technology Haifa. Israel.
- Pesis, E., Aharoni, D., Aharon, Z., Ben-Arie, R., Aharoni, N., & Fuchs, Y. 2000. Modified atmosphere and modified humidity packaging alleviates chilling injury symptoms in mango fruit. *Postharvest Biology and Technology*, 19(1), 93–101. [https://doi.org/10.1016/S0925-5214\(00\)00080-6](https://doi.org/10.1016/S0925-5214(00)00080-6).
- Poonsri, W. 2021. Effects of active and passive modified atmosphere packaging on biochemical properties of cut *Dendrobium* orchid flowers. *Heliyon*, 7(6), e07197. <https://doi.org/10.1016/j.heliyon.2021.e07197>.
- Pradnyawati, P. N. 2006. Pengaruh Kemasan dan Goncangan Terhadap Mutu Fisik Jambu Biji [Skripsi]. Bogor (ID). Institut Pertanian Bogor.

- Pratama, D., Suhaidi, I., & Julianti, E. 2013. Pengaruh Konsentrasi Natrium Bisulfit dan Jenis Kemasan Terhadap Mutu Jamur Tiram Putih (*Pleurotus ostreatus*) Pada Penyimpanan Suhu Rendah. *Jurnal Rekayasa Pangan dan Pertanian*. 1 (3), 17-14.
- Pratiwi, N., Widiastuti, I., & Baehaki, A. 2016. Karakteristik Fisiko-Kimia dan Sensori Bakso Ikan Gabus (*Channa striata*) dengan Penambahan Genjer (*Limnocharis flava*). *Jurnal Teknologi Hasil Perikanan*, 5(2), 178–189.
- Purba, E. C. 2020. Kembang Telang (*Clitoria ternatea L.*): Pemanfaatan dan Bioaktivitas. *Jurnal EduMatSains*, 4(2), 111-124.
- Purwaniati, Ahmad, Rijalul Arif, & Anne, Yuliantini. 2020. Analisis Kadar Antosianin Total Pada Sediaan Bunga Telang (*Clitoria ternatea*) dengan Metode pH Diferensial Menggunakan Spektrofotometri Visible. *Jurnal Farmagazine*, VIII(1), 18-23. <http://dx.doi.org/10.47653/farm.v7i1.157>.
- Rahayu, W. P. 2004. *Pengetahuan Kemasan Plastik (Produk Industri Pangan dan Jasa Boga)*. Departemen Teknologi Pangan dan Gizi Fakultas Teknologi Pertanian IPB.
- Ramdani, H., & Fatimah, S. 2019. Pendugaan Umur Simpan Cabai Merah Kering (*Capsicum annum L.*) dengan Metode Konvensional. *Comm. Horticulturae Journal*, 1(1), 13. <https://doi.org/10.29244/chj.1.1.13-17>.
- Reid, M.S., Mokhtari, M., Lieth, J.H., van Doorn, W.G., & Evans, R.Y. 1996. Modeling the Postharvest Life of Cut Roses. *Acta Hortic.* 424, 137-144.
- Robertson, L.G. 2006. Food Packaging Principles and Practice. CRC Press, Boca Raton, p. 618.
- Rohdiana, D. 2007. *Petunjuk Teknis Pengolahan Teh*. Pusat Penelitian Teh dan Kina. Gambung.
- Rusnak, J. 1999. Edible flowers, fresh herbs, baby vegetables: still room for growth. *Produce Business* 15, pp. 33-34, 36-37.
- Rulaningtyas, R., B. Suksmono, A., L. R. Mengko, T., & Putri Saptawati, G. A. 2015. Segmentasi Citra Berwarna dengan Menggunakan Metode Clustering Berbasis Patch untuk Identifikasi Mycobacterium Tuberculosis. *Jurnal Biosains Pascasarjana*, 17(1), 19. <https://doi.org/10.20473/jbp.v17i1.2015.19-25>.
- Saltveit, M.E. 2003. Is it possible to find an optimal controlled atmosphere? *Postharvest Biology and Technology* 27, 3-13.
- Saltveit, M.E. 2005. Commercial Storage of Fruits, Vegetables and Florist And Nursery Crops, Postharvest Technology Centre RIC, Department of Plant Science, University of California, USA, 485 pp.

- Saltveit, M. E. 2018. Respiratory metabolism. In *Postharvest Physiology and Biochemistry of Fruits and Vegetables* (Issue 1). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-813278-4.00004-X>.
- Samber, L. N., Semangun, H., & Prasetyo, B. 2013. Karakterisasi Antosianin Sebagai Pewarna Alami. *Seminar Nasional x Pendidikan Biologi FKIP UNS, Harborne 2005*, 1–4.
- Sandhya. 2010. Modified atmosphere packaging of fresh produce: Current status and future needs. *LWT - Food Science and Technology*, 43(3), 381–392. <https://doi.org/10.1016/j.lwt.2009.05.018>.
- Santoso L, Puspita Sari N, & Hubaidah S. 2012. Pengaruh penambahan tepung kepala udang dalam pakan terhadap pigmentasi ikan koi (*Cyprinus carpio*) jenis kohaku. *Jurnal Rekayasa dan Teknologi Budidaya Perairan*. 1(1), 31–38. ISSN: 2302-3006.
- Saragih, H., Dharma, I., & Astawa, I. 2016 . Pengaruh Ketebalan Plastik Polyethylene Densitas Rendah Terhadap Umur Simpan Bawang Daun (*Allium Fistulosum L.*). *E-Jurnal Agroekoteknologi Tropika (Journal of Tropical Agroecotechnology)*, 5(4), 363–373.
- Sembiring, NN. 2009. Pengaruh Jenis Bahan Pengemas Terhadap Kualitas Produk Cabai Merah (*Capsicum annum L.*) Segar Kemasan Selama Penyimpanan Dingin. Tesis. Universitas Sumatera Utara. Medan.
- Shubhra, Q. T. H., Alam, A. K. M. M., & Quaiyyum, M. A. 2011. Mechanical properties of polypropylene composites: A review. *Journal of Thermoplastic Composite Materials*, 26(3), 362–391. <https://doi.org/10.1177/0892705711428659>.
- Silva, F. M., Chau, K. V., Brecht, J. K., & Sargent, S. A. 1999. Modified Atmosphere Packaging For Mixed Loads of Horticultural Commodities Exposed to Two Postharvest Temperatures. *Postharvest Biology and Technology*, 17(1), 1–9.
- Siracusa, V., Blanco, I., Romani, S., Tylewicz, U., & Dalla Rosa, M. 2012. Gas Permeability and Thermal Behavior of Polypropylene Films Used for Packaging Minimally Processed Fresh-Cut Potatoes: A Case Study. *Journal of Food Science*, 77(10), 1–9. <https://doi.org/10.1111/j.1750-3841.2012.02905.x>.
- Soekartawi. 1996. *Manajemen Agribinis Bunga Potong*. Universitas Indonesia. Jakarta.
- Suyitno. 1990. *Bahan-bahan Pengemas*. Universitas Gajah Mada. Yogyakarta.
- Suyitno & Kamarijani. 1996. Dasar-Dasar Pengemasan. Jakarta: Rineka Cipta.
- Suzery, M., Lestari, S., & Cahyono, B. 2010. Penentuan Total Antosianin Dari Kelopak Bunga Rosela (*Hibiscus Sabdariffa L.*) Dengan Metode Maserasi

Dan Sokhletasi. *Jurnal Sains Dan Matematika*, 18(1), 1–6.

- Tampubolon, B. E., Pratiwi, I. A. R. P., & Gunadnya, I. B. P. 2022. Pengaruh Ketebalan Plastik Polietilen Densitas Rendah sebagai Bahan Pengemas terhadap Mutu Peterseli (*Petroselinum crispum* L.) selama Penyimpanan Suhu Dingin. *Jurnal BETA (Biosistem dan Teknik Pertanian)*, [S.I.], v. 10, n. 1, p. 103-110. <https://doi.org/10.24843/JBETA.2022.v10.i01.p10>.
- Tanaka, Yoshikazu. 2006. *Molecular Characterization of The Flavonoid Biosynthesis Of Verbena Hybrida And The Functional Analysis of Verbea and Clitoria ternatea F3'5'H Genes in Transgenic Verbana*. Plant Science Center. RIKEN (The Institute of Physical and Chemical Research). Yokohama. Japan.
- Uthairatanakij, A., Manuwong, S., Jitareerat, P., & Obsuwan, K., 2010. The Effect of Packaging on Shelf-life of Cut *Dendrobium* Big White Jumbo Inflorescences. In: proceedings of the 1st international orchid symposium. Acta Hortic., 878, pp. 397-403.
- Valero, A., Begum, M., Hocking, A.D., Marín, S., Ramos, A.J., & Sanchis, V. 2008. Mycelial growth and ochratoxin A production by *Aspergillus* section Nigri on simulated grape medium in modified atmospheres. *Journal of Applied Microbiology* 105, 372–379.
- Vankar, P. S. & Srivastava, J. 2010. Evaluation of Anthocyanin Content in Red and Blue Flowers. *International Journal of Food Engineering*. 6(4), pp. Article 7.
- Vidana Gamage, G. C., Lim, Y. Y., & Choo, W. S. 2021. Anthocyanins From *Clitoria ternatea* Flower: Biosynthesis, Extraction, Stability, Antioxidant Activity, and Applications. *Frontiers in Plant Science*, 12 (December), 1–17. <https://doi.org/10.3389/fpls.2021.792303>.
- Wantoro, W., Kusumaningrum, D., Setiadji, B.H., & Kushardjoko, W. 2013. Pengaruh Penambahan Plastik Bekas Tipe Low Density Polyethylene (LDPE) terhadap Kinerja Campuran Beraspal. *Jurnal Karya Teknik Sipil*, 2(4): 366–381.
- Waryat, W., & Handayani, Y. 2020. Implementasi Jenis Kemasan Untuk Memperpanjang Umur Simpan Sayuran Pakcoy. *Jurnal Ilmiah Respati*, 11(1), 33–45. <https://doi.org/10.52643/jir.v11i1.847>.
- Wills, R., McGlasson, B., Graham, D., & Joyce, D. 1998. Postharvest. An Introduction to the Physiology and Handling of Fruit, Vegetables and Ornamentals, 4th ed. Hyde Park Press, Adelaide, Australia, pp. 262.
- Winarno, F. G. 2004. *Kimia Pangan dan Gizi*. PT Gramedia Pustaka Utama. Jakarta.
- Winarno, F. G. 1994. *Bahan Tambahan Makanan*. Gramedia Pustaka Utama. Jakarta.

Wirani, R. 2017. Kajian Perbandingan Daun dengan Ampas Buah Black Mulberry (*Morus nigra L.*) Terhadap Karakteristik The Celup. *Tugas Akhir*. Program Studi Teknologi Pangan, Fakultas Teknik Universitas Pasundan. Bandung.

Wulandari, Herpandi, Lestari, S., & Putri, R. 2019. Karakteristik Fisiko-Kimia Biskuit Dengan Fortifikasi Tepung Belut. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(2), 246–254.

Zagory & A. A. Kader. 1988. Modified atmosphere packaging of fresh products. *J. of Food Tech* 42(9) : 70.

Zagory, D. 1998. An update on modified atmosphere packaging of fresh produce. *Packaging International*. Available online: <http://www.davisfreshtech.com>.

Zussiva, A., Bertha, K. L., & Budiyati, C. S. 2012. Ekstraksi dan Analisis Zat Warna Biru (Anthosianin) dari Bunga Telang (*Clitoria ternatea*) Sebagai Pewarna Alami. *Jurnal Teknologi Kimia Dan Industri*, 1(1), 356–365.

