

DAFTAR PUSTAKA

- Adegboyega, PA, Rodriguez, S & McLarty, SJ 2010, 'Stromal expression of actin is a marker of aggressiveness in basal cell carcinoma', *Hum Pathol*, vol.41: pp. 1128–1137.
- American Cancer Society 2015, 'Skin cancer prevention and early detection', *Am Cancer Society*, pp. 1-17
- Arbiser, JL 2010, 'Translating cyclooxygenase signaling in patch heterozygote mice into a randomized clinical trial in basal cell carcinoma', *Cancer Prev Res*, vol. 3, pp. 4-7.
- Asri, E & Lestari, S 2012, 'Satu Kasus Basosquamous (Metatypical) carcinoma yang jarang', *MDVI*, vol. 39, no. 1, pp. 21-4.
- Badan Registrasi Kanker Perhimpunan Dokter Spesialis Patologi Anatomik 2011, *Kanker di Indonesia tahun 2011 Data Histopatologik*, Direktorat Jenderal Pelayanan Medik Departemen Kesehatan RI, Yayasan Kanker Indonesia, Jakarta.
- Bariani, RL, Nahas, FX & Barbosa, MJB 2006, 'Basal cell carcinoma : an update epidemiological and therapeutically profile. Of an urban population', *Acta Cicurgica Brasileira*, vol. 21, no. 2, pp. 66-73.
- Barder, RS, Santacrose, L, Diomede, L & Kennedy, AS 2014, 'Basal cell carcinoma', *J Dermatol*, pp. 1-5.
- Barrett, TL, Smith, KJ, Hodge, JJ, Butler, R, Hall, FW & Skelton, HG 1997, 'Immunohistochemical nuclear staining for p53, PCNA, and Ki-67 in different histologic variants of basal cell carcinoma', *J. Am. Acad. Dermatol*, vol.37, pp. 430–437.
- Bartos, V, Adamicova, K, Kullova, M, Pec, M 2012, 'Immunohistochemical evaluation of proliferative activity (Ki-67 index) in different histological types of cutaneous basal cell carcinoma', *Biologia*, vol. 67, no. 3, pp. 610-615.
- Baum, HP, Meurer, I & Unteregger, G 1993, 'Ki-67 antigen expression and growth pattern of basal cell carcinomas', *Arch. Dermatol. Res*, vol. 285, pp. 291–295.
- Bethania, SF, Caviggioli, F & Tommaso, LD 2005, 'Basal cell carcinoma adjacent to syringoma in periorbital skin: A case report', *Am J Dermatopathol*, vol.27, no.4, pp.362-263.
- Bishop, PW 2012, *Ki-67*, Viewed 6 Maret 2015, <<http://e-immunohistochemistry.info/web/Ki-67.htm>>.
- Broyde, A, Boycov, O, Strenov, Y, Okon, E, Shpilberg, O & Osnat, B 2009, 'Role and prognostic significance of the Ki-67 index in Non Hodgkin Lymphoma', *Am J Hematol*, vol. 84, pp. 338-343.
- Cabral, A, Van, Haaften, C & Boon, ME 2004, 'Proliferation patterns reflect architectural dedifferentiation: a study of nodular basal cell carcinoma', *J. Dermatol*, vol.31, pp. 305–313.

- Carucci, JA, Leffell DJ & Pettersen, J 2008, 'Basal cell carcinoma', in: Goldsmith, LA, Gilchrist, BA, Paller, AS, Leffel, DJ, Wolff, K (ed.), *Fitzpatrick's dermatology in general medicine*, 8th edn, Philadelphia, WB Saunders Co, pp. 2431-2446.
- Cernea, CR, Ferraz, AR, Castro, IV, Sotto, MN, Logullo, AF, Potenza, AS & Bacchi, CE 2005, 'Ki-67 index and skin carcinomas with skull base invasion : a case-control', *Cancer Therapy*, vol.3, pp.471-476.
- Correa, MPD, Ferreira, AP, Gollner, AM, Rodrigues, MF & Guerra, MCS 2009, 'Marker expression of cell proliferation and apoptosis in basal cell carcinoma', *An Bras. Dermatol*, vol.84, no.6, pp. 1-15.
- Chen, CC & Chen, CL 2006, 'Clinical and histopathologic findings of superficial basal cell carcinoma: A comparison with other basal cell carcinoma subtypes', *J Chin Med Assoc*, vol.69, no.8, pp. 364-71.
- Chinem, VP & Miot, HA 2011, 'Epidemiology of basal cell carcinoma', *An Bras Dermatol*, vol.86, no.2, pp.292-305.
- Christenson, LJ, Borrowman, TA, Vachen, CM, Tollefson, MM, Otley, CC, Weaver, AL & Roenigk, RK 2005, 'Incidence of basal cell and squamous cell carcinomas in a population younger than 40 years', *JAMA*, vol. 294, pp. 681-90.
- Crowson, AN 2006, 'Basal cell carcinoma: biology, morphology and clinical implications', *Modpathol*, vol.19, pp. 127-147.
- Chuprov, IN 2008, 'Immunomorphological features of cutaneous basal-cell carcinoma', *Vopr. Onkol*, vol.54, pp.715-719.
- Dallaglio, KA, Marconi, A & Pincelli, C 2010, 'Survivin: A dual player in healthy and diseased skin', *J Inves Dermatol*, vol. 132, pp. 18-27.
- Garrett, MD 2008, 'Cell Cycle Control and Cancer', *Current Science*, vol.81, pp. 515-22.
- Goh, BK, Ang, P & Wu, YJ 2006, 'Characteristics of basal cell carcinoma amongs Asians in Singapura and comparison between completely and incomplete excised tumors', *Int J Dermatol*, vol. 45, pp. 561-4
- Gruijl, FR, Kranen, HJ, Mullenders, LH 2001, 'UV-induced DNA damage, repair, mutations and oncogenic pathways in skin cancer', *J Photochem Photobiol B*, vol. 63, no. 1-3, pp.19-27.
- Healey, E, Angus, B, Lawrence, CM & Rees, JL 1995, 'Prognostic value of Ki-67 antigen expression in basal cell carcinoma', *Br J Dermatol*, vol.33, pp.737-742.
- Horlock, N, Wilson, GD, Daley, FM, Richman, PI, Grobbelaar, AO, Sanders, R & Foy, C 1998, 'Cellular proliferation characteristics do not account for the behaviour of horrifying basal cell carcinoma. A comparison of the growth fraction of horrifying and non horrifying tumours', *Br. J. Plast. Surg*, vol. 51, pp. 59-66.
- Horlock, NM, Wilson, GD, Dalyle, FM, Richamn, PI & Sanders, R 1997, 'Cellular proliferation characteristics of basal cell carcinoma: relationship to clinical subtype and histopathology', *Eur. J. Surg. Oncol*, vol. 23, pp.247-252.

- Ionescu, DN, Arida, M & Jukic, DM 2006, 'Metastatic basal cell carcinoma. Four cases report, review of literature, and immunohistochemical evaluation', *Arch. Pathol. Lab. Med.*, vol. 130, pp. 45–51.
- Janisson-Dargaud, D, Durlach, A, Lorenzato, M, Grange, F, Bernard, P & Birembaut, P 2008, 'Aneuploidy, but not Ki-67 or EGFR expression, is associated with recurrences in basal cell carcinoma', *J. Cutan. Pathol.*, vol. 35, pp. 916–921.
- Kazanowska, B, Reich, A, Jelen, M, Szkudlarek, T & Chybicka, A 2004, 'Ki-67 expression in soft tissue sarcomas in children', *Nowotvory J. Oncol.*, vol.54, pp. 347–353.
- Jonat, W & Arnold, N 2011, 'Is the Ki-67 labelling indeks ready for clinical use?', *Ann Oncol.*, vol.22, no. 3, pp. 500-502.
- Kasper, M, Jaks, V, Are, A, Bergström, A, Schwäger, A, Svärd, J 2011, 'Wounding enhances epidermal tumorigenesis by recruiting hair follicle keratinocytes', *Proc Natl Acad Sci U S A*, vol. 108, no. 10, pp. 4099-104.
- Kaur, P, Mulvaney, M & Carlson, JA 2006, 'Basal cell carcinoma progression correlates with host immune response and stromal alternations; a histologic analysis', *Am J Dermatopathol.*, vol.28, no.4, pp. 293-306.
- Khodaeiani, E, Fakhriou, A, Amirnia, M, Babaeinezhad, S, Tagvamanesh, F, Karimi, ER & Alikhah, H 2013, 'Immunohistochemical evaluation of p53 and Ki-67 expression in skin epithelial tumors', *Indian J Dermatol.*, vol. 58, pp. 181-187.
- Kim, GK, James, Q, Rosso, JQD & Bellew, S 2009, 'Skin Cancer in Asian : Part 1: nonmelanoma skin cancer', *J Clin Aesthet Dermatol.*, vol.2, no. 8, pp.39-42.
- Kossard, S, Epstein, EH, Cerio, R, Yu, LL & Weedon, D 2006, 'Basal Cell Carcinoma', in: LeBoit, PE, Burg, G, Weedon, D, Sarasin, A (ed.), *WHO: Pathology and Genetiks of Skin Tumours*, Lyon, IARC, pp.13-19.
- Kramer, E, Herman, O, Frand, J, Leibou, L, Schreiber, L & Vaknine, H 2014, 'Ki-67 as a biologic marker of basal cell carcinoma: a retrospective study', *IMAJ.*, vol.16, pp. 229-232.
- Lee, SH, Han, KH, Cho, KH, Eun, HC & Youn, JI 2000, 'Expression of p53, bcl-2, CD34 and Ki-67 in different histologic variants of basal cell carcinoma', *Korean J. Invest. Dermatol.*, vol. 7, pp. 95–100.
- Leon, A, Ceausu, Z, Ceausu, M, Ardeleanu, C, & Mehedinbi, T 2006, 'Assessment of the agresive feature of basal cell carcinoma in the oral and maxillofacial region', *OHDMBSC.*, vol.5, pp. 62-67.
- Le Page, C, Huntsman, DG, Provencher, DM and Masson, AMM 2010, 'Predictive and prognostic protein biomarker in epithelial ovarian cancer : recommendation for future studies', *Cancers.*, vol.2, pp. 913-954.
- Lippincott, Williams & Wilkins 2010, *Lever's Histopathology of the skin*, 10th edn, Philadelphia.
- Mahvash, M, Hugo, HH, Maslehaty, H, Mehdorn, HM & Stark, AM 2011, 'Glioblastoma multiforme in children: report of 13 cases and review of the literature', *Pediatr. Neurol.*, vol. 45, pp. 178–180.

- Martinez, AAR, Fransisco, G, Cabral, LS, Neto, CF & Ruiz, IRG 2006, 'Molecular genetiks of non-melanoma skin cancer', *An Bras Dermatol*, vol. 81, no. 5, pp. 405-419.
- Mateoiu, C, Pirici, A & Bogdan, F 2011, 'Immunohistochemical nuclear staining for p53, PCNA, Ki-67 and Bcl-2 in different histologic variant of basal cell carcinoma', *Rom J Morphol Embryol*, vol.52, no.1, pp. 315-319.
- Matsumura, Y, Ananthaswamy, HN 2002, 'Molecular mechanisms of photocarcinogenesis', *Front Biosci*, vol. 7, pp. 765-83.
- McLeod, MP, Choudany, S, Alqubaisy, YA & Nouri, K 2012, 'Basal Cell Carcinoma', In: Nouri, editors, *Mohs Micrographic Surgery, 12th*, Ed, London: Springer, pp.177-188.
- Miller, SJ, Moresi, JM 2008, 'Actinic keratosis, basal cell carcinoma and squamous cell carcinoma', in Bologna, JL, Jorizzo, JL, Rapini, RP (eds), *J Dermatol*, Mosby, London, pp. 1677-1696.
- Misiuk Hojlo, M, Wozniak, ZM, Barancewicz-Losek, M, Szybejko-Machaj, G, Maj, J & Bieniek, A 2005, 'Palpebral basal cell carcinoma: relation between 34-betaE12, bcl-2 and Ki-67 expression (abstract)', *Ophthalmic Res*, vol. 37, pp. 59.
- Nasr, MR & El-Zammar, O 2008, 'Comparison of pHH3, Ki-67, and survivin immunoreactivity in benign and malignant melanocytic lesions', *Am. J. Dermatopathol*, vol. 30, pp. 117-122.
- Pernick, N 2013, *Stain ; Ki-67/MIB1*, Pathologyoutlines, viewed 6 Maret 2015, <<http://www.pathologyoutlines.com/topic.stainsKi-67.html>>.
- Qomara, KA, Ekantini, R, Supartoto, A 2009, 'The Different P53 Expressions of Basal Cell Carcinoma and Squamous Cell Carcinoma in the Periocular Skin Area', *Jurnal Oftalmologi Indonesia*, vol. 7, pp.6-8.
- Qin, JZ, Chaturvedi, V, Denning, MF, Bacon, P, Panella, J, Choubey, D 2002, 'Regulation of apoptosis by p53 in UV-irradiated human epidermis, psoriatic plaques and senescent keratinocytes', *Oncogene*, vol. 21, no. 19, pp. 2991-3002.
- Raasch, BA, Buettner, PG, Garbe, C 2008, 'Basal cell carcinoma histological classification and body-site distribution', *Br J Dermatol*, vol. 49, pp. 175-9.
- Rass, K, Reichrath, J 2008, 'UV damaged and DNA repair in malignant melanoma and non melanoma skin cancer', *Br J Dermatol*, vol. 624, pp. 162-79.
- Robbins, SL, Cotran, RS & Kumar, V 2010, *The Breast. In Pathologic Basis of Disease*, 8th edition, WB Saunders, Philadelphia, pp. 1065-95.
- Rubin, AI, Chen, EH & Ratner, D 2005, 'Current concepts basal cell carcinoma', *N Eng J Med*, vol.353, pp. 2262-2269.
- Sastroasmoro, S & Ismael, S 2011, *Dasar-dasar Metodologi Penelitian Klinis*, edisi keempat, Sagung Seto.

- Slater, D, Walsh, M 2014, 'Standards and datasets for reporting cancers. Dataset for the histological reporting of primary cutaneous basal cell carcinoma', *RCPA*, pp. 1-27.
- Selim, AG, El-Ashmawy, A, Gheida, S, Abd-Elnaby, N & El-Tatawy, R 2009, 'Basal cell carcinoma : possible role of some proliferative and apoptotic factors', *J Egypt Wom Dermatol Soc*, vol.6, no.1, pp. 16-27.
- Scholzen, T & Gerdes, J 2000, 'The Ki-67 Protein: from the known and the unknown', *J Cell Physiol*, vol. 182, pp. 311-322.
- Stefano, AD, Dispenza, F, Petrucci, AG, Citrato, L & Croce, A 2012, 'Features of biopsy in diagnosis of metatypical basal cell carcinoma (basosquamous carcinoma) of head and neck', *Otolaryngol Polska*, vol.66, pp. 419-423.
- Tan, WP, Tan, WH, Ee, HL 2008, 'Malanization in basal cell carcinomas: Microscopic characterization of clinically pigmented and non pigmented tumours', *Aust J Dermatol*, vol. 49, pp. 202 –6.
- Tang, JY, Xiao, TZ, Oda, Y, Chang, KS, Shpall, E, Wu, A 2011, 'Vitamin D3 inhibits hedgehog signaling and proliferation in murine basal cell carcinomas', *Cancer Prev Res (Phila)*, vol. 4, no. 5, pp. 744-51.
- Tilli, CM, Stavast-Koey, AJ, Ramaekers, FC & Neumann, HA 2002, 'Bax expression and growth behavior of basal cell carcinomas', *J. Cutan. Pathol*, vol. 29, pp. 79–87.
- Tilli, CMLJ, Steensel, MAM, Krekels, GAM, Neumann, HAM & Ramaekers, FCS 2005, 'Review Article: Molecular aetiology and pathogenesis of basal cell carcinoma', *Br J Dermatol*, vol. 152, no.6, pp. 1108-1124.
- Tuzun, Y, Kutlubay, Z, Engin, B & Serdaroglu, S 2011, 'Basal Cell Carcinoma', in Xi Y (ed.), *Skin Cancer Overview*, Intech, pp. 51-86.
- Tiftikcioglu, YO, Karaaslan, O, Aksoy, HM 2006, 'Basal cell carcinoma in Turkey', *J Dermatol*, vol. 2, pp. 91–5.
- Urruticoechea, A, Smith, IE & Dowsett, M 2005, 'Proliferation marker Ki-67 in early breast cancer', *J Clin Onco*, vol. 23, pp.7212-7219.
- Vantuchova, Y & Curik, R 2006, 'Histological types of basal cell carcinoma', *Scripta Medica (BRNO)*, vol. 79, no.5-6, pp.261-170.
- Walling, HW, Fosko SW & Geraminejad, PA 2004, 'Aggresive basal cell carcinoma: presentation, pathogenesis, and management', *Cancer and Metastasis Rev*, vol. 23, pp.489 – 402.
- Weedon, D 2010, *Weedon's Skin Pathology*, 3rd edn, Elsevier.
- Wysocka, MM, Dmochowska, MB, Weklar, DS, Pazdrowska, AD & Adamski, Z 2012, 'Basal cell carcinoma – diagnosis', *Contemp Oncol*, vol. 17, no.4, pp. 337-342.
- Yah, YW, Chen, SY, Wu, BY, Gao, HW, Liu, CY, Chien, WC, Chiang, CP 2014, 'Epidemiologic and Pathologic Characteristic of Basal Cell Carcinoma in Northern Taiwan : Experience from a medical center', *J Med Sci*, vol. 34, no. 3, pp. 98-103.

Yahya, YF, Pohan, SS, Soetjipto & Sudiana, IK 2012, 'Ekspresi β catein dan β 4 integrin pada karsinoma sel basal agresif dan non agresif', *JBB*, vol. 14, no.1, hal.1-11.

Yap, FBB 2014, 'Clinical characteristics of basal cell carcinoma in a tertiary hospital in Sarawak, Malaysia', *Int J Dermatol*, vol. 49, pp. 175-9.

Yenny, SW & Sari, MM 2014, 'Insiden kanker kulit di Sub Bagian Tumor Poli Kulit dan Kelamin RS Dr. M. Djamil Padang Januari 202-September 2014', *MKA*, vol. 37. No.2, hal.11-13.

Yerebakan, O, Ciftcioglu, MA, Akkaya, BK & Yilmaz, E 2003, 'Prognostic value of Ki-67, CD31 and epidermal growth factor receptor expression in basal cell carcinoma', *J. Dermatol*, vol. 30, pp. 33-41.

Yerushalmi, R, Woods, R & Ravdin, PM 2010, 'Ki-67 in Breast Cancer: prognostic and predictive potential', *Lancet Oncol*, vol.11, pp.174-83.

